

Network Working Group
Request for Comments: 2051
Category: Standards Track

M. Allen
Wall Data Inc.
B. Clouston
Z. Kielczewski
Cisco Systems
W. Kwan
Jupiter Technology Inc.
B. Moore
IBM
October 1996

Definitions of Managed Objects for APPC using SMIv2

Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Table of Contents

1.	Introduction	1
2.	The SNMP Network Management Framework	1
3.	Overview	2
3.1	APPC MIB structure	4
4.	Definitions	10
5.	Acknowledgments	123
6.	References	123
7.	Security Considerations	123
8.	Authors' Addresses	124

1. Introduction

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. In particular, it defines objects for managing the configuration, monitoring and controlling of network devices with APPC (Advanced Program-to-Program Communications) capabilities. This memo identifies managed objects for the SNA LU6.2 protocols.

2. The SNMP Network Management Framework

The SNMP Network Management Framework consists of several components. For the purpose of this specification, the applicable components of the Framework are the SMI and related documents [2, 3, 4], which define the mechanisms used for describing and naming objects for the

purpose of management.

The Framework permits new objects to be defined for the purpose of experimentation and evaluation.

3. Overview

This document identifies the proposed set of objects for managing the configuration, monitoring and controlling devices with APPC capabilities. APPC is the aspect of SNA which supports peer-to-peer communication, and provides the interface for applications to communicate. In this document, we will describe LU6.2 protocol-specific managed objects.

This document describes both dependent and independent LU 6.2 protocols.

A dependent LU requires assistance from an SSCP in order to activate an LU 6.2 session. An independent LU is able to activate an LU 6.2 session without assistance from the SSCP. If the agent supports dependent LU 6.2 only, the SNA NAU MIB, RFC 1666 [7] is used instead to represent those objects.

Local LUs and partner LUs connect with each other using sessions. Multiple different sessions can be established between LUs with characteristics defined by Modes. Session limits within a defined Mode are negotiated between the local and partner LUs using a protocol called CNOS (Change Number of Sessions).

Transaction Programs (TPs) are applications that use sessions to communicate with each other. Multiple TPs can use the same session, but not at the same time. A single usage of a session is called a conversation. While a session can stay active for a long time, a conversation can come up and down based on usage by the TPs.

Common Programming Interface - Communications (CPI-C) is a standard API (Application Programming Interface) for APPC and OSI TP that is used by TPs for accessing conversations. Although, many of the CPI-C objects in this MIB are relevant to both APPC and OSI TP, the intention is for managing APPC products only.

SNA names such as LU names, CP names, mode names, and COS names can be padded with space characters in SNA formats. These space characters are insignificant. For example, in a BIND RU a mode name of "#INTER" with a length of 6 is identical to a mode name of "#INTER " with a length of 8. However, in this MIB, insignificant space characters are not included by the agent. Using the mode name from the previous example, an agent would return a length of 6 and the

string "#INTER" with no space characters for appcModeAdminModeName, regardless of how it appears in the BIND RU or in internal storage. The lone exception is the all blank mode name, for which the agent returns a length of 8 and the string " " (8 space characters).

When an SNA name is functioning as a table index, an agent shall treat trailing space characters as significant. If a Management Station requests the objects from a row with index "#INTER ", the agent does not match this to the row with index "#INTER". Since an agent has no insignificant space characters in any of its table indices, the only reason for a Management Station to include them would be to start GetNext processing at a chosen point in a table. For example, a GetNext request with index "M " would start retrieval from a table at the first row with an 8-character index beginning with M or a letter after M.

The SNA/APPC terms and overall architecture are documented in [1], [5], and [6].

Highlights of the management functions supported by the APPC MIB module include the following:

- o Activating and deactivating statistics keeping and counting.
- o Activating and deactivating tracing.
- o Issuing CNOS processing verbs/commands for INITIALIZE_SESSION_LIMIT, CHANGE_SESSION_LIMIT and RESET_SESSION_LIMIT.
- o Monitoring of parameters related to local LU, partner LU, modes, TPs and CPI-C side information.
- o Deactivating sessions.
- o Monitoring of LU6.2-specific session operational parameters and statistics, historical information about abnormally terminated sessions, and information about APPC sessions that are transported by APPN HPR.
- o Monitoring of conversation operational parameters, and historical information about abnormally terminated sessions.

This MIB module does not support:

- o Modifying APPC defaults.
- o Creating and deleting partner LUs, modes, TPs, and CPI-C side information tables.
- o Modifying parameters related to local LU, partner LU, modes, TPs, and CPI-C side information.
- o Activating or deactivating local LUs.
- o Activating or deactivating partner LUs.
- o Activating or deactivating conversations.
- o Activating or deactivating Transaction Programs.
- o Activating sessions.
- o Traps

3.1. APPC MIB Structure

The APPC MIB module contains six groups of objects:

- o appcGlobal - objects related to global defaults and controls. In addition, CNOS processing objects are also part of this group.
- o appcLu - objects related to LU6.2-specific local and partner LU, mode definition, monitoring and control.
- o appcTp - objects related to transaction program definition, monitoring and control.
- o appcSession - objects related to LU6.2-specific session monitoring.
- o appcConversation - objects related to conversation monitoring.
- o appcCPIC - objects related to related CPI-C side information.

These groups are described below in more detail.

The objects related to LU6.2 are generally organized into two types of tables: the Admin and Oper tables.

The "Admin" table contains read-only objects which contain default or expected configuration values. This MIB does not create or modify configuration values. The "Oper" table contains objects which provide current operational values, such as state values or negotiated parameters, for dynamic or configured objects. Dynamic objects are created by the APPC system using one of the templates provided in the "Admin" table. Configured objects usually have a one-to-one relationship between "Admin" and "Oper" entries. However, some "Admin" values may have changed since the object became operational, such that the "Oper" values may no longer be based on the "Admin" values. The "Admin" entry could even be deleted. For example, some implementations may allow a mode definition (appcModeAdminEntry) to be deleted even while an active session was using this mode (appcModeOperEntry still exists). Where appropriate, the "Oper" table may include initial starting values for objects that can be reconfigured while operational. How the "Admin" values are changed or deleted is outside the scope of this MIB.

3.1.1. appcGlobal group

The appcGlobal group consists of the following tables and objects:

1) appcCntrlAdminGroup

This group of objects controls whether certain statistics and counters (e.g., session counters and RSCV collection) should be maintained by the Agent. In addition, the ability to activate and deactivate tracing is also supported through objects in this group. These objects are for Agent implementations that wish to provide this level of operational control and are optional.

The objects in this group represent the desired state, with the actual operational values in appcCntrlOperGroup.

These objects can be generated initially, after startup of SNA service, by the Agent which uses information from the Node configuration file. Subsequent modifications of object values is possible by a Management station. The modifications to these objects can be saved in the Node configuration file for the next startup (i.e., restart or next initialization) of SNA service, but the mechanism for this function is not defined in this document.

2) appcCntrlOperGroup

This group of objects monitors whether certain statistics and counters (e.g., session counters and RSCV collection) are maintained by an Agent. In addition, the ability to monitor tracing activity is also supported through objects in this group.

This table represents the actual operational state. These states can be modified via objects in the appcCntrlAdminGroup.

3) appcGlobalObjects

These objects describe global information such as APPC system start time, the control point name, and default LU 6.2 configuration values. The type of default configuration information includes mode name, LU, and maximum logical record size.

4) appcCnosControl

These objects allows for issuing of CNOS commands relative to a local and partner LU pair and a Mode. They support the following CNOS commands: INITIALIZE_SESSION_LIMIT, CHANGE_SESSION_LIMIT and RESET_SESSION_LIMIT.

The objects in this group can be modified by a Management Station.

This group consists of objects that are relevant to the CNOS commands parameters, which a Management Station needs to set. After setting the parameters of a CNOS command, the Management Station will set the control object (appcCnosCommand) to request the Agent to issue the appropriate CNOS command.

3.1.2. appcLu group

The appcLu group consists of the following tables:

1) appcLluAdminTable

This table contains objects which describe specific LU6.2 local LU configuration information. The type of information includes the maximum number of sessions supported and compression parameters.

2) appcLluOperTable

This table contains objects which describe specific LU6.2 local LU operational information. The type of information includes the maximum number of sessions supported, the number of sessions currently active, and compression parameters.

3) appcLuPairAdminTable

This table contains objects which describe local LU and partner LU configuration information. The type of information includes security information and whether parallel sessions are supported.

For those implementations that have partner LU definitions associated with each local LU, multiple entries with the same appcLuPairAdminParLuName could exist with different appcLuPairAdminLocLuName. For those implementations in which partner LU definitions apply to all local LUs, the appcLuPairAdminLocLuName is set to '*ALL'.

4) appcLuPairOperTable

This table contains objects which describe partner/local LU pair run-time operational information. The type of information includes security information and whether parallel sessions are supported.

Although the Admin (appcLuPairAdminTable) table entries could be global to all local LUs in a Node, an entry in this Oper table is always associated with one local LU.

A row in this table is created as soon as there is an active session between the local and partner LU. Two entries are present when both LUs in a pair are local.

5) appcModeAdminTable

This table contains objects which describe Mode configuration information. The type of information includes the mode name and maximum session limit.

For those implementations that have Mode definitions associated with each local and partner LU pair, multiple entries with the same appcModeAdminModeName could exist with different appcModeAdminLocLuName and appcModeAdminParLuName. For those implementations in which Mode definitions apply to all local and/or all partner LUs, the appcModeAdminLocLuName and/or appcModeAdminParLuName are set to '*ALL'.

6) appcModeOperTable

This table contains objects which describe Mode run-time operational information for each local/partner LU pair. The type of information includes the mode name and maximum session limit.

Although the Admin table entries could be global to all local and partner LUs in a Node, the Oper table entries are always associated with one local and partner LU pair.

A row in this table is created as soon as there is an active session between local and partner LU for this Mode. Two entries are present when both LUs in a pair are local.

3.1.3. appcTp group

The appcTp group consists of the following table:

1) appcTpAdminTable

This table contains objects which describe transaction program (TP) configuration information. The type of information includes the TP name and TP operation, indicating how the TP will be started.

For those implementations that have TP definitions associated with each local LU, multiple entries with the same appcTpAdminTpName could exist with different appcTpAdminLocLuName. For those implementations in which TP definition applies to all local LUs, it will have appcTpAdminLocLuName set to '*ALL'.

There is no appcTpOperTable. Run-time information about TP tends to be product-specific (e.g., process Id), and much of the information can be derived from the conversation tables.

3.1.4. appcSession group

The appcSession group consists of the following tables:

1) appcActSessTable

This table contains objects which describe LU6.2 session information. The type of information includes the PCID and the pacing counts.

2) appcSessStatsTable

This table contains statistical information about LU 6.2 sessions. The type of information includes counters of bytes and RUs sent and received.

3) appcHistSessTable

This table contains historical information about APPC sessions that have terminated abnormally. The type of information includes the unbind type and sense data.

4) appcSessRtpTable

This table contains information about LU 6.2 sessions that are being transported by High Performance Routing. The type of information includes the NCEID and TCID.

3.1.5. appcConversation group

The appcConversation group consists of the following tables:

1) appcActiveConvTable

This table contains objects which describe active conversation information. The type of information includes the state and type. An entry is created by an Agent when the conversation is started, and is removed when the conversation ends.

2) appcHistConvTable

This table contains objects which describe historical conversation information about abnormally terminated conversations. The number of entries and how long they are kept depends on the Agent implementation. The type of information includes the sense data and log data.

3.1.6. appcCPIC group

The appcCPIC group consists of the following tables:

1) appcCpicAdminTable

This table contains objects which describe CPI-C side information. The type of information includes the symbolic destination name and partner LU name.

For those implementations that have CPI-C definition associated with each local LU, multiple entries with the same appcCpicAdminSymbDestName could exist with different appcCpicAdminLocLuName. For those implementations in which CPI-C definition applies to all local LUs, it will have appcCpicAdminLocLuName set to '*ALL'.

2) appcCpicOperTable

This table contains objects which describe CPI-C run-time operational information. The type of information includes the symbolic destination name and partner LU name.

4. Definitions

```
APP-C-MIB DEFINITIONS ::= BEGIN

IMPORTS
    DisplayString, InstancePointer, TEXTUAL-CONVENTION, DateAndTime
        FROM SNMPv2-TC

    mib-2, Counter32, Gauge32, Integer32, TimeTicks,
    OBJECT-TYPE, MODULE-IDENTITY
        FROM SNMPv2-SMI

    snanauMIB
        FROM SNA-NAU-MIB

    MODULE-COMPLIANCE, OBJECT-GROUP
        FROM SNMPv2-CONF;

appcMIB MODULE-IDENTITY
    LAST-UPDATED    "9512150000Z"
    ORGANIZATION   "IETF SNA NAU MIB Working Group"
    CONTACT-INFO

    "
        Michael Allen
        Wall Data Inc.
        P.O.Box 1120
        Duval, WA 98019, USA
        Tel:      1 206 844 3505
        E-mail:  mallen@hq.walldata.com

        Bob Clouston
        Cisco Systems
        7025 Kit Creek Road
        P.O. Box 14987
        Research Triangle Park, NC 27709, USA
        Tel:      1 919 472 2333
        E-mail:  clouston@cisco.com

        Zbigniew Kielczewski
        Cisco Systems
        3100 Smoketree Court
        Raleigh, NC 27604, USA
        Tel:      1 919 871 6326
        E-mail:  zbig@cisco.com
```

William Kwan
 Jupiter Technology Inc.
 200 Prospect Street
 Waltham, MA 02254, USA
 Tel: 1 617 894 9300, x423
 E-mail: billk@jti.com

Bob Moore
 IBM Corporation
 800 Park Offices Drive
 CNMA/664
 P.O. Box 12195
 Research Triangle Park, NC 27709, USA
 Tel: 1 919 254 4436
 E-mail: remoore@ralvm6.vnet.ibm.com

"

DESCRIPTION

"This is the MIB module for objects used to manage network devices with APPC capabilities."

::= { snanauMIB 3 }

appcObjects	OBJECT IDENTIFIER ::= { appcMIB 1 }
appcGlobal	OBJECT IDENTIFIER ::= { appcObjects 1 }
appcLu	OBJECT IDENTIFIER ::= { appcObjects 2 }
appcTp	OBJECT IDENTIFIER ::= { appcObjects 3 }
appcSession	OBJECT IDENTIFIER ::= { appcObjects 4 }
appcConversation	OBJECT IDENTIFIER ::= { appcObjects 5 }
appcCPIC	OBJECT IDENTIFIER ::= { appcObjects 6 }

```
-- ****
-- Objects in this MIB are used to model an SNA device that supports
-- APPC LUs.
-- Following is the overall organization of the MIB.
--
-- 1. APPC Global Objects      - global values, defaults,
--                                controls (including CNOS)
-- 2. APPC Defined Lu Tables - Admin and Oper
-- 3. APPC Defined LU Pair Tables - Admin and Oper
-- 4. APPC Mode Tables        - Admin and Oper
-- 5. APPC TP Tables          - Admin only
-- 6. APPC Session Tables     - Active, Stats, History, RTP
-- 7. APPC Conversation Table - Active, History
-- 8. APPC CPIC side info     - Admin and Oper
-- ****
-- ****
```

```
-- Textual Convention

-----
SnaSenseData ::= TEXTUAL-CONVENTION
    STATUS current
    DESCRIPTION
        "To facilitate their display by a Management Station, sense
        data objects in the MIB are represented as DisplayStrings of
        size 8. Eight '0' characters indicates that no sense data
        identifying an SNA error condition is available."
    SYNTAX DisplayString (SIZE (8))
-----
-- APPC Control Objects
-----
-- The following objects allow:
--     * the collection of APPC Session information counters
--     to be started and stopped
--     * the collection of APPC Session RSCVs
--     to be started and stopped
--     * the collection of APPC tracing information to be started and
--     stopped
--
-- These objects are for implementations that wish to provide
-- this level of operational control. This group is
-- conditionally mandatory in the conformance section of the MIB.
--
-----
-- Control Admin
--     These objects contain the desired states for the controls.
--     The actual states are in the Oper objects.
-----
appcCntrlAdminGroup OBJECT IDENTIFIER ::= { appcGlobal 1 }

appcCntrlAdminStat OBJECT-TYPE
    SYNTAX INTEGER {
        notActive(1),
        active(2)
    }
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "Indicates the desired state of statistics collection:
        notActive collection of counters is not active.
        active    collection of counters is active."
```

When this object is set to notActive, all of the entries are removed from the appcSessStatsTable."

```

 ::= { appcCntrlAdminGroup 1 }

appcCntrlAdminRscv OBJECT-TYPE
    SYNTAX INTEGER {
        notActive(1),
        active(2)
    }
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "Indicates the desired state of RSCV information collection:
         notActive collection of route selection control vectors
         is not active.
         active    collection of route selection control vectors
         is active."
 ::= { appcCntrlAdminGroup 2 }

appcCntrlAdminTrace OBJECT-TYPE
    SYNTAX INTEGER {
        notActive(1),
        active(2)
    }
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "Indicates the desired state of tracing:
         notActive collection of tracing information is not active
         active     collection of tracing information is active"
 ::= { appcCntrlAdminGroup 3 }

appcCntrlAdminTraceParm OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..128))
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "Specifies the parameter to be used in conjunction with
         activating tracing. The actual content is implementation
         dependent."
 ::= { appcCntrlAdminGroup 4 }

-- ****

```

```

-- Control Oper
-- These objects contain the actual states of the controls.
-- ****
appcCntrlOperGroup OBJECT IDENTIFIER ::= { appcGlobal 2 }

appcCntrlOperStat OBJECT-TYPE
    SYNTAX INTEGER {
        notActive(1),
        active(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the current collection options in effect:
         notActive collection of counters is not active.
         active     collection of counters is active.

         Statistical entries are present in the appcSessStatsTable
         only when the value of this object is 'active'."

    ::= { appcCntrlOperGroup 1 }

appcCntrlOperStatTime OBJECT-TYPE
    SYNTAX TimeTicks
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Time since the appcCntrlOperStat object last changed.
         This time is in hundreds of a second."

    ::= { appcCntrlOperGroup 2 }

appcCntrlOperRscv OBJECT-TYPE
    SYNTAX INTEGER {
        notActive(1),
        active(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the current collection options in effect:
         notActive collection of route selection control vectors
             is not active.
         active   collection of route selection control vectors
             is active."

```

```
 ::= { appcCntrlOperGroup 3 }

appcCntrlOperRscvTime OBJECT-TYPE
    SYNTAX TimeTicks
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Time since the appcCntrlOperRscv object last changed.
         This time is in hundreds of a second."

 ::= { appcCntrlOperGroup 4 }

appcCntrlOperTrace OBJECT-TYPE
    SYNTAX INTEGER {
        notActive(1),
        active(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the current state of tracing:
         notActive collection of tracing information is not active.
         active     collection of tracing information is active.

 ::= { appcCntrlOperGroup 5 }

appcCntrlOperTraceTime OBJECT-TYPE
    SYNTAX TimeTicks
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Time since the appcCntrlOperTrace object last changed.
         This time is in hundreds of a second.

 ::= { appcCntrlOperGroup 6 }

appcCntrlOperTraceParm OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..128))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the parameter used in conjunction with activating
         tracing. The actual content is implementation dependent.

 ::= { appcCntrlOperGroup 7 }

-- ****
```

```
--  
--      APPC global settings  
--  
-- *****  
appcGlobalObjects OBJECT IDENTIFIER ::= { appcGlobal 3 }  
  
appcUpTime OBJECT-TYPE  
    SYNTAX TimeTicks  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The time, in hundredths of a second, since the  
        APPC portion of the system was last reinitialized."  
    ::= { appcGlobalObjects 1 }  
  
appcDefaultModeName OBJECT-TYPE  
    SYNTAX DisplayString (SIZE (1..8))  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "Specifies the mode name to be used under the following  
        conditions:  
  
        When an incoming BIND request contains a mode name not  
        defined at the local node. The parameters defined for  
        this mode are used for the inbound implicit mode  
        capability.  
  
        When an APPC program issues an [MC_]ALLOCATE,  
        [MC_]SEND_CONVERSATION, or CNOS verb, or when a CPI-C  
        program issues an Allocate (CMALLC) call,  
        specifying a mode name not defined at the local node. The  
        parameters defined for this mode are used for the outbound  
        implicit mode capability.  
  
        This mode name must match a defined entry in the  
        appcModeAdminTable."  
    ::= { appcGlobalObjects 2 }  
  
appcDefaultLuName OBJECT-TYPE  
    SYNTAX DisplayString (SIZE (1..17))  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "Specifies the name of the local LU that is to serve as the  
        default LU. This is the default LU to which are routed inbound
```

BIND requests that exclude the secondary LU name. This field is from 1 to 17 characters in length, including a period (.) which separates the NetId from the NAU name if the NetId is present. This local LU name must match a defined entry in the appcLluAdminTable."

```
::= { appcGlobalObjects 3 }
```

```
appcDefaultImplInbndPlu OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether or not inbound implicit partner LU support
        is enabled. The following values are defined:

        no   - Specifies that inbound implicit partner LU support
               is disabled, which means that an incoming bind that
               specifies a partner LU that is not defined at the
               local node will be rejected.

        yes  - Specifies that inbound implicit partner LU support
               is enabled, which provides the capability to accept
               an incoming BIND request that contains a partner LU
               name that is not defined at the local node."
```

```
::= { appcGlobalObjects 4 }
```

```
appcDefaultMaxMcL1SndSize OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum size of a logical record to be used for
        a mapped conversation when sending data to either the inbound
        or outbound implicit partner LU. This size is the maximum
        number of bytes in a single logical record, as indicated in the
        LL field of the record. The default value is 32767.
```

Note that this object does not limit the maximum size that an application program can supply on the Send Data call for a mapped conversation."

```
::= { appcGlobalObjects 5 }
```

```
appcDefaultFileSpec OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..80))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The local file specification that is to be searched by the
         APPC attach manager when no DEFINE_TP verb has been issued
         for the TP name received on an incoming attach. In this
         case, the attach manager will attempt to start a program
         whose file name is the same as the incoming TP name. If
         found, the program is loaded. If not found, the attach is
         rejected.

        The value '*' indicates that the normal search path for
        executable programs is to be used for locating an undefined
        transaction program.

        A null string indicates that there is no default file
        specification for undefined transaction programs.

 ::= { appcGlobalObjects 6 }

appcDefaultTpOperation OBJECT-TYPE
    SYNTAX INTEGER {
        other(1),
        queuedOperatorStarted(2),
        queuedOperatorPreloaded(3),
        queuedAmStarted(4),
        nonqueuedAmStarted(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies how the program will be started.

        other - Specifies that the default TP operation is none of
                the methods specified below. It may be a
                product-specific method.

        queuedOperatorStarted - Specifies that one version of the
                               program will be run at a time. If an incoming
                               attach arrives and the program has not been started
                               yet, APPC will issue a message to the operator to
                               start the specified program. Subsequent attaches
                               that arrive while the program is active will be
                               queued.

        queuedOperatorPreloaded - Specifies that one version
```

of the program will be run at a time. If an incoming attach arrives and the program has not been started yet, the Attach will be rejected. The APPC attach manager determines that a TP has started upon reception of an APPC RECEIVE_ALLOCATE verb, or a CPI-C Accept_Conversation (CMACCP) or Specify_Local_TP_Name (CMSLTP) call. No message is sent to the operator. Subsequent attaches that arrive while the program is active are queued.

queuedAmStarted - Specifies that one version of the program will be run at a time and will be started by the APPC attach manager. Subsequent attaches that arrive while the program is active will be queued.

nonqueuedAmStarted - Specifies that multiple copies of the program will be run at a time and will be started by the APPC attach manager. "

::= { appcGlobalObjects 7 }

```
appcDefaultTpConvSecRqd OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether or not conversation security will be used
         for default TPs.

        no   - Specifies that the incoming attach does not have to
               contain security information.
        yes  - Specifies that the incoming attach must contain
               valid authentication information (e.g., user ID and
               password)."
```

::= { appcGlobalObjects 8 }

```
appcLocalCpName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the name of the local control point. This field is
         from 0 to 17 characters in length, including a period (.) which
```

separates the NetId from the NAU name if the NetId is present.
A null string indicates that the value is unknown."

```

 ::= { appcGlobalObjects 9 }

appcActiveSessions OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the total number of active APPC sessions supported
         by this implementation. Sessions for which both LUs are local
         are counted twice."

 ::= { appcGlobalObjects 10 }

appcActiveHprSessions OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the total number of active HPR APPC sessions."

 ::= { appcGlobalObjects 11 }

-- *****
-- APPC CNOS control
--
-- This group contains objects for issuing APPC Change-Number-of-Session
-- (CNOS) commands to a specific mode. Specifically, the commands
-- supported are:
--     INITIALIZE_SESSION_LIMIT
--     CHANGE_SESSION_LIMIT
--     RESET_SESSION_LIMIT
--
-- *****
appcCnosControl OBJECT IDENTIFIER ::= { appcGlobal 4 }

appcCnosCommand OBJECT-TYPE
    SYNTAX INTEGER {
        initSesslimit(1),
        changeSesslimit(2),
        resetSesslimit(3)
    }
    MAX-ACCESS read-write
    STATUS current

```

DESCRIPTION

"Specifies the CNOS command or verb to issue. First set the values of the particular CNOS parameter objects (from the range { appcCnosControl 2 } through { appcCnosControl 8 }) that apply to the CNOS command to be executed, set the three CNOS target objects ({ appcCnosControl 9 } through { appcCnosControl 11 }), then set this object to the command to be executed.

Here is the list of parameter objects that must be set for each of the CNOS commands:

```
INIT_SESSION_LIMIT -
    appcCnosMaxSessLimit
    appcCnosMinCwinLimit
    appcCnosMinClosLimit
    appcCnosTargetLocLuName
    appcCnosTargetParLuName
    appcCnosTargetModeName
```

```
CHANGE_SESSION_LIMIT -
    appcCnosMaxSessLimit
    appcCnosMinCwinLimit
    appcCnosMinClosLimit
    appcCnosResponsible
    appcCnosTargetLocLuName
    appcCnosTargetParLuName
    appcCnosTargetModeName
```

```
RESET_SESSION_LIMIT -
    appcCnosResponsible
    appcCnosDrainPart
    appcCnosForce
    appcCnosTargetLocLuName
    appcCnosTargetParLuName
    appcCnosTargetModeName
```

"

```
::= { appcCnosControl 1 }
```

appcCnosMaxSessLimit OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-write

STATUS current

DESCRIPTION

"Specifies the maximum value that the local LU is to use, during CNOS processing, for the session limit. The local LU, as a target LU, will negotiate a higher session limit it receives in the CNOS request down to this maximum value. The

local LU, as a source LU, will restrict the session limit it sends in a CNOS request to a value less than or equal to this maximum value.

If set (i.e., greater than 0), this overrides the maximum session limit defined in the appcModeAdminTable.

This parameter should be set to the desired value before setting the command (appcCnosCommand).

This parameter applies to the INITIALIZE_SESSION_LIMIT and CHANGE_SESSION_LIMIT verbs."

```
DEFVAL { 0 }

 ::= { appcCnosControl 2 }
```

appcCnosMinCwinLimit OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"Specifies the default minimum contention winner sessions limit.

This parameter should be set to the desired value before setting the command (appcCnosCommand).

This parameter applies to the INITIALIZE_SESSION_LIMIT and CHANGE_SESSION_LIMIT verbs."

```
DEFVAL { 0 }

 ::= { appcCnosControl 3 }
```

appcCnosMinClosLimit OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-write
STATUS current
DESCRIPTION
"Specifies the default minimum contention loser sessions limit.

This parameter should be set to the desired value before setting the command (appcCnosCommand).

This parameter applies to the INITIALIZE_SESSION_LIMIT and CHANGE_SESSION_LIMIT verbs."

```
DEFVAL { 0 }

 ::= { appcCnosControl 4 }

appcCnosDrainSelf OBJECT-TYPE
SYNTAX INTEGER {
    no(1),
    yes(2)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "Specifies whether the local LU is draining its conversations
     for this mode. When a mode session limit is reset (via a CNOS
     RESET_SESSION_LIMIT request), the local LU could be set to
     process all queued conversations before deactivating all of the
     sessions (using the SNA Bracket Initiation Stopped or BIS
     protocol).

This parameter should be set to the desired value before
setting the command (appcCnosCommand).

This parameter applies only to the RESET_SESSION_LIMIT verb.

DEFVAL { no }

 ::= { appcCnosControl 5 }

appcCnosDrainPart OBJECT-TYPE
SYNTAX INTEGER {
    no(1),
    yes(2)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "Specifies whether the partner LU is draining its conversations
     for this mode. When a mode session limit is reset (via a CNOS
     RESET_SESSION_LIMIT request), the partner LU could be set to
     process all queued conversations before deactivating all of the
     sessions (using the SNA Bracket Initiation Stop or BIS
     protocol).

This parameter should be set to the desired value before
setting the command (appcCnosCommand).

This parameter applies only to the RESET_SESSION_LIMIT verb."
```

```

DEFVAL { yes }

 ::= { appcCnosControl 6 }

appcCnosResponsible OBJECT-TYPE
SYNTAX INTEGER {
    source(1),
    target(2)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "Specifies which LU is responsible for selecting and
    deactivating sessions as a result of a change that decreases
    the session limit or the maximum number of contention winner
    sessions for the source or target LU. If no session need to be
    deactivated, this parameter is ignored.

        source - specifies that the source (local) LU is
                  responsible. The target (partner) LU
                  cannot negotiate this value.
        target - specifies that the target (partner) LU is
                  responsible. The target LU can negotiate
                  this value to source.

This parameter should be set to the desired value before
setting the command (appcCnosCommand).

This parameter applies to the RESET_SESSION_LIMIT and
CHANGE_SESSION_LIMIT verbs."

DEFVAL { source }

 ::= { appcCnosControl 7 }

appcCnosForce OBJECT-TYPE
SYNTAX INTEGER {
    no(1),
    yes(2)
}
MAX-ACCESS read-write
STATUS current
DESCRIPTION
    "Specifies whether the local LU should force the resetting of
    the session limit when certain error conditions occur that
    prevent the successful exchange of CNOS request and reply.

This parameter should be set to the desired value before

```

```

        setting the command (appcCnosCommand).

This parameter applies only to the RESET_SESSION_LIMIT verb.

DEFVAL { no }

::= { appcCnosControl 8 }

appcCnosTargetLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "The SNA name of the local LU to which the CNOS command is
         to be applied. This field is from 1 to 17 characters in
         length, including a period (.) which separates the
         NetId from the NAU name if the NetId is present.

This object should be set to the desired value before setting
the command (appcCnosCommand).

This parameter applies to all CNOS verbs.

::= { appcCnosControl 9 }

appcCnosTargetParLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "The SNA name of the partner LU to which the CNOS command is
         to be applied. This field is from 1 to 17 characters in
         length, including a period (.) which separates the
         NetId from the NAU name if the NetId is present.

This object should be set to the desired value before setting
the command (appcCnosCommand).

This parameter applies to all CNOS verbs.

::= { appcCnosControl 10 }

appcCnosTargetModeName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "Specifies the mode name to which the CNOS command is to be

```

applied.

This object should be set to the desired value before setting the command (appcCnosCommand).

This parameter applies to all CNOS verbs."

```
::= { appcCnosControl 11 }
```

```
-- ****  
-- APPC LU information  
-- -----
```

```
-- Local LU  
-- Partner LU  
-- Mode
```

```
-- ****
```

```
-- ****  
-- APPC Local LU  
--
```

```
-- The entries in the following tables provide information for  
-- independent and dependent LU 6.2.
```

```
-- ****
```

```
-- ****  
-- APPC Local LU Admin Table
```

```
-- Objects in this table contain default or expected configuration  
-- values for local 6.2 LUs.
```

```
-- ****
```

appcLluAdminTable OBJECT-TYPE

SYNTAX SEQUENCE OF AppcLluAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"APPC Local LU Admin Table."

```
::= { appcLu 1 }
```

appcLluAdminEntry OBJECT-TYPE

SYNTAX AppcLluAdminEntry

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Information about local APPC LUS. "

```

INDEX { appcLluAdminName }

::= { appcLluAdminTable 1 }

AppcLluAdminEntry      ::= SEQUENCE {
    appcLluAdminName          DisplayString,
    appcLluAdminDepType       INTEGER,
    appcLluAdminLocalAddress  OCTET STRING,
    appcLluAdminSessLimit    Integer32,
    appcLluAdminBindRspMayQ  INTEGER,
    appcLluAdminCompression   INTEGER,
    appcLluAdminInBoundCompLevel  INTEGER,
    appcLluAdminOutBoundCompLevel  INTEGER,
    appcLluAdminCompRleBeforeLZ  INTEGER,
    appcLluAdminAlias         DisplayString
}

appcLluAdminName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Specifies the name of the local LU. This field is from 1 to
        17 characters in length, including a period (.) which separates
        the NetId from the NAU name if the NetId is present."
    ::= { appcLluAdminEntry 1 }

appcLluAdminDepType OBJECT-TYPE
    SYNTAX INTEGER {
        dependent(1),
        independent(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "This value identifies whether the LU is dependent or
        independent."
    ::= { appcLluAdminEntry 2 }

appcLluAdminLocalAddress OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (1))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The local address for this LU is a byte with a value ranging
        from 0 to 254. For dependent LUs, this value ranges from 1 to

```

```
254; for independent LUs this value is always 0."  
 ::= { appcLluAdminEntry 3 }  
  
appcLluAdminSessLimit OBJECT-TYPE  
    SYNTAX Integer32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "The maximum number of sessions supported by this LU."  
 ::= { appcLluAdminEntry 4 }  
  
appcLluAdminBindRspMayQ OBJECT-TYPE  
    SYNTAX INTEGER {  
        no(1),  
        yes(2)  
    }  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "Indicates whether or not the local LU, as the sender of a BIND  
        request, allows a partner partner LU to delay sending the BIND  
        response if the partner LU cannot process the BIND request  
        immediately."  
 ::= { appcLluAdminEntry 5 }  
  
appcLluAdminCompression OBJECT-TYPE  
    SYNTAX INTEGER {  
        prohibited(1),  
        required(2),  
        negotiable(3)  
    }  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "Specifies whether compression is supported. The local LU uses  
        this value for negotiation during session activation  
        (SNA BIND).  
  
        prohibited - specifies that no compression is to be used.  
        required - specifies that compression is required.  
        negotiable - specifies that the usage of compression  
                    is to be negotiated between the LUs. The  
                    level of compression is also negotiated."  
 ::= { appcLluAdminEntry 6 }
```

```

appcLluAdminInBoundCompLevel OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        rle(2),
        lz9(3),
        lz10(4),
        lz12(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum level of compression supported for
        inbound data. The local LU uses this value in conjunction with
        appcLluAdminCompression for negotiation during session
        activation (SNA BIND).
        none - specifies that no compression is to be used.
        rle - specifies run-length encoding compression
              in which a 1 or 2 byte sequence substitution is
              used for each repeated run of the same character.
        lz9 - specifies Lempel-Ziv-like compression in which
              9 bit codes are used to substitute repeated
              substrings in the data stream. These codes are
              indices that refer to entries in a common
              dictionary generated adaptively at both sender and
              receiver as the data flows and compression occurs.
              The larger number bits used for the code, the more
              storage space is required for the dictionary, but
              the larger the compression ratio.
        lz10 - specifies a 10 bit code Lempel-Ziv-like compression.
        lz12 - specifies a 12 bit code Lempel-Ziv-like compression."
    ::= { appcLluAdminEntry 7 }

appcLluAdminOutBoundCompLevel OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        rle(2),
        lz9(3),
        lz10(4),
        lz12(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum level of compression supported for
        outbound data. The local LU uses this value in conjunction
        with appcLluAdminCompression for negotiation during session
        activation (SNA BIND).

```

```

none  - specifies that no compression is to be used.
rle   - specifies run-length encoding compression
       in which a 1 or 2 byte sequence substitution is
       used for each repeated run of the same character.
lz9   - specifies Lempel-Ziv-like compression in which
       9 bit codes are used to substitute repeated
       substrings in the data stream. These codes are
       indices that refer to entries in a common
       dictionary generated adaptively at both sender and
       receiver as the data flows and compression occurs.
       The larger of number bits used for the code, the
       more storage space is required for the dictionary,
       but the larger the compression ratio.
lz10  - specifies a 10 bit code Lempel-Ziv-like compression.
lz12  - specifies a 12 bit code Lempel-Ziv-like compression."

```

```
::= { appcLluAdminEntry 8 }
```

```

appcLluAdminCompRleBeforeLZ OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether run-length encoding is to be applied to the
         data before applying Lempel-Ziv-like compression. The local LU
         uses this value for negotiation during session activation (SNA
         BIND). This parameter is only supported if LZ compression is
         used."

```

```
::= { appcLluAdminEntry 9 }
```

```

appcLluAdminAlias OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "A local alias for the local LU. If not known or
         not applicable, this object contains a zero-length
         string."

```

```
::= { appcLluAdminEntry 10 }
```

```
-- ****
--      APPC Local LU Oper Table
```

```

--      Objects in this table contain current operational values, such
--      as state values or negotiated parameters, for local 6.2 LUs.
-- ****
appcLluOperTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcLluOperEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "APPC Local LU Operational Table."
    ::= { appcLu 2 }

appcLluOperEntry OBJECT-TYPE
    SYNTAX AppcLluOperEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Information about local APPC LUs."
    INDEX { appcLluOperName }
    ::= { appcLluOperTable 1 }

AppcLluOperEntry      ::= SEQUENCE {
    appcLluOperName          DisplayString,
    appcLluOperDepType       INTEGER,
    appcLluOperLocalAddress  OCTET STRING,
    appcLluOperSessLimit     Integer32,
    appcLluOperBindRspMayQ  INTEGER,
    appcLluOperCompression   INTEGER,
    appcLluOperInBoundCompLevel INTEGER,
    appcLluOperOutBoundCompLevel INTEGER,
    appcLluOperCompRleBeforeLZ INTEGER,
    appcLluOperAlias         DisplayString,
    appcLluOperActiveSessions Gauge32
}

appcLluOperName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Specifies the name of the local LU. This field is from 1 to
        17 characters in length, including a period (.) which separates
        the NetId from the NAU name if the NetId is present."
    ::= { appcLluOperEntry 1 }

```

```
appcLluOperDepType OBJECT-TYPE
    SYNTAX INTEGER {
        dependent(1),
        independent(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "This value identifies whether the LU is dependent or
         independent."
    ::= { appcLluOperEntry 2 }

appcLluOperLocalAddress OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (1))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The local address for this LU is a byte with a value ranging
         from 0 to 254. For dependent LUs, this value ranges from 1 to
         254; for independent LUs this value is always 0."
    ::= { appcLluOperEntry 3 }

appcLluOperSessLimit OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The maximum number of sessions supported by this LU."
    ::= { appcLluOperEntry 4 }

appcLluOperBindRspMayQ OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates whether or not the local LU, as the sender of a BIND
         request, allows a partner LU to delay sending the BIND
         response if the partner LU cannot process the BIND request
         immediately."
    ::= { appcLluOperEntry 5 }
```

```

appcLluOperCompression OBJECT-TYPE
    SYNTAX INTEGER {
        prohibited(1),
        required(2),
        negotiable(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether compression is supported. The local LU uses
         this value for negotiation during session activation (SNA
         BIND).

        prohibited - specifies that no compression is to be used.
        required - specifies that compression is required.
        negotiable - specifies that the usage of compression
                     is to be negotiated between the LUs. The
                     level of compression is also negotiated."
    ::= { appcLluOperEntry 6 }

appcLluOperInBoundCompLevel OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        rle(2),
        lz9(3),
        lz10(4),
        lz12(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum level of compression supported for
         inbound data. The local LU uses this value in conjunction with
         appcLluOperCompression for negotiation during session
         activation (SNA BIND).

        none - specifies that no compression is to be used.
        rle - specifies run-length encoding compression
              in which a 1 or 2 byte sequence substitution is
              used for each repeated run of the same character.
        lz9 - specifies Lempel-Ziv-like compression in which
              9 bit codes are used to substitute repeated
              substrings in the data stream. These codes are
              indices that refer to entries in a common
              dictionary generated adaptively at both sender and
              receiver as the data flows and compression occurs.
              The larger of number bits used for the code, the

```

```

        more storage space is required for the dictionary,
        but the larger the compression ratio.
    lz10 - specifies a 10 bit code Lempel-Ziv-like compression.
    lz12 - specifies a 12 bit code Lempel-Ziv-like compression."
 ::= { appcLluOperEntry 7 }

appcLluOperOutBoundCompLevel OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        rle(2),
        lz9(3),
        lz10(4),
        lz12(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum level of compression supported for
        outbound data. The local LU uses this value in conjunction
        with appcLluAdminCompression for negotiation during session
        activation (SNA BIND).

        none - specifies that no compression is to be used.
        rle - specifies run-length encoding compression
              in which a 1 or 2 byte sequence substitution is
              used for each repeated run of the same character.
    lz9 - specifies Lempel-Ziv-like compression in which
          9 bit codes are used to substitute repeated
          substrings in the data stream. These codes are
          indices that refer to entries in a common
          dictionary generated adaptively at both sender and
          receiver as the data flows and compression occurs.
          The larger of number bits used for the code, the
          more storage space is required for the dictionary,
          but the larger the compression ratio.
    lz10 - specifies a 10 bit code Lempel-Ziv-like compression.
    lz12 - specifies a 12 bit code Lempel-Ziv-like compression."

 ::= { appcLluOperEntry 8 }

appcLluOperCompRleBeforeLZ OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION

```

"Specifies whether run-length encoding is to be applied to the data before applying Lempel-Ziv-like compression. The local LU uses this value for negotiation during session activation (SNA BIND). This parameter is only supported if LZ compression is used."

```
::= { appcLluOperEntry 9 }
```

```
appcLluOperAlias OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "A local alias for the local LU. If not known or
         not applicable, this object contains a zero-length
         string."
```

```
::= { appcLluOperEntry 10 }
```

```
appcLluOperActiveSessions OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the total number of active APPC sessions for this
         LU."
```

```
::= { appcLluOperEntry 11 }
```

```
-- ****
--      APPC LU Pair Admin Table
--      Objects in this table contain default or expected configuration
--      values for 6.2 LU pairs. An LU pair consists of a local LU and
--      a partner LU, which may or may not be local.
-- ****
```

```
appcLuPairAdminTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcLuPairAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "APPC Partner LU administrative Table"
```

```
::= { appcLu 3 }
```

```
appcLuPairAdminEntry OBJECT-TYPE
    SYNTAX AppcLuPairAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
```

```

DESCRIPTION
  "Entry of APPC Partner LU Information Table.
  It is indexed by the local and partner LU Names."

INDEX { appcLuPairAdminLocLuName,
         appcLuPairAdminParLuName }

 ::= { appcLuPairAdminTable 1 }

AppcLuPairAdminEntry      ::= SEQUENCE {
    appcLuPairAdminLocLuName      DisplayString,
    appcLuPairAdminParLuName      DisplayString,
    appcLuPairAdminParLuAlias     DisplayString,
    appcLuPairAdminSessLimit     Integer32,
    appcLuPairAdminSessSec       INTEGER,
    appcLuPairAdminSecAccept     INTEGER,
    appcLuPairAdminLinkObjId     InstancePointer,
    appcLuPairAdminParaSessSup   INTEGER
}

appcLuPairAdminLocLuName OBJECT-TYPE
  SYNTAX DisplayString (SIZE (1..17))
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "The SNA name of the local LU to which this partner LU
     definition applies. This field is from 1 to 17 characters in
     length, including a period (.) which separates the
     NetId from the NAU name if the NetId is present.

    The reserved value '*ALL' indicates that the partner LU
    definition applies to all local LUs, and not just to a single
    local LU."
  ::= { appcLuPairAdminEntry 1 }

appcLuPairAdminParLuName OBJECT-TYPE
  SYNTAX DisplayString (SIZE (1..17))
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "The SNA name of the partner LU.
     This field is from 1 to 17 characters in
     length, including a period (.) which separates the
     NetId from the NAU name if the NetId is present."

```

```
 ::= { appcLuPairAdminEntry 2 }

appcLuPairAdminParLuAlias OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "A local alias for the partner LU. If not known or
         not applicable, this object contains a zero-length
         string."

 ::= { appcLuPairAdminEntry 3 }

appcLuPairAdminSessLimit OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The maximum number of sessions supported by this partner LU."

 ::= { appcLuPairAdminEntry 4 }

appcLuPairAdminSessSec OBJECT-TYPE
    SYNTAX INTEGER {
        required(1),
        accepted(2),
        notAllowed(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the type of session-level security information that
         a local LU will accept on BIND requests it receives from the
         partner LU.

        required      - Specifies that the BIND request must carry
                        session level verification information that
                        will be verified upon receipt.
        accepted     - Specifies that the BIND request may carry
                        session level verification information that
                        will be verified upon receipt.
        notAllowed   - Specifies that the BIND request must not carry
                        session level verification information."
    ::= { appcLuPairAdminEntry 5 }

appcLuPairAdminSecAccept OBJECT-TYPE
    SYNTAX INTEGER {
```

```

        none(1),
        conversation(2),
        alreadyVerified(3),
        persistentVerification(4),
        aVandpV(5)
    }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies support for different levels of access security
     information in ATTACH requests received from this partner LU.

    Possible values are:

        none      - No access security information will be
                     accepted on allocation requests (ATTACH) from
                     this LU.
        conversation
            - Allocation requests will not be accepted that
              include already verified or persistent
              verification indicators. Accept
              conversation-level access security
              information, which must include both a user
              Id and password, and may also include a
              profile.
        alreadyVerified
            - Allocation requests will be accepted that
              include already verified indicators.
              Persistent verification indicators will not
              be accepted.
        persistentVerification
            - Allocation requests will be accepted that
              include persistent verification indicators.
              Already verified indicators will not be
              accepted.
        aVandpV - Allocation requests will be accepted that
                  include already verified or persistent
                  verification indicators."
::= { appcLuPairAdminEntry 6 }

appcLuPairAdminLinkObjId OBJECT-TYPE
    SYNTAX InstancePointer
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the link associated with this partner LU. This
         value points to the row in the table containing information on

```

the link instance. (e.g., the sdlcLSAdminTable of the SNA DLC MIB module). This object may be NULL if the link is not specified or if a link is not applicable (as for APPN-level nodes)."

```
::= { appcLuPairAdminEntry 7 }
```

appcLuPairAdminParaSessSup OBJECT-TYPE

```
SYNTAX INTEGER {
    no(1),
    yes(2)
}
```

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"Defined Parallel Sessions Supported.

Indicates whether or not multiple sessions between the partner LU and its associated local LU are permitted. Parallel session support also indicates that Change Number of Sessions (CNOS) will be used to negotiate session limits between the LUs."

```
::= { appcLuPairAdminEntry 8 }
```

```
-- ****
-- APPC LU Pair Oper Table
-- Objects in this table contain current operational values, such
-- as state values or negotiated parameters, for 6.2 LU pairs.
-- ****
```

appcLuPairOperTable OBJECT-TYPE

```
SYNTAX SEQUENCE OF AppcLuPairOperEntry
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Table of active partner/local LU pairs. Two entries are present in the table when both LUs in a pair are local."

```
::= { appcLu 4 }
```

appcLuPairOperEntry OBJECT-TYPE

```
SYNTAX AppcLuPairOperEntry
```

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"Entry representing one partner/local LU pair."

```
INDEX { appcLuPairOperLocLuName,
```

```

        appcLuPairOperParLuName    }

 ::= { appcLuPairOperTable 1 }

AppcLuPairOperEntry      ::= SEQUENCE {
    appcLuPairOperLocLuName          DisplayString,
    appcLuPairOperParLuName          DisplayString,
    appcLuPairOperParLuAlias         DisplayString,
    appcLuPairOperSessLimit          Integer32,
    appcLuPairOperSessSec            INTEGER,
    appcLuPairOperSecAccept          INTEGER,
    appcLuPairOperLinkObjId          InstancePointer,
    appcLuPairOperParaSessSup       INTEGER,
    appcLuPairOperParaSessSupLS     INTEGER,
    appcLuPairOperState              INTEGER
}

appcLuPairOperLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the local LU. This field is from 1 to 17
        characters in length, including a period (.) which separates
        the NetId from the NAU name if the NetId is present.

        If this object has the same value as appcLluOperName,
        then the two entries being indexed apply to the same
        resource (specifically, to the same local LU)."

 ::= { appcLuPairOperEntry 1 }

appcLuPairOperParLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the partner LU.
        This field is from 1 to 17 characters in
        length, including a period (.) which separates the
        NetId from the NAU name if the NetId is present.

 ::= { appcLuPairOperEntry 2 }

appcLuPairOperParLuAlias OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current

```

```

DESCRIPTION
    "A local alias for the partner LU. If not known or
    not applicable, this object contains a zero-length
    string."
 ::= { appcLuPairOperEntry 3 }

appcLuPairOperSessLimit OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The maximum number of sessions supported by this partner LU."
 ::= { appcLuPairOperEntry 4 }

appcLuPairOperSessSec OBJECT-TYPE
    SYNTAX INTEGER {
        required(1),
        accepted(2),
        notAllowed(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the type of security information that a local LU
        will accept on BIND requests it receives from the partner LU.

        required      - Specifies that the BIND request must carry
                        session level verification information that
                        will be verified upon receipt.
        accepted      - Specifies that the BIND request may carry
                        session level verification information that
                        will be verified upon receipt.
        notAllowed    - Specifies that the BIND request must not carry
                        session level verification information."
 ::= { appcLuPairOperEntry 5 }

appcLuPairOperSecAccept OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        conversation(2),
        alreadyVerified(3),
        persistentVerification(4),
        aVandpV(5)
    }
    MAX-ACCESS read-only

```

```

STATUS current
DESCRIPTION
"Specifies support for different levels of security acceptance
information in ATTACH requests received from this partner LU.

Possible values are:

    none      - No access security information will be
                accepted on allocation requests (ATTACH) from
                this LU.
    conversation
                - Allocation requests will not be accepted that
                  include already verified or persistent
                  verification indicators. Accept
                  conversation-level access security
                  information, which must include both a user
                  Id and password, and may also include a
                  profile.
    alreadyVerified
                - Allocation requests will be accepted that
                  include already verified indicators.
                  Persistent verification indicators will not
                  be accepted.
    persistentVerification
                - Allocation requests will be accepted that
                  include persistent verification indicators.
                  Already verified indicators will not be
                  accepted.
    aVandpV   - Allocation requests will be accepted that
                include already verified or persistent
                verification indicators."
::= { appcLuPairOperEntry 6 }

appcLuPairOperLinkObjId OBJECT-TYPE
    SYNTAX InstancePointer
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the link associated with this partner LU. This
        value points to the row in the table containing information on
        the link instance. (e.g., the sdlcLSAdminTable of the SNA DLC
        MIB module). This object may be NULL if the link is not
        specified or if a link is not applicable (as for APPN-level
        nodes)."
::= { appcLuPairOperEntry 7 }

appcLuPairOperParaSessSup OBJECT-TYPE

```

```

SYNTAX INTEGER {
    no(1),
    yes(2)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Active Parallel Sessions Supported.

    Indicates whether or not multiple session between the partner
    LU and its associated local LU are permitted. Parallel
    session support also indicates that Change Number of Sessions
    (CNOS) will be used to negotiate session limits between the
    LUs.

::= { appcLuPairOperEntry 8 }

appcLuPairOperParaSessSupLS OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Active Parallel Sessions Supported - last starting value.

        This object represents the initial value proposed by the local
        LU the last time this capability was negotiated, i.e., when
        the first session was bound between the local LU and its
        partner.

::= { appcLuPairOperEntry 9 }

appcLuPairOperState OBJECT-TYPE
    SYNTAX INTEGER {
        inactive (1),
        active (2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The value identifies the current operational state of this LU
        pair:

            inactive (1) - no active or pending session exists
                            between the LUs.
            active (2)   - an active or pending session exists

```

between the LUs."

```

 ::= { appcLuPairOperEntry 10 }

-- ****
-- APPC Mode Admin Table
-- Objects in this table contain default or expected configuration
-- values for session modes.
-- Modes that have active sessions appear in the appcModeOperTable.
-- ****

appcModeAdminTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcModeAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "APPC Mode Table"

 ::= { appcLu 5 }

appcModeAdminEntry OBJECT-TYPE
    SYNTAX AppcModeAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Entry of APPC Mode Information Table."
    INDEX { appcModeAdminLocLuName,
             appcModeAdminParLuName,
             appcModeAdminModeName }

 ::= { appcModeAdminTable 1 }

AppcModeAdminEntry      ::= SEQUENCE {
    appcModeAdminLocLuName          DisplayString,
    appcModeAdminParLuName          DisplayString,
    appcModeAdminModeName           DisplayString,
    appcModeAdminCosName            DisplayString,
    appcModeAdminSessEndTpName     DisplayString,
    appcModeAdminMaxSessLimit      Integer32,
    appcModeAdminMinCwinLimit      Integer32,
    appcModeAdminMinClosLimit      Integer32,
    appcModeAdminConWinAutoActLmt Integer32,
    appcModeAdminRecvPacWinSz      Integer32,
    appcModeAdminSendPacWinSz      Integer32,
    appcModeAdminPrefRecvRuSz      Integer32,
    appcModeAdminPrefSendRuSz      Integer32,
    appcModeAdminRecvRuSzUpBnd     Integer32,
    appcModeAdminSendRuSzUpBnd     Integer32,
}

```

```

appcModeAdminRecvRuSzLoBnd      Integer32,
appcModeAdminSendRuSzLoBnd     Integer32,
appcModeAdminSingSessReinit    INTEGER,
appcModeAdminCompression       INTEGER,
appcModeAdminInBoundCompLevel  INTEGER,
appcModeAdminOutBoundCompLevel INTEGER,
appcModeAdminCompRleBeforeLZ   INTEGER,
appcModeAdminSyncLvl          INTEGER,
appcModeAdminCrypto            INTEGER

}

appcModeAdminLocLuName OBJECT-TYPE
  SYNTAX DisplayString (SIZE (1..17))
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "The SNA name of the local LU to which this mode definition
     applies. This field is from 1 to 17 characters in length,
     including a period (.) which separates the NetId from the
     NAU name if the NetId is present.

    The reserved value '*ALL' indicates that the mode definition
    applies to all local LUs for the SNA node identified by
    appcLocalCpName, and not just to a single local LU."
 ::= { appcModeAdminEntry 1 }

appcModeAdminParLuName OBJECT-TYPE
  SYNTAX DisplayString (SIZE (1..17))
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "The SNA name of the partner LU to which this mode definition
     applies. This field is from 1 to 17 characters in length,
     including a period (.) which separates the NetId from the
     NAU name if the NetId is present.

    The reserved value '*ALL' indicates that the mode definition
    applies to all partner LUs for the SNA node identified by
    appcModeAdminLocLuName, and not just to a single partner LU."
 ::= { appcModeAdminEntry 2 }

appcModeAdminModeName OBJECT-TYPE
  SYNTAX DisplayString (SIZE (1..8))
  MAX-ACCESS not-accessible
  STATUS current

```

```
DESCRIPTION
"Specifies the mode name. A mode defines the characteristics
for a group of sessions. The mode name can be blank (8
space characters). "
::= { appcModeAdminEntry 3 }

appcModeAdminCosName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the class of service (COS) name associated with
        this mode. If the implementation does not support COS names,
        a null string is returned."
::= { appcModeAdminEntry 4 }

appcModeAdminSessEndTpName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..64))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the name of the transaction program (TP) to be
        invoked when a session using this mode is deactivated or ended.
        If no such TP is defined, this object is a null string. When
        the TP name consists entirely of displayable EBCDIC code
        points, it is mapped directly to the equivalent ASCII display
        string. However, registered TP names always have a non-
        displayable EBCDIC code point (value less than or equal to
        x'3F') as the first character, so they cannot be directly
        mapped to an ASCII display string. These TP names are
        converted to a display string that is equivalent to a
        hexadecimal display of the EBCDIC code points. For example,
        the 2-byte TP name x'06F1' (CNOS) is converted to the 6-byte
        ASCII display string '06F1' (including the two single quotes).
        "
::= { appcModeAdminEntry 5 }

appcModeAdminMaxSessLimit OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum value that the local LU is to use,
        during CNOS processing, for the session limit. The local LU,
        as a target LU, will negotiate a higher session limit if
```

receives in the CNOS request down to this maximum value. The local LU, as a source LU, will restrict the session limit it sends in a CNOS request to a value less than or equal to this maximum value."

```
::= { appcModeAdminEntry 6 }
```

```
appcModeAdminMinCwinLimit OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the default minimum contention winner sessions
         limit. Some implementations internally issue a
         INITIALIZE_SESSION_LIMIT verb when a Mode is created. This
         value is the parameter used for the CNOS processing of that
         verb. This parameter is not used when issuing an explicit
         INITIALIZE_SESSION_LIMIT verb. The equivalent object in
         appcCnosCommandTable is used."
::= { appcModeAdminEntry 7 }

appcModeAdminMinClosLimit OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the default minimum contention loser sessions limit.
         Some implementations internally issue a
         INITIALIZE_SESSION_LIMIT verb when a Mode is created. This
         value is the parameter used for the CNOS processing of that
         verb. This is the same as target minimum contention winner
         sessions. This parameter is not used when issuing an explicit
         INITIALIZE_SESSION_LIMIT verb. The equivalent object in
         appcCnosCommandTable is used."
::= { appcModeAdminEntry 8 }

appcModeAdminConWinAutoActLmt OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the limit on the number of contention winner
         sessions to be automatically activated when the minimum number
         of contention winner sessions increases (as a result of CNOS
         processing). The actual number of sessions activated is the
         lesser of this value and the new minimum number of contention
         winner sessions. "
```

```
 ::= { appcModeAdminEntry 9 }

appcModeAdminRecvPacWinSz OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the size of the receive pacing window. This value is
         used for negotiation during session activations (SNA BIND).

        The meaning of this value when set to 0 depends on whether
        adaptive pacing is supported:
            adaptive pacing      No limit on window size
            fixed pacing         No pacing is supported"

 ::= { appcModeAdminEntry 10 }

appcModeAdminSendPacWinSz OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the size of the send pacing window. This value is
         used for negotiation during session activations (SNA BIND).

        The meaning of this value when set to 0 depends on whether
        adaptive pacing is supported:
            adaptive pacing      No limit on window size
            fixed pacing         No pacing is supported"

 ::= { appcModeAdminEntry 11 }

appcModeAdminPrefRecvRuSz OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the preferred receive RU (Request Unit) size of
         normal-flow requests on the sessions. This value must be less
         than or equal to the value specified in
         appcModeAdminRecvRuSzUpBnd and greater than or equal to the
         value specified in appcModeAdminRecvRuSzLoBnd.

        The local LU specifies this value for the receive maximum RU
        size in session activation (SNA BIND) requests and responses.
        It will allow negotiation up to the appcModeAdminRecvRuSzUpBnd
        value or down to the appcModeAdminRecvRuSzLoBnd value."
```

```
 ::= { appcModeAdminEntry 12 }

appcModeAdminPrefSendRuSz OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the preferred send RU (Request Unit) size of normal-
         flow requests on the sessions. This value must be less than or
         equal to the value specified in appcModeAdminSendRuSzUpBnd and
         greater than or equal to the value specified in
         appcModeAdminSendRuSzLoBnd.

The local LU specifies this value for the send maximum RU
size in session activation (SNA BIND) requests and responses.
It will allow negotiation up to the appcModeAdminSendRuSzUpBnd
value or down to the appcModeAdminSendRuSzLoBnd value.

 ::= { appcModeAdminEntry 13 }

appcModeAdminRecvRuSzUpBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the upper bound for the maximum receive RU
         (Request Unit) size of normal-flow requests. This is used
         for negotiation during session activations (SNA BIND). "

 ::= { appcModeAdminEntry 14 }

appcModeAdminSendRuSzUpBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the upper bound for the maximum send RU (Request
         Unit) size of normal-flow requests. This is used for
         negotiation during session activations (SNA BIND). "

 ::= { appcModeAdminEntry 15 }

appcModeAdminRecvRuSzLoBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the lower bound for the maximum receive RU (Request
```

```

Unit) size of normal-flow requests. This is used for
negotiation during session activations (SNA BIND).  "

 ::= { appcModeAdminEntry 16 }

appcModeAdminSendRuSzLoBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the lower bound for the maximum send RU (Request
        Unit) size of normal-flow requests. This is used for
        negotiation during session activations (SNA BIND).  "

 ::= { appcModeAdminEntry 17 }

appcModeAdminSingSessReinit OBJECT-TYPE
    SYNTAX INTEGER {
        notApplicable(1),
        operatorControlled(2),
        primaryOnly(3),
        secondaryOnly(4),
        primaryOrSecondary(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the responsibility for session reinitiation of a
        single session with the partner LU (when the session goes
        down). The local LU uses this parameter to specify the session
        reinitiation responsibility in session activation (SNA BIND)
        requests and responses.

        notApplicable      - specifies that this parameter has
                            no meaning since the value of
                            appcLuPairAdminParaSessSup is yes.
                            The field in the SNA BIND is
                            reserved (set to zero).
        operatorControlled - specifies that neither LU will
                            automatically attempt to reinitiate
                            the session. The operator on either
                            side will manually reactivate the
                            session. A contention race (both
                            side reinitiating at the same time)
                            is won by the LU with the
                            lexicographically greater fully-
                            qualified LU name.
        primaryOnly        - specifies that the primary LU will

```

```

                                automatically attempt to reinitiate
                                the session.

secondaryOnly      - specifies that the secondary LU will
                        automatically attempt to reinitiate
                        the session.

primaryOrSecondary - specifies that either the primary or
                        the secondary may automatically
                        attempt to reinitiate the session.
                        A contention race is handled the
                        same way as with operatorControlled.

"                   "
::= { appcModeAdminEntry 18 }

appcModeAdminCompression OBJECT-TYPE
    SYNTAX INTEGER {
        prohibited(1),
        required(2),
        negotiable(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether compression is supported. The local LU uses
         this value for negotiation during session activation (SNA
         BIND)."

        prohibited   - specifies that no compression is to be used.
        required     - specifies that compression is required.
        negotiable   - specifies that the usage of compression
                       is to be negotiated between the LUs. The
                       level of compression is also negotiated."

::= { appcModeAdminEntry 19 }

appcModeAdminInBoundCompLevel OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        rle(2),
        lz9(3),
        lz10(4),
        lz12(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum level of compression supported for
         inbound data. The local LU uses this value in conjunction with
         appcModeAdminCompression for negotiation during session"

```

```

activation (SNA BIND).

    none  - specifies that no compression is to be used.
    rle   - specifies run-length encoding compression
            in which a 1 or 2 byte sequence substitution is
            used for each repeated run of the same character.
    lz9   - specifies Lempel-Ziv-like compression in which
            9 bit codes are used to substitute repeated
            substrings in the data stream. These codes are
            indices that refer to entries in a common
            dictionary generated adaptively at both sender and
            receiver as the data flows and compression occurs.
            The larger of number bits used for the code, the
            more storage space is required for the dictionary,
            but the larger the compression ratio.
    lz10  - specifies a 10 bit code Lempel-Ziv-like compression.
    lz12  - specifies a 12 bit code Lempel-Ziv-like compression.

 ::= { appcModeAdminEntry 20 }

appcModeAdminOutBoundCompLevel OBJECT-TYPE
SYNTAX INTEGER {
    none(1),
    rle(2),
    lz9(3),
    lz10(4),
    lz12(5)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies the maximum level of compression supported for
    outbound data. The local LU uses this value in conjunction
    with appcModeAdminCompression for negotiation during session
    activation (SNA BIND).

    none  - specifies that no compression is to be used.
    rle   - specifies run-length encoding compression
            in which a 1 or 2 byte sequence substitution is
            used for each repeated run of the same character.
    lz9   - specifies Lempel-Ziv-like compression in which
            9 bit codes are used to substitute repeated
            substrings in the data stream. These codes are
            indices that refer to entries in a common
            dictionary generated adaptively at both sender and
            receiver as the data flows and compression occurs.
            The larger of number bits used for the code, the
            more storage space is required for the dictionary,

```

```

        but the larger the compression ratio.
lz10 - specifies a 10 bit code Lempel-Ziv-like compression.
lz12 - specifies a 12 bit code Lempel-Ziv-like compression."}

::= { appcModeAdminEntry 21 }

appcModeAdminCompRleBeforeLZ OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether run-length encoding is to be applied to the
        data before applying Lempel-Ziv-like compression. The local LU
        uses this value for negotiation during session activation (SNA
        BIND). This parameter is only supported if LZ compression is
        used."

::= { appcModeAdminEntry 22 }

appcModeAdminSyncLvl OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        noneConfirm(2),
        noneConfirmSyncPoint(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the sync level support. This value is used for
        negotiation during session activations (SNA BIND).

        none          - No sync level is supported.
        noneConfirm   - None and Confirm levels supported.
        noneConfirmSyncPoint - None, Confirm, and Sync Point is
                               supported.

"
::= { appcModeAdminEntry 23 }

appcModeAdminCrypto OBJECT-TYPE
    SYNTAX INTEGER {
        notSupported(1),
        mandatory(2),
        selective(3)
    }

```

```

MAX-ACCESS read-only
STATUS current
DESCRIPTION
  "Specifies whether session-level cryptography is supported.
   This value is used for negotiation during session activations
   (SNA BIND).
    notSupported      - Specifies session-level cryptography
                           is not to be used.
    mandatory         - Specifies session-level cryptography
                           must be used.
    selective         - Specifies session-level cryptography
                           is required just on selected requests
                           flowing on the sessions."
 ::= { appcModeAdminEntry 24 }

-- *****
-- APPC Mode Oper Table
-- Objects in this table contain current operational values, such
-- as state values or negotiated parameters, for session modes.
--
-- *****

appcModeOperTable OBJECT-TYPE
  SYNTAX SEQUENCE OF AppcModeOperEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "Operational APPC Mode Information. Two entries are present in
     the table when both LUs in a pair are local."
 ::= { appcLu 6 }

appcModeOperEntry OBJECT-TYPE
  SYNTAX AppcModeOperEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "Entry of APPC mode operational information table. This entry
     does not augment the appcModeAdminEntry, but reflects an actual
     operational mode for a given local LU - partner LU pair."
INDEX { appcModeOperLocLuName,
         appcModeOperParLuName,
         appcModeOperModeName }

 ::= { appcModeOperTable 1 }

```

```

AppcModeOperEntry ::= SEQUENCE {
    appcModeOperLocLuName          DisplayString,
    appcModeOperParLuName          DisplayString,
    appcModeOperModeName           DisplayString,
    appcModeOperCosName            DisplayString,
    appcModeOperSessEndTpName     DisplayString,
    appcModeOperSessLimit          Integer32,
    appcModeOperMaxSessLimit       Integer32,
    appcModeOperMinCwinLimit      Integer32,
    appcModeOperMinClosLimit       Integer32,
    appcModeOperConWinAutoActLmt  Integer32,
    appcModeOperRecvPacWinSz      Integer32,
    appcModeOperSendPacWinSz      Integer32,
    appcModeOperPrefRecvRuSz      Integer32,
    appcModeOperPrefSendRuSz      Integer32,
    appcModeOperRecvRuSzUpBnd     Integer32,
    appcModeOperSendRuSzUpBnd     Integer32,
    appcModeOperRecvRuSzLoBnd     Integer32,
    appcModeOperSendRuSzLoBnd     Integer32,
    appcModeOperSingSessReinit    INTEGER,
    appcModeOperCompression       INTEGER,
    appcModeOperInBoundCompLevel  INTEGER,
    appcModeOperOutBoundCompLevel INTEGER,
    appcModeOperCompRleBeforeLZ   INTEGER,
    appcModeOperSyncLvl           INTEGER,
    appcModeOperCrypto             INTEGER,
    appcModeOperSyncLvlLastStart  INTEGER,
    appcModeOperCryptoLastStart   INTEGER,
    appcModeOperCNOSNeg           INTEGER,
    appcModeOperActCwin            Gauge32,
    appcModeOperActClos            Gauge32,
    appcModeOperPndCwin            Gauge32,
    appcModeOperPndClos            Gauge32,
    appcModeOperPtmCwin            Gauge32,
    appcModeOperPtmClos            Gauge32,
    appcModeOperDrainSelf          INTEGER,
    appcModeOperDrainPart          INTEGER
}

appcModeOperLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the local LU. This field is from 1 to 17
         characters in length, including a period (.) which separates
         the NetId from the NAU name if the NetId is present."

```

If this object has the same value as appcLluOperName, then the two entries being indexed apply to the same resource (specifically, to the same local LU)."

::= { appcModeOperEntry 1 }

appcModeOperParLuName OBJECT-TYPE
SYNTAX DisplayString (SIZE (1..17))
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"The SNA name of the partner LU. This field is from 1 to 17 characters in length, including a period (.) which separates the NetId from the NAU name if the NetId is present.

If this object has the same value as appcLuPairOperParLuName, then the two entries being indexed apply to the same resource (specifically, to the same partner LU)."

::= { appcModeOperEntry 2 }

appcModeOperModeName OBJECT-TYPE
SYNTAX DisplayString (SIZE (1..8))
MAX-ACCESS not-accessible
STATUS current
DESCRIPTION
"Specifies the mode name. A mode defines the characteristics for a group of sessions. The mode name can be blank (8 space characters). "

::= { appcModeOperEntry 3 }

appcModeOperCosName OBJECT-TYPE
SYNTAX DisplayString (SIZE (0..8))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Specifies the class of service (COS) name associated with this mode. If the implementation does not support COS names, a zero-length string is returned."

::= { appcModeOperEntry 4 }

appcModeOperSessEndTpName OBJECT-TYPE
SYNTAX DisplayString (SIZE (1..64))
MAX-ACCESS read-only
STATUS current
DESCRIPTION

"Specifies the name of the transaction program (TP) to be invoked when a session using this mode is deactivated or ended. If the name is NULL, no transaction program is invoked. When the TP name consists entirely of displayable EBCDIC code points, it is mapped directly to the equivalent ASCII display string. However, registered TP names always have a non-displayable EBCDIC code point (value less than or equal to x'3F') as the first character, so they cannot be directly mapped to an ASCII display string. These TP names are converted to a display string that is equivalent to a hexadecimal display of the EBCDIC code points. For example, the 2-byte TP name x'06F1' (CNOS) is converted to the 6-byte ASCII display string '06F1' (including the two single quotes)."

```
::= { appcModeOperEntry 5 }
```

appcModeOperSessLimit OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Specifies the current session limit of this mode as negotiated through APPC CNOS (Change Number of Sessions) processing. Identifies the total number of sessions that can be established between the local and partner LU using this mode."

```
::= { appcModeOperEntry 6 }
```

appcModeOperMaxSessLimit OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Specifies the maximum value that the local LU is to use, during CNOS processing, for the session limit. The local LU, as a target LU, will negotiate a higher session limit if it receives in the CNOS request down to this maximum value. The local LU, as a source LU, will restrict the session limit it sends in a CNOS request to a value less than or equal to this maximum value."

```
::= { appcModeOperEntry 7 }
```

appcModeOperMinCwinLimit OBJECT-TYPE
SYNTAX Integer32
MAX-ACCESS read-only
STATUS current
DESCRIPTION

```
"Specifies the minimum contention winner sessions limit that
was negotiated via CNOS processing."  
  
 ::= { appcModeOperEntry 8 }  
  
appcModeOperMinClosLimit OBJECT-TYPE  
    SYNTAX Integer32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "Specifies the minimum contention loser sessions limit that
        was negotiated via CNOS processing. This is the same as
        target minimum contention winner sessions."  
  
 ::= { appcModeOperEntry 9 }  
  
appcModeOperConWinAutoActLmt OBJECT-TYPE  
    SYNTAX Integer32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "Specifies the limit on the number of contention winner sessions
        to be automatically activated when the minimum number of
        contention winner sessions increases (as a result of CNOS
        processing). The actual number of sessions activated is the
        lesser of this value and the new minimum number of contention
        winner sessions."  
  
 ::= { appcModeOperEntry 10 }  
  
appcModeOperRecvPacWinSz OBJECT-TYPE  
    SYNTAX Integer32  
    MAX-ACCESS read-only  
    STATUS current  
    DESCRIPTION  
        "Specifies the size of the receive pacing window. This value is
        used for negotiation during session activations (SNA BIND).  
  
        The meaning of this value when set to 0 depends on whether
        adaptive pacing is supported:  
            adaptive pacing      -      No limit on window size  
            fixed pacing        -      No pacing is supported"  
  
 ::= { appcModeOperEntry 11 }  
  
appcModeOperSendPacWinSz OBJECT-TYPE  
    SYNTAX Integer32  
    MAX-ACCESS read-only
```

```

STATUS current
DESCRIPTION
  "Specifies the size of the send pacing window. This value is
  used for negotiation during session activations (SNA BIND).

The meaning of this value when set to 0 depends on whether
adaptive pacing is supported:
  adaptive pacing      No limit on window size
  fixed pacing         No pacing is supported"

 ::= { appcModeOperEntry 12 }

appcModeOperPrefRecvRuSz OBJECT-TYPE
  SYNTAX Integer32
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "Specifies the preferred receive RU (Request Unit) size of
    normal-flow requests on the sessions. This value must be less
    than or equal to the value specified in
    appcModeOperRecvRuSzUpBnd and greater than or equal to the
    value specified in appcModeOperRecvRuSzLoBnd.

    The local LU specifies this value for the receive maximum RU
    size in session activation (SNA BIND) requests and responses.
    It will allow negotiation up to the appcModeOperRecvRuSzUpBnd
    value or down to the appcModeOperRecvRuSzLoBnd value."

 ::= { appcModeOperEntry 13 }

appcModeOperPrefSendRuSz OBJECT-TYPE
  SYNTAX Integer32
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "Specifies the preferred send RU (Request Unit) size of normal-
    flow requests on the sessions. This value must be less than or
    equal to the value specified in appcModeOperSendRuSzUpBnd and
    greater than or equal to the value specified in
    appcModeOperSendRuSzLoBnd.

    The local LU specifies this value for the send maximum RU
    size in session activation (SNA BIND) requests and responses.
    It will allow negotiation up to the appcModeOperSendRuSzUpBnd
    value or down to the appcModeOperSendRuSzLoBnd value.

 ::= { appcModeOperEntry 14 }

```

```
appcModeOperRecvRuSzUpBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the upper bound for the maximum receive RU
         (Request Unit) size of normal-flow requests. This is used
         for negotiation during session activations (SNA BIND). "
    ::= { appcModeOperEntry 15 }

appcModeOperSendRuSzUpBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the upper bound for the maximum send RU (Request
         Unit) size of normal-flow requests. This is used for
         negotiation during session activations (SNA BIND). "
    ::= { appcModeOperEntry 16 }

appcModeOperRecvRuSzLoBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the lower bound for the maximum receive RU
         (Request Unit) size of normal-flow requests. This is used
         for negotiation during session activations (SNA BIND). "
    ::= { appcModeOperEntry 17 }

appcModeOperSendRuSzLoBnd OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the lower bound for the maximum send RU
         (Request Unit) size of normal-flow requests. This is used
         for negotiation during session activations (SNA BIND). "
    ::= { appcModeOperEntry 18 }

appcModeOperSingSessReinit OBJECT-TYPE
    SYNTAX INTEGER {
        notApplicable(1),
        operatorControlled(2),
```

```

        primaryOnly(3),
        secondaryOnly(4),
        primaryOrSecondary(5)
    }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies the responsibility for session reinitiation of a
    single session with the partner LU (when the session goes
    down). The local LU uses this parameter to specify the session
    reinitiation responsibility in session activation (SNA BIND)
    requests and responses.

    notApplicable      - specifies that this parameter has
                        no meaning since the value of
                        appcLuPairOperParaSessSup is yes.
                        The field in the SNA BIND is
                        reserved (set to zero).
    operatorControlled - specifies that neither LU will
                        automatically attempt to reinitiate
                        the session. The operator on either
                        side will manually reactivate the
                        session. A contention race (both
                        side reinitializing at the same time)
                        is won by the LU with the
                        lexicographically greater fully-
                        qualified LU name.
    primaryOnly        - specifies that the primary LU will
                        automatically attempt to reinitiate
                        the session.
    secondaryOnly      - specifies that the secondary LU will
                        automatically attempt to reinitiate
                        the session.
    primaryOrSecondary - specifies that either the primary or
                        the secondary may automatically
                        attempt to reinitiate the session.
                        A contention race is handled the
                        same way as with operatorControlled.

"
::= { appcModeOperEntry 19 }

appcModeOperCompression OBJECT-TYPE
    SYNTAX INTEGER {
        prohibited(1),
        required(2),
        negotiable(3)
    }
MAX-ACCESS read-only

```

```

STATUS current
DESCRIPTION
  "Specifies whether compression is supported. The local LU uses
  this value for negotiation during session activation (SNA
  BIND).

prohibited - specifies that no compression is to be used.
required   - specifies that compression is required.
negotiable - specifies that the usage of compression
              is to be negotiated between the LUs. The
              level of compression is also negotiated.

 ::= { appcModeOperEntry 20 }

appcModeOperInBoundCompLevel OBJECT-TYPE
  SYNTAX INTEGER {
    none(1),
    rle(2),
    lz9(3),
    lz10(4),
    lz12(5)
  }
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "Specifies the maximum level of compression supported for
    inbound data. The local LU uses this value in conjunction with
    appcModeOperCompression for negotiation during session
    activation (SNA BIND).

    none  - specifies that no compression is to be used.
    rle   - specifies run-length encoding compression
            in which a 1 or 2 byte sequence substitution is
            used for each repeated run of the same character.
    lz9   - specifies Lempel-Ziv-like compression in which
            9 bit codes are used to substitute repeated
            substrings in the data stream. These codes are
            indices that refer to entries in a common
            dictionary generated adaptively at both sender and
            receiver as the data flows and compression occurs.
            The larger of number bits used for the code, the
            more storage space is required for the dictionary,
            but the larger the compression ratio.
    lz10  - specifies a 10 bit code Lempel-Ziv-like compression.
    lz12  - specifies a 12 bit code Lempel-Ziv-like compression.

 ::= { appcModeOperEntry 21 }

```

```

appcModeOperOutBoundCompLevel OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        rle(2),
        lz9(3),
        lz10(4),
        lz12(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the maximum level of compression supported for
        outbound data. The local LU uses this value in conjunction
        with appcModeOperCompression for negotiation during session
        activation (SNA BIND).

        none - specifies that no compression is to be used.
        rle - specifies run-length encoding compression
              in which a 1 or 2 byte sequence substitution is
              used for each repeated run of the same character.
        lz9 - specifies Lempel-Ziv-like compression in which
              9 bit codes are used to substitute repeated
              substrings in the data stream. These codes are
              indices that refer to entries in a common
              dictionary generated adaptively at both sender and
              receiver as the data flows and compression occurs.
              The larger of number bits used for the code, the
              more storage space is required for the dictionary,
              but the larger the compression ratio.
        lz10 - specifies a 10 bit code Lempel-Ziv-like compression.
        lz12 - specifies a 12 bit code Lempel-Ziv-like compression.

 ::= { appcModeOperEntry 22 }

appcModeOperCompRleBeforeLZ OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether run-length encoding is to be applied to the
        data before applying Lempel-Ziv-like compression. The local LU
        uses this value for negotiation during session activation (SNA
        BIND). This parameter is only supported if LZ compression is
        used."

```

```

 ::= { appcModeOperEntry 23 }

appcModeOperSyncLvl OBJECT-TYPE
SYNTAX INTEGER {
    none(1),
    noneConfirm(2),
    noneConfirmSyncPoint(3)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Specifies the sync level support for sessions involving this
LU pair and mode name.

    none          -      No sync level is supported.
    noneConfirm   -      None and Confirm level supported.
    noneConfirmSyncPoint -  None, Confirm and Sync Point is
                           supported.

"
 ::= { appcModeOperEntry 24 }

appcModeOperCrypto OBJECT-TYPE
SYNTAX INTEGER {
    notSupported(1),
    mandatory(2),
    selective(3)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Specifies whether session-level cryptography is supported for
sessions involving this LU pair and mode name.

    notSupported   -  Specifies session-level cryptography
                      is not being used.
    mandatory      -  Specifies session-level cryptography
                      in being used on all requests
                      flowing on the sessions.
    selective      -  Specifies session-level cryptography
                      is required just on selected
                      requests flowing on the sessions."
 ::= { appcModeOperEntry 25 }

appcModeOperSyncLvlLastStart OBJECT-TYPE
SYNTAX INTEGER {
    none(1),

```

```

        noneConfirm(2),
        noneConfirmSyncPoint(3)
    }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies the sync level support. This value represents the
     initial value proposed by the local LU the last time this
     capability was negotiated, i.e., when the first session was
     bound between the local LU and its partner.

    none          -      No sync level is supported.
    noneConfirm   -      None and Confirm level supported.
    noneConfirmSyncPoint -  None, Confirm and Sync Point is
                           supported.

"
::= { appcModeOperEntry 26 }

appcModeOperCryptoLastStart OBJECT-TYPE
SYNTAX INTEGER {
    notSupported(1),
    mandatory(2),
    selective(3)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies whether session-level cryptography is supported.
     This value represents the initial value proposed by the local
     LU the last time this capability was negotiated, i.e., when
     the first session was bound between the local LU and its
     partner.

    notSupported    -  Specifies session-level cryptography
                       is not to be used.
    mandatory       -  Specifies session-level cryptography
                       must be used.
    selective        -  Specifies session-level cryptography
                       is required just on selected
                       requests flowing on the sessions."
}

::= { appcModeOperEntry 27 }

appcModeOperCNOSNeg OBJECT-TYPE
SYNTAX INTEGER {
    no(1),
    yes(2)
}

```

```
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies whether CNOS negotiation is in process.  CNOS
     negotiation is used to set or change the various session limits
     for a mode."
::= { appcModeOperEntry 28 }

appcModeOperActCwin OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the number of active contention winner sessions."
::= { appcModeOperEntry 29 }

appcModeOperActClos OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the number of active contention loser sessions."
::= { appcModeOperEntry 30 }

appcModeOperPndCwin OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the number of contention winner sessions that are
         pending activation."
::= { appcModeOperEntry 31 }

appcModeOperPndClos OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the number of contention loser sessions that are
         pending activation."
::= { appcModeOperEntry 32 }

appcModeOperPtmcwin OBJECT-TYPE
```

```
SYNTAX Gauge32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies the number of contention winner sessions that are
     pending termination."
 ::= { appcModeOperEntry 33 }

appcModeOperPtmClos OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the number of contention loser sessions that are
         pending termination."
 ::= { appcModeOperEntry 34 }

appcModeOperDrainSelf OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether the local LU is draining its conversations
         for this mode. When a mode session limit is reset (via a CNOS
         RESET_SESSION_LIMIT request), the local LU could be set to
         process all queued conversations before deactivating all of the
         sessions (using the SNA Bracket Initiation Stopped or BIS
         protocol). "
 ::= { appcModeOperEntry 35 }

appcModeOperDrainPart OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether the partner LU is draining its conversations
         for this mode. When a mode session limit is reset (via a CNOS
         RESET_SESSION_LIMIT request), the partner LU could be set to
         process all queued conversations before deactivating all of the
```

```

sessions (using the SNA Bracket Initiation Stop or BIS
protocol).  "

 ::= { appcModeOperEntry 36 }

-- ****
-- APPC TP Admin Table
-- Objects in this table contain default or expected configuration
-- values for remotely attachable transaction programs.
-- ****

appcTpAdminTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcTpAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "APPC Local TP Table"

 ::= { appcTp 1 }

appcTpAdminEntry OBJECT-TYPE
    SYNTAX AppcTpAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Entry of APPC Local TP Information Table."

INDEX { appcTpAdminLocLuName,
         appcTpAdminTpName }

 ::= { appcTpAdminTable 1 }

AppcTpAdminEntry      ::= SEQUENCE {
    appcTpAdminLocLuName      DisplayString,
    appcTpAdminTpName         DisplayString,
    appcTpAdminFileSpec       DisplayString,
    appcTpAdminStartParm     DisplayString,
    appcTpAdminTpOperation   INTEGER,
    appcTpAdminInAttachTimeout Integer32,
    appcTpAdminRcvAllocTimeout Integer32,
    appcTpAdminSyncLvl       INTEGER,
    appcTpAdminInstLmt       Integer32,
    appcTpAdminStatus         INTEGER,
    appcTpAdminLongRun        INTEGER,
    appcTpAdminConvType       INTEGER,
    appcTpAdminConvDuplex    INTEGER,
    appcTpAdminConvSecReq    INTEGER,
    appcTpAdminVerPip         INTEGER,
    appcTpAdminPipSubNum     Integer32
}

```

}

```
appcTpAdminLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the local LU to which this TP definition
         applies. This field is from 1 to 17 characters in length,
         including a period (.) which separates the NetId from the NAU
         name if the NetId is present."
```

The reserved value '*ALL' indicates that the TP definition applies to all local LUs, and not just to a single local LU."

::= { appcTpAdminEntry 1 }

```
appcTpAdminTpName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..64))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The local transaction program name. This name is sent on an
         ATTACH remote allocation request."
```

When the TP name consists entirely of displayable EBCDIC code points, it is mapped directly to the equivalent ASCII display string. However, registered TP names always have a non-displayable EBCDIC code point (value less than or equal to x'3F') as the first character, so they cannot be directly mapped to an ASCII display string. These TP names are converted to a display string that is equivalent to a hexadecimal display of the EBCDIC code points. For example, the 2-byte TP name x'06F1' (CNOS) is converted to the 6-byte ASCII display string '06F1' (including the two single quotes)."

::= { appcTpAdminEntry 2 }

```
appcTpAdminFileSpec OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..80))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The local file specification of the transaction program.
         May be a zero-length string if not applicable."
```

::= { appcTpAdminEntry 3 }

```
appcTpAdminStartParm OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..128))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "A parameter string passed to the transaction program when it
         is started. May be a zero-length string if not supported. "
    ::= { appcTpAdminEntry 4 }

appcTpAdminTpOperation OBJECT-TYPE
    SYNTAX INTEGER {
        other(1),
        queuedOperatorStarted(2),
        queuedOperatorPreloaded(3),
        queuedAmStarted(4),
        nonqueuedAmStarted(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies how the program will be started.
         other - Specifies that the program operation is none of
                 the methods specified. It may be a
                 product-specific method.

         queuedOperatorStarted - Specifies that one version of the
                               program will be run at a time. If an incoming
                               attach arrives and the program has not been started
                               yet, APPC will issue a message to the operator to
                               start the specified program. Subsequent attaches
                               that arrive while the program is active will be
                               queued.

         queuedOperatorPreloaded - Specifies that one version of the
                               program will be run at a time. If an incoming
                               attach arrives and the program has not been started
                               yet, the Attach will be rejected. The APPC attach
                               manager determines that a TP has started upon
                               reception of an APPC RECEIVE_ALLOCATE verb, or a
                               CPI-C Accept_Conversation (CMACCP) or
                               Specify_Local_TP_Name (CMSLTP) call. No message is
                               sent to the operator. Subsequent attaches that
                               arrive while the program is active are queued.

         queuedAmStarted - Specifies that one version of the
                           program will be run at a time and will be started
                           by the APPC attach manager. Subsequent attaches
```

that arrive while the program is active will be queued.

nonqueuedAmStarted - Specifies that multiple copies of the program will be run at a time and will be started by the APPC attach manager."

::= { appcTpAdminEntry 5 }

appcTpAdminInAttachTimeout OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object specifies the number of seconds incoming attaches will be queued waiting for an APPC program to issue a RECEIVE_ALLOCATE verb or for a CPI-C program to issue an Accept_Conversation (CMACCP) call. This parameter is meaningful only when appcTpAdminTpOperation has one of the following values:

queuedOperatorStarted
queuedOperatorPreloaded
queuedAmStarted

A value of zero indicates that there is no timeout."

::= { appcTpAdminEntry 6 }

appcTpAdminRcvAllocTimeout OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"This object specifies the number of seconds an APPC program's RECEIVE_ALLOCATE verb or a CPI-C program's Accept_Conversation (CMACCP) call will wait for an incoming attach to arrive.

A value of zero indicates that there is no timeout."

::= { appcTpAdminEntry 7 }

appcTpAdminSyncLvl OBJECT-TYPE

SYNTAX INTEGER {

none(1),
confirm(2),
noneAndConfirm(3),
syncpoint(4),
noneAndSyncpoint(5),

```

        confirmAndSyncpoint(6),
        all(7)
    }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Indicates the synchronization level or levels that the
transaction program supports. The levels are defined as
follows:

    none      - allocation requests indicating a
                synchronization level of none are allowed to
                start the program.
    confirm    - allocation requests indicating a
                synchronization level of confirm are allowed
                to start the program.
    syncpoint  - allocation requests indicating a
                synchronization level of sync point are
                allowed to start the program.

::= { appcTpAdminEntry 8 }

appcTpAdminInstLmt OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The maximum number of concurrent instances of this transaction
program that will be supported for a local LU. A value of
zero indicates that there is no limit."

::= { appcTpAdminEntry 9 }

appcTpAdminStatus OBJECT-TYPE
    SYNTAX INTEGER {
        enabled(1),
        tempDisabled(2),
        permDisabled(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the status of the TP relative to starting execution
when the local LU receives an allocation (ATTACH) request
naming this program.

        enabled      - the local LU can start the program.
        tempDisabled - the local LU cannot start the

```

program. The local LU rejects the request with an indication that the TP is not available but retry is possible.

permDisabled	<ul style="list-style-type: none"> - the local LU cannot start the program. The local LU rejects the request with an indication that the TP is not available and retry is not possible."
--------------	---

```
::= { appcTpAdminEntry 10 }
```

appcTpAdminLongRun OBJECT-TYPE
 SYNTAX INTEGER {
 no(1),
 yes(2)
 }
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "Indicates whether this is a long-running transaction program (i.e., one that stays around even after the conversation goes away)."

```
::= { appcTpAdminEntry 11 }
```

appcTpAdminConvType OBJECT-TYPE
 SYNTAX INTEGER {
 basic(1),
 mapped(2),
 basicOrMapped(3)
 }
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "Specifies the conversation type (basic or mapped) that will be used by the TP. This value is verified upon receipt of an incoming attach. The acceptable values are:

basic	<ul style="list-style-type: none"> - Indicates that this transaction program supports basic conversations.
mapped	<ul style="list-style-type: none"> - Indicates that this transaction program supports mapped conversations.
basicOrMapped	<ul style="list-style-type: none"> - Indicates that this transaction program supports both basic and mapped conversations."

```
 ::= { appcTpAdminEntry 12 }

appcTpAdminConvDuplex OBJECT-TYPE
SYNTAX INTEGER {
    half(1),
    full(2),
    halfOrFull(3)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Specifies the conversation duplex type (half or full) that
    will be used by the TP. This value is verified upon receipt of
    an incoming attach. The acceptable values are:

        half      - Indicates that this transaction program
                     supports half duplex conversations.

        full      - Indicates that this transaction program
                     supports full duplex conversations.

        halfOrFull - Indicates that this transaction program
                     supports either half or full duplex
                     conversations."
```

```
 ::= { appcTpAdminEntry 13 }

appcTpAdminConvSecReq OBJECT-TYPE
SYNTAX INTEGER {
    no(1),
    yes(2)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Indicates whether conversation-level security information is
    required on incoming attaches designating this TP name.
    Conversation-level security verification is always performed on
    those requests that include security information.

        yes - Indicates that conversation-level security
              information is required. ATTACHs designating the
              transaction program must carry a user_id and
              either a password or an already verified
              indicator.

        no  - Indicates that no security information is
              required. ATTACHs designating the transaction
```

```
program can omit or include security information."
```

```
::= { appcTpAdminEntry 14 }
```

```
appcTpAdminVerPip OBJECT-TYPE
    SYNTAX INTEGER {
        no(1),
        yes(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether the number of PIP (Program Initialization
         Parameters) subfields should be verified against the number
         expected (appcTpAdminPipSubNum)."
```

```
::= { appcTpAdminEntry 15 }
```

```
appcTpAdminPipSubNum OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the number of PIP subfields expected by the TP."
```

```
::= { appcTpAdminEntry 16 }
```

```
-- ****
-- APPC Active Session Table
-- -----
-- This table contains information about active APPC sessions.
-- ****
```

```
appcActSessTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcActSessEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Table of active APPC sessions. Two entries are present in the
         table when both session partners are local."
```

```
::= { appcSession 1 }
```

```
appcActSessEntry OBJECT-TYPE
    SYNTAX AppcActSessEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
```

"Entry of APPC Session Information Table. Indexed by LU pair and integer-valued session index."

```

INDEX { appcActSessLocLuName,
         appcActSessParLuName,
         appcActSessIndex }

 ::= { appcActSessTable 1 }

AppcActSessEntry      ::= SEQUENCE {
    appcActSessLocLuName          DisplayString,
    appcActSessParLuName          DisplayString,
    appcActSessIndex              Integer32,
    appcActSessPcidCpName        DisplayString,
    appcActSessPcid              OCTET STRING,
    appcActSessPluIndicator      INTEGER,
    appcActSessModeName          DisplayString,
    appcActSessCosName           DisplayString,
    appcActSessTransPriority     INTEGER,
    appcActSessEnhanceSecSup    INTEGER,
    appcActSessSendPacingType   INTEGER,
    appcActSessSendRpc           Gauge32,
    appcActSessSendNxWndwSize   Gauge32,
    appcActSessRecvPacingType   INTEGER,
    appcActSessRecvRpc           Gauge32,
    appcActSessRecvNxWndwSize   Gauge32,
    appcActSessRscv              OCTET STRING,
    appcActSessInUse             INTEGER,
    appcActSessMaxSndRuSize     INTEGER,
    appcActSessMaxRcvRuSize     INTEGER,
    appcActSessSndPacingSize    INTEGER,
    appcActSessRcvPacingSize    INTEGER,
    appcActSessOperState         INTEGER,
    appcActSessUpTime            TimeTicks,
    appcActSessRtpNceId          OCTET STRING,
    appcActSessRtpTcid           OCTET STRING,
    appcActSessLinkIndex         InstancePointer
}

appcActSessLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Specifies the name of the local LU for the session. This
         field is from 1 to 17 characters in length, including a period
         (.) which separates the NetId from the NAU name if the NetId is

```

present.

If this object has the same value as appcLluOperName, then the two entries being indexed apply to the same resource (specifically, to the same local LU)."

```
::= { appcActSessEntry 1 }
```

appcActSessParLuName OBJECT-TYPE
 SYNTAX DisplayString (SIZE (1..17))
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "Specifies the name of the partner LU for the session. This field is from 1 to 17 characters in length, including a period (.) which separates the NetId from the NAU name if the NetId is present."

If this object has the same value as appcLuPairOperParLuName, then the two entries being indexed apply to the same resource (specifically, to the same partner LU)."

```
::= { appcActSessEntry 2 }
```

appcActSessIndex OBJECT-TYPE
 SYNTAX Integer32
 MAX-ACCESS not-accessible
 STATUS current
 DESCRIPTION
 "This value identifies the index of the session, which is unique for this LU pair. It is recommended that an Agent not reuse the index of a deactivated session for a significant period of time (e.g., one week)."

```
::= { appcActSessEntry 3 }
```

appcActSessPcidCpName OBJECT-TYPE
 SYNTAX DisplayString (SIZE (0 | 3..17))
 MAX-ACCESS read-only
 STATUS current
 DESCRIPTION
 "The network-qualified CP name of the node at which the session and PCID originated. For APPN and LEN nodes, this is either CP name of the APPN node at which the origin LU is located or the CP name of the NN serving the LEN node at which the origin LU is located. This field is from 3 to 17 characters in length, including a period (.) which separates the NetId from the NAU name. A null string indicates that the value is unknown."

```
 ::= { appcActSessEntry 4 }

appcActSessPcid OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0|8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The procedure correlation identifier (PCID) of a session. It
        is an 8-octet value assigned by the control point providing
        session services for the primary LU. A null string indicates
        that the value is unknown."

 ::= { appcActSessEntry 5 }

appcActSessPluIndicator OBJECT-TYPE
    SYNTAX INTEGER {
        localLuIsPlu(1),
        partnerLuIsPlu(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates which LU is the PLU for this session. For
        independent LUs, the PLU (primary LU) is the one that initiated
        the session (sent BIND), while the SLU (secondary LU) is the
        one that accepted the session initiation (received BIND).

The 'local' LU is the one identified by appcLluOperName.

The 'partner' LU is the one identified by
appcLuPairOperParLuName.

 ::= { appcActSessEntry 6 }

appcActSessModeName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The mode name used for this session.

 ::= { appcActSessEntry 7 }

appcActSessCosName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
```

"The Class of Service (COS) name used for this session.
A null string indicates that the value is unknown."

```
 ::= { appcActSessEntry 8 }

appcActSessTransPriority OBJECT-TYPE
    SYNTAX INTEGER {
        unknown(1),
        low(2),
        medium(3),
        high(4),
        network(5)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The transmission priority of this session.
         1 = unknown priority
         2 = low priority
         3 = medium priority
         4 = high priority
         5 = network priority
        "
    ::= { appcActSessEntry 9 }

appcActSessEnhanceSecSup OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        level1(2),
        level2(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Enhanced security supported. Indicates the level of enhanced
         security support:
         1 = none
         2 = level 1
         3 = level 2
        "
    ::= { appcActSessEntry 10 }

appcActSessSendPacingType OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
```

```
        fixed(2),
        adaptive(3)
    }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The type of pacing being used for sending data."
::= { appcActSessEntry 11 }

appcActSessSendRpc OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The send residual pace count. This represents the number of
         MUs that can still be sent in the current session window."
::= { appcActSessEntry 12 }

appcActSessSendNxWndwSize OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The size of the next window which will be used to send data."
::= { appcActSessEntry 13 }

appcActSessRecvPacingType OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        fixed(2),
        adaptive(3)
    }
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The type of pacing being used for receiving data."
::= { appcActSessEntry 14 }

appcActSessRecvRpc OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The receive residual pace count. This represents the number
```

of MUs that can still be received in the current session window."

`::= { appcActSessEntry 15 }`

`appcActSessRecvNxWndwSize OBJECT-TYPE`
SYNTAX Gauge32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The size of the next window which will be used to receive data."

`::= { appcActSessEntry 16 }`

`appcActSessRscv OBJECT-TYPE`
SYNTAX OCTET STRING (SIZE (0..255))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The route selection control vector (RSCV CV2B) used for this session. It is present for APPN-level implementations. LEN-level implementations will return a null string. The internal format of this vector is described in SNA Formats. This object contains an uninterpreted copy of the control vector (including the length and key fields)."

`::= { appcActSessEntry 17 }`

`appcActSessInUse OBJECT-TYPE`
SYNTAX INTEGER {
 no(1),
 yes(2)
}
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"Specifies whether the session is currently in use (i.e., in bracket with a conversation)."

`::= { appcActSessEntry 18 }`

`appcActSessMaxSndRuSize OBJECT-TYPE`
SYNTAX INTEGER (1..8192)
MAX-ACCESS read-only
STATUS current
DESCRIPTION
"The maximum RU size used on this session for sending RUs."

```
 ::= { appcActSessEntry 19 }

appcActSessMaxRcvRuSize OBJECT-TYPE
    SYNTAX INTEGER (1..8192)
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The maximum RU size used on this session for receiving RUs."

 ::= { appcActSessEntry 20 }

appcActSessSndPacingSize OBJECT-TYPE
    SYNTAX INTEGER (1..63)
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The size of the send pacing window on this session."

 ::= { appcActSessEntry 21 }

appcActSessRcvPacingSize OBJECT-TYPE
    SYNTAX INTEGER (1..63)
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The size of the receive pacing window on this session."

 ::= { appcActSessEntry 22 }

appcActSessOperState OBJECT-TYPE
    SYNTAX INTEGER {
        unbound (1),
        pendingBind (2),
        bound (3),
        pendingUnbind (4)
    }
    MAX-ACCESS read-write
    STATUS current
    DESCRIPTION
        "The value indicates the current operational state of the
        session.

        'unbound (1)' - session has been unbound;
        in this state it will be removed from the
        session table by the Agent.

        'pendingBind (2)' - this state has different
        meanings for dependent and independent LUs;
```

for dependent LU - waiting for BIND from the host, for independent LU - waiting for BIND response. When a session enters this state, the corresponding entry in the session table is created by the Agent.

'bound (3)' - session has been successfully bound.

'pendingUnbind (4)' - session enters this state when an UNBIND is sent and before the rsp(UNBIND) is received.

Session deactivation:

If a session is in the operational state 'bound (3)' then setting the value of this object to 'unbound (1)' will initiate the session shutdown.

If a session is in the operational state 'pendingBind (2)' then setting the value of this object to 'unbound (1)' will initiate the session shutdown.

If a session is in the operational state 'pendingUnbind (4)' for an abnormally long period of time (e.g., three minutes) then setting the value of this object to 'unbound (1)' will change the session operational state to 'unbound (1)'.

`::= { appcActSessEntry 23 }`

`appcActSessUpTime OBJECT-TYPE`
`SYNTAX TimeTicks`
`MAX-ACCESS read-only`
`STATUS current`
`DESCRIPTION`
`"The length of time the session has been active, measured in hundredths of a second."`

`::= { appcActSessEntry 24 }`

`appcActSessRtpNceId OBJECT-TYPE`
`SYNTAX OCTET STRING (SIZE (0..8))`
`MAX-ACCESS read-only`
`STATUS current`
`DESCRIPTION`
`"The local HPR Network Connection Endpoint of the session."`

```
 ::= { appcActSessEntry 25 }

appcActSessRtpTcid OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0|8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The local RTP connection TCID of the session."

 ::= { appcActSessEntry 26 }

appcActSessLinkIndex OBJECT-TYPE
    SYNTAX InstancePointer
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "This value identifies the link over which the session passes.
        This value points to the row in the table containing
        information on the link instance. (e.g., the sdlcLSAdminTable
        of the SNA DLC MIB module). This object may be NULL if the
        link is not specified or if a link is not applicable (as for
        APPN-level nodes)."

 ::= { appcActSessEntry 27 }

-- *****
-- The following table contains session statistics for APPC sessions.
-- *****

appcSessStatsTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcSessStatsEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "This table contains dynamic statistical information relating
        to active APPC sessions. The entries in this table cannot be
        created by a Management Station. Two entries are present in
        the table when both session partners are local. This table is
        populated only when the value of appcCntrlOperStat is
        'active'."

 ::= { appcSession 2 }

appcSessStatsEntry OBJECT-TYPE
    SYNTAX AppcSessStatsEntry
    MAX-ACCESS not-accessible
    STATUS current
```

```

DESCRIPTION
"Contains statistics information for an APPC session. Each
entry is created by the Agent. Objects in this table have
read-only access. Each session from appcActSessTable has one
entry in this table."

INDEX { appcSessStatsLocLuName,
         appcSessStatsParLuName,
         appcSessStatsSessIndex }

::= { appcSessStatsTable 1 }

AppcSessStatsEntry ::= SEQUENCE {
    appcSessStatsLocLuName          DisplayString,
    appcSessStatsParLuName          DisplayString,
    appcSessStatsSessIndex          Integer32,
    appcSessStatsSentFmdBytes       Counter32,
    appcSessStatsSentNonFmdBytes    Counter32,
    appcSessStatsRcvdFmdBytes       Counter32,
    appcSessStatsRcvdNonFmdBytes   Counter32,
    appcSessStatsSentFmdRus        Counter32,
    appcSessStatsSentNonFmdRus     Counter32,
    appcSessStatsRcvdFmdRus        Counter32,
    appcSessStatsRcvdNonFmdRus    Counter32,
    appcSessStatsCtrUpTime         TimeTicks
}

appcSessStatsLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Specifies the name of the local LU for the session. This
        field is from 1 to 17 characters in length, including a period
        (.) which separates the NetId from the NAU name if the NetId is
        present.

        If this object has the same value as appcLluOperName, then the
        two entries being indexed apply to the same resource
        (specifically, to the same local LU)."

    ::= { appcSessStatsEntry 1 }

appcSessStatsParLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION

```

"Specifies the name of the partner LU for the session. This field is from 1 to 17 characters in length, including a period (.) which separates the NetId from the NAU name if the NetId is present.

If this object has the same value as appcLuPairOperParLuName, then the two entries being indexed apply to the same resource (specifically, to the same partner LU)."

```
 ::= { appcSessStatsEntry 2 }
```

appcSessStatsSessIndex OBJECT-TYPE

SYNTAX Integer32

MAX-ACCESS not-accessible

STATUS current

DESCRIPTION

"This value identifies the index of the session, which is unique for this LU pair. It is recommended that an Agent not reuse the index of a deactivated session for a significant period of time (e.g., one week).

If this object has the same value as appcActSessIndex for the same LU pair, then the two entries being indexed apply to the same resource (specifically, to the same session)."

```
 ::= { appcSessStatsEntry 3 }
```

appcSessStatsSentFmdBytes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of function management data (FMD) bytes sent by the local LU."

```
 ::= { appcSessStatsEntry 4 }
```

appcSessStatsSentNonFmdBytes OBJECT-TYPE

SYNTAX Counter32

MAX-ACCESS read-only

STATUS current

DESCRIPTION

"The number of non-function management data (non-FMD) bytes sent by the local LU."

```
 ::= { appcSessStatsEntry 5 }
```

appcSessStatsRcvdFmdBytes OBJECT-TYPE

```
SYNTAX Counter32
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The number of function management data (FMD) bytes received by
     the local LU."
::= { appcSessStatsEntry 6 }

appcSessStatsRcvdNonFmdBytes OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of non-function management data (non-FMD) bytes
         received by the local LU."
::= { appcSessStatsEntry 7 }

appcSessStatsSentFmdRus OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of function management data (FMD) RUs sent by the
         local LU."
::= { appcSessStatsEntry 8 }

appcSessStatsSentNonFmdRus OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of non-function management data (non-FMD) RUs sent
         by the local LU."
::= { appcSessStatsEntry 9 }

appcSessStatsRcvdFmdRus OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of function management data (FMD) RUs received by
         the local LU."
::= { appcSessStatsEntry 10 }
```

```
appcSessStatsRcvdNonFmdRus OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of non-function management data (non-FMD) RUs
         received by the local LU."
    ::= { appcSessStatsEntry 11 }

appcSessStatsCtrUpTime OBJECT-TYPE
    SYNTAX TimeTicks
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The length of time the counters for this session have been
         active, measured in hundredths of a second."
    ::= { appcSessStatsEntry 12 }

-- *****
-- APPC Historical Session Table
-- -----
-- This table contains historical information about APPC sessions that
-- terminated abnormally. It is an implementation choice how long to
-- retain information on a given session.
-- *****

appcHistSessTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcHistSessEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Table of historical information about APPC sessions that
         terminated abnormally. Two entries may be present in the table
         when both session partners are local. It is an implementation
         choice how long to retain information about a given session."
    ::= { appcSession 3 }

appcHistSessEntry OBJECT-TYPE
    SYNTAX AppcHistSessEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Entry of APPC Session History Table. This table is indexed by
         an integer which is continuously incremented until it
         eventually wraps."
```

```

INDEX
    { appcHistSessIndex }

::= { appcHistSessTable 1 }

AppcHistSessEntry      ::= SEQUENCE {
    appcHistSessIndex          INTEGER,
    appcHistSessTime           DateAndTime,
    appcHistSessType           INTEGER,
    appcHistSessLocLuName     DisplayString,
    appcHistSessParLuName     DisplayString,
    appcHistSessModeName      DisplayString,
    appcHistSessUnbindType    OCTET STRING,
    appcHistSessSenseData     SnaSenseData,
    appcHistSessComponentId   DisplayString,
    appcHistSessDetectModule  DisplayString
}

appcHistSessIndex OBJECT-TYPE
    SYNTAX INTEGER (0..2147483647)
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Table index. The value of the index begins at zero
        and is incremented up to a maximum value of 2**31-1
        (2,147,483,647) before wrapping."
    ::= { appcHistSessEntry 1 }

appcHistSessTime OBJECT-TYPE
    SYNTAX DateAndTime
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The time at which the session was either terminated or
        failed to be established."
    ::= { appcHistSessEntry 2 }

appcHistSessType OBJECT-TYPE
    SYNTAX INTEGER {
        recvNegBindRsp(1),
        sendNegBindRsp(2),
        sessActRejected(3),
        unbindSent(4),
        unbindReceived(5)
    }

```

```
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Indicates the type of event that caused the entry to be made:

    recvNegBindRsp - Received a negative bind response from
                      the partner LU.
    sendNegBindRsp - Sent a negative bind response to the
                      partner LU.
    sessActRejected - Session activation rejected by the
                      partner LU.
    unbindSent      - Unbind sent to the partner LU.
    unbindReceived - Unbind received from the partner LU.
```

These event types correspond to the five SNA/MS Alerts LU62001 through LU62005, documented in the SNA Management Services Reference."

```
::= { appcHistSessEntry 3 }
```

```
appcHistSessLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The network-qualified local LU name. This field is from 3 to
         17 characters in length, including a period (.) which separates
         the NetId from the NAU name if the NetId is present."
```

```
::= { appcHistSessEntry 4 }
```

```
appcHistSessParLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (3..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The network-qualified partner LU name. This field is from 3
         to 17 characters in length, including a period (.) which
         separates the NetId from the NAU name if the NetId is present."
```

```
::= { appcHistSessEntry 5 }
```

```
appcHistSessModeName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The mode name of the session."
```

```
 ::= { appcHistSessEntry 6 }

appcHistSessUnbindType OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (1))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The type of unbind which terminated the session. This
         value is consists of one (1) octet; and its meaning
         is defined in SNA Formats."

 ::= { appcHistSessEntry 7 }

appcHistSessSenseData OBJECT-TYPE
    SYNTAX SnaSenseData
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The sense data associated with the termination of the
         session, taken from the negative BIND response or UNBIND
         request."

 ::= { appcHistSessEntry 8 }

appcHistSessComponentId OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..32))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The implementation-specific name of the component which
         detected the problem."

 ::= { appcHistSessEntry 9 }

appcHistSessDetectModule OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..32))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The implementation-specific name of the module which
         detected the problem."

 ::= { appcHistSessEntry 10 }

-- ****
-- APPC Session RTP Connection Table
-- -----
```

```
-- This table contains information on APPC sessions that are being
-- transported on RTP connections by High Performance Routing (HPR).
-- ****
appcSessRtpTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcSessRtpEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "A table indicating how many APPC sessions terminating in this
         node are transported by each RTP connection."
    ::= { appcSession 4 }

appcSessRtpEntry OBJECT-TYPE
    SYNTAX AppcSessRtpEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Entry of APPC session RTP table."
    INDEX { appcSessRtpNceId,
             appcSessRtpTcid }
    ::= { appcSessRtpTable 1 }

AppcSessRtpEntry ::= SEQUENCE {
    appcSessRtpNceId          OCTET STRING,
    appcSessRtpTcid           OCTET STRING,
    appcSessRtpSessions       Gauge32
}

appcSessRtpNceId OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (1..8))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The local Network Connection Endpoint of the RTP connection."
    ::= { appcSessRtpEntry 1 }

appcSessRtpTcid OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (8))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The local TCID of the RTP connection."
    ::= { appcSessRtpEntry 2 }
```

```

appcSessRtpSessions OBJECT-TYPE
    SYNTAX Gauge32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The number of APPC sessions terminating in this node
         that are using this RTP connection."
    ::= { appcSessRtpEntry 3 }

-- *****
-- APPC Active Conversation Table
-- This table contains information about active APPC conversations.
-- *****

appcActiveConvTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcActiveConvEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Table of information about active APPC Conversations. In this
         context 'active' means that a conversation is currently
         associated with a particular session. Two entries are present
         in the table when both LUs for the session are local."
    ::= { appcConversation 1 }

appcActiveConvEntry OBJECT-TYPE
    SYNTAX AppcActiveConvEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Entry representing one active APPC Conversation."
    INDEX { appcActiveConvLocLuName,
             appcActiveConvParLuName,
             appcActiveConvSessIndex }
    ::= { appcActiveConvTable 1}

AppcActiveConvEntry      ::= SEQUENCE {
    appcActiveConvLocLuName          DisplayString,
    appcActiveConvParLuName          DisplayString,
    appcActiveConvSessIndex          Integer32,
    appcActiveConvId                OCTET STRING,
    appcActiveConvState              INTEGER,
    appcActiveConvType               INTEGER,
}

```

```

appcActiveConvCorrelator          OCTET STRING,
appcActiveConvSyncLvl            INTEGER,
appcActiveConvSource             INTEGER,
appcActiveConvDuplex            INTEGER,
appcActiveConvUpTime             TimeTicks,
appcActiveConvSendBytes          Counter32,
appcActiveConvRcvBytes           Counter32,
appcActiveConvUserid             DisplayString,
appcActiveConvPcidNauName        DisplayString,
appcActiveConvPcid              OCTET STRING,
appcActiveConvModeName           DisplayString,
appcActiveConvLuwIdName          DisplayString,
appcActiveConvLuwIdInstance      OCTET STRING,
appcActiveConvLuwIdSequence      OCTET STRING,
appcActiveConvTpName             DisplayString
}

appcActiveConvLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the local LU for the conversation. This field
        is from 1 to 17 characters in length, including a period (.) which
        separates the NetId from the NAU name if the NetId is present.

        If this object has the same value as appcLluOperName, then the two entries being indexed apply to the same resource (specifically, to the same local LU)."

::= { appcActiveConvEntry 1 }

appcActiveConvParLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the partner LU for the conversation. This field
        is from 1 to 17 characters in length, including a period (.) which
        separates the NetId from the NAU name if the NetId is present.

        If this object has the same value as appcLuPairOperParLuName, then the two entries being indexed apply to the same resource (specifically, to the same partner LU)."

::= { appcActiveConvEntry 2 }

```

```
appcActiveConvSessIndex OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Index of entry in appcActSessTable that is associated with
        this conversation. If this object has the same value as
        appcActSessIndex for the same LU pair, then the two entries
        being indexed apply to the same resource (specifically, to the
        same session)."
    ::= { appcActiveConvEntry 3 }

appcActiveConvId OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (4))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The 4-byte ID of the conversation."
    ::= { appcActiveConvEntry 4 }

appcActiveConvState OBJECT-TYPE
    SYNTAX INTEGER {
        reset(1),
        send(2),
        receive(3),
        confirm(4),
        confirmSend(5),
        confirmDealloc(6),
        pendingDeallocate(7),
        pendingPost(8),
        sendReceive(9),
        sendOnly(10),
        receiveOnly(11),
        deferReceive(12),
        deferDeallocate(13),
        syncpoint(14),
        syncpointSend(15),
        syncpointDeallocate(16),
        backoutRequired(17)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the state of the conversation at the instant when
        the information was retrieved. The values are:
```

reset
The conversation is reset (i.e., deallocated).

send
The conversation can send data. This value also is returned if the conversation is in Send-Pending state.

receive
The conversation can receive data.

confirm
The conversation has received a confirm indicator. It can issue an [MC_]CONFIRMED or [MC_]SEND_ERROR verb to change state. It will continue in Receive state if an [MC_]CONFIRMED verb is issued.

confirmSend
The conversation is in Confirm state and changes to Send state when an [MC_]CONFIRMED verb is issued.

confirmDealloc
The conversation is in Confirm state and becomes inactive when an [MC_]CONFIRMED verb is issued.

pendingDeallocate
The conversation is in Pending-Deallocate state while it waits for (MC_)DEALLOCATE TYPE (sync_level) to complete.

pendingPost
The conversation is in Pending-Post state while it waits for the [MC_]RECEIVE_AND_POST verb to complete its receive function.

sendReceive
The full-duplex conversation can send or receive data.

sendOnly
The full-duplex conversation can send data, but it does not have permission to receive data, because the partner TP has already deallocated its side of the conversation.

receiveOnly
The full-duplex conversation can receive data, but it does not have permission to send data, because it has already deallocated its side of the conversation.

deferReceive
Waiting for a successful SYNCPT verb operation to go into the receive state.

deferDeallocate
Waiting for a successful SYNCPT verb operation to go into the reset state.

```

syncpoint
    Need to response to a SYNCPT verb issued. After
    successful operation, the next state will be
    receive.
syncpointSend
    Need to response to a SYNCPT verb issued. After
    successful operation, the next state will be
    send.
syncpointDeallocate
    Need to response to a SYNCPT verb issued. After
    successful operation, the next state will be
    reset.
backoutRequired
    TP must execute a BACKOUT verb to backout the
    transaction.

::= { appcActiveConvEntry 5 }

appcActiveConvType OBJECT-TYPE
    SYNTAX INTEGER {
        basic(1),
        mapped(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the type of conversation. The values are:

        basic
            Indicates that this conversation supports
            basic verbs.

        mapped
            Indicates that this conversation supports
            mapped verbs."
}

::= { appcActiveConvEntry 6 }

appcActiveConvCorrelator OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "This is an 8-byte identifier that the source LU assigns to the
        conversation; the source LU is the one that sent the allocation
        request. The conversation correlator is included on the
        allocation request. The conversation correlator uniquely

```

identifies a conversation, from among all conversations, between the local and partner LUs. It may be used, for example, during problem determination associated with a conversation. A length of 0 indicates that no conversation correlator is defined."

```
::= { appcActiveConvEntry 7 }
```

```
appcActiveConvSyncLvl OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        confirm(2),
        syncpt(3)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the highest sync level support for the conversation.
        The values are:
```

none

Indicates that no sync-level processing can be performed on this conversation. The transaction program does not issue verbs or recognize any returned parameters relating to any sync-level function.

confirm

Indicates that confirmation processing can be performed on this conversation. The transaction program can issue verbs and recognize returned parameters relating to confirmation.

syncpt

Indicates that syncpt and confirmation processing can be performed on this conversation. The transaction program can issue verbs and recognize returned parameters relating to syncpt and confirmation."

```
::= { appcActiveConvEntry 8 }
```

```
appcActiveConvSource OBJECT-TYPE
    SYNTAX INTEGER {
        localLu(1),
        partnerLu(2)
    }
```

```
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "Indicates whether the local or partner LU is the source of the
    conversation, that is, which LU started the conversation by
    sending the allocation request.

    localLu
        The local LU is the source of the conversation,
        and the partner LU is the target of the
        conversation.

    partnerLu
        The partner LU is the source of the
        conversation, and the local LU is the target of
        the conversation.

::= { appcActiveConvEntry 9 }

appcActiveConvDuplex OBJECT-TYPE
    SYNTAX INTEGER {
        half(1),
        full(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the conversation duplex style in effect for the
        conversation.

        half      Indicates that information can be transferred in
                  both directions, but only in one direction at a
                  time.

        full      Indicates that information can be transferred in
                  both directions at the same time."

::= { appcActiveConvEntry 10 }

appcActiveConvUpTime OBJECT-TYPE
    SYNTAX TimeTicks
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The length of time since the conversation started, measured in
        hundredths of a second.

::= { appcActiveConvEntry 11 }
```

```
appcActiveConvSendBytes OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the number of bytes that was sent on the
        conversation. The count includes all SNA RU bytes sent,
        including those in the FMH-5 (Attach), FMH-7 (Error
        Description), SIGNAL, LUSTAT, and SNA responses; it does not
        include SNA TH and RH bytes."
    ::= { appcActiveConvEntry 12 }

appcActiveConvRcvBytes OBJECT-TYPE
    SYNTAX Counter32
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates the number of bytes that was received on the
        conversation. The count includes all SNA RU bytes sent,
        including those in the FMH-5 (Attach), FMH-7 (Error
        Description), SIGNAL, LUSTAT, and SNA responses; it does not
        include SNA TH and RH bytes."
    ::= { appcActiveConvEntry 13 }

appcActiveConvUserId OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..10))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The user ID that the initiating program provided in the
        incoming attach."
    ::= { appcActiveConvEntry 14 }

appcActiveConvPcidNauName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0 | 3..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The network-qualified NAU name of the
        node at which the session and PCID originated. For APPN
        and LEN nodes, this is either CP name of the APPN node at
        which the origin LU is located or the CP name of the
        NN serving the LEN node at which the origin LU is
        located. This field is from 3 to 17 characters in
        length, including a period (.) which separates the
```

NetId from the NAU name. A null string indicates that the value is unknown."

```
 ::= { appcActiveConvEntry 15 }

appcActiveConvPcid OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0|8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The procedure correlation identifier (PCID) of the session.
        It is an 8-octet value assigned by the control point providing
        session services for the primary LU. A null string indicates
        that the value is unknown."

 ::= { appcActiveConvEntry 16 }

appcActiveConvModeName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The Mode Name used for this conversation.
        This is a 1-8 character name."

 ::= { appcActiveConvEntry 17 }

appcActiveConvLuwIdName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The SNA name of the LU that initiated the logical unit of work
        that is associated with this active TP. This field is from
        1 to 17 characters in length, including a period (.) which
        separates the NetId from the LU name if the NetId is present.

 ::= { appcActiveConvEntry 18 }

appcActiveConvLuwIdInstance OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0..6))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The instance identifier for the logical unit of work.

 ::= { appcActiveConvEntry 19 }
```

```

appcActiveConvLuwIdSequence OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0..2))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The sequence identifier for the logical unit of work."
    ::= { appcActiveConvEntry 20 }

appcActiveConvTpName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..64))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The transaction program name which started this conversation.
        This name could either be from a FMH5 ATTACH for a remotely
        started conversation, otherwise it could the name of the local
        TP if available.

When the TP name consists entirely of displayable EBCDIC code
points, it is mapped directly to the equivalent ASCII display
string. However, registered TP names always have a non-
displayable EBCDIC code point (value less than or equal to
x'3F') as the first character, so they cannot be directly
mapped to an ASCII display string. These TP names are
converted to a display string that is equivalent to a
hexadecimal display of the EBCDIC code points. For example,
the 2-byte TP name x'06F1' (CNOS) is converted to the 6-byte
ASCII display string '06F1' (including the two single quotes).

This name is NULL if the conversation is started locally
(i.e., not with a FMH5 ATTACH)."

    ::= { appcActiveConvEntry 21 }

-- *****
-- APPC Historical Conversation Table
-- This table contains historical information about APPC
-- conversations that ended abnormally. It is an implementation
-- choice how long to retain information on a given conversation.
-- *****

appcHistConvTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcHistConvEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Table of historical information about APPC Conversations that

```

ended in error. Possible categories of error conditions that could be saved in this table are:

- allocation errors,
- deallocate abend,
- program errors, and
- service errors."

```
::= { appcConversation 2 }
```

```
appcHistConvEntry OBJECT-TYPE
    SYNTAX AppcHistConvEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Entry representing one APPC Conversation."
```

```
INDEX
```

```
{ appcHistConvIndex }
```

```
::= { appcHistConvTable 1 }
```

```
AppcHistConvEntry ::= SEQUENCE {
    appcHistConvIndex          Integer32,
    appcHistConvEndTime        DateAndTime,
    appcHistConvLocLuName     DisplayString,
    appcHistConvParLuName     DisplayString,
    appcHistConvTpName        DisplayString,
    appcHistConvPcidNauName   DisplayString,
    appcHistConvPcid          OCTET STRING,
    appcHistConvSenseData    SnaSenseData,
    appcHistConvLogData       OCTET STRING,
    appcHistConvEndedBy      INTEGER
}
```

```
appcHistConvIndex OBJECT-TYPE
    SYNTAX Integer32
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Index for entry in Conversation table. This value identifies
         the unique index of the conversation. It is recommended that
         an Agent not reuse the index of a deactivated conversation for
         a significant period of time (e.g. one week)."
```

```
::= { appcHistConvEntry 1 }
```

```
appcHistConvEndTime OBJECT-TYPE
```

```
SYNTAX DateAndTime
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The time at which the conversation ended."
::= { appcHistConvEntry 2 }

appcHistConvLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The name of the local LU for this conversation. This field is
        from 1 to 17 characters in length, including a period (.) which
        separates the NetId from the NAU name if the NetId is present."
::= { appcHistConvEntry 3 }

appcHistConvParLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The SNA name of the partner LU for the conversation. This
        field is from 1 to 17 characters in length, including a period
        (.) which separates the NetId from the NAU name if the NetId is
        present."
::= { appcHistConvEntry 4 }

appcHistConvTpName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..64))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The transaction program name which started this conversation.
        This name could either be from a FMH5 ATTACH for a remotely
        started conversation, otherwise it could be the name of the local
        TP if available.

When the TP name consists entirely of displayable EBCDIC code
points, it is mapped directly to the equivalent ASCII display
string. However, registered TP names always have a non-
displayable EBCDIC code point (value less than or equal to
x'3F') as the first character, so they cannot be directly
mapped to an ASCII display string. These TP names are
converted to a display string that is equivalent to a
```

hexadecimal display of the EBCDIC code points. For example, the 2-byte TP name x'06F1' (CNOS) is converted to the 6-byte ASCII display string '06F1' (including the two single quotes).

This name is NULL if the conversation is started locally (i.e., not with a FMH5 ATTACH)."

```
::= { appcHistConvEntry 5 }
```

```
appcHistConvPcidNauName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0 | 3..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The network-qualified NAU name of the
        node at which the session and PCID originated. For APPN
        and LEN nodes, this is either CP name of the APPN node at
        which the origin LU is located or the CP name of the
        NN serving the LEN node at which the origin LU is
        located. This field is from 3 to 17 characters in
        length, including a period (.) which separates the
        NetId from the NAU name. A null string indicates that the
        value is unknown."
```

```
::= { appcHistConvEntry 6 }
```

```
appcHistConvPcid OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0|8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The procedure correlation identifier (PCID) of the session.
        It is an 8-octet value assigned by the control point providing
        session services for the primary LU. A null string indicates
        that the value is unknown."
```

```
::= { appcHistConvEntry 7 }
```

```
appcHistConvSenseData OBJECT-TYPE
    SYNTAX SnaSenseData
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The sense data associated with the action that ended this
        conversation, e.g., FMH-7 or UNBIND."
```

```
::= { appcHistConvEntry 8 }
```

```

appcHistConvLogData OBJECT-TYPE
    SYNTAX OCTET STRING (SIZE (0..32))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The first 32 bytes of the data portion of the Log Data GDS
         Variable that is associated with the last FMH-7 that occurred
         on this conversation. If there was no Log Data GDS Variable
         associated with the FMH-7, this object is null.

    This object reflects only the data portion of the Log Data
    GDS Variable (i.e. not the LL or GDS Id)."

::= { appcHistConvEntry 9 }

appcHistConvEndedBy OBJECT-TYPE
    SYNTAX INTEGER {
        localLu(1),
        partnerLu(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Indicates which LU ended the conversation."

::= { appcHistConvEntry 10 }

-- *****
-- APPC CPIC Admin Table
-- Objects in this table contain default or expected configuration
-- values for CPI-C side information.
-- *****

appcCpicAdminTable OBJECT-TYPE
    SYNTAX SEQUENCE OF AppcCpicAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "APPC CPI-C side information table."

::= { appcCPIC 1 }

appcCpicAdminEntry OBJECT-TYPE
    SYNTAX AppcCpicAdminEntry
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Entry of APPC CPI-C side information Table."

```

```

INDEX { appcCpicAdminLocLuName,
         appcCpicAdminSymbDestName }

 ::= { appcCpicAdminTable 1 }

AppcCpicAdminEntry ::= SEQUENCE {
    appcCpicAdminLocLuName          DisplayString,
    appcCpicAdminSymbDestName       DisplayString,
    appcCpicAdminParLuAlias        DisplayString,
    appcCpicAdminParLuName          DisplayString,
    appcCpicAdminModeName          DisplayString,
    appcCpicAdminTpNameType        INTEGER,
    appcCpicAdminTpName            DisplayString,
    appcCpicAdminUserid            DisplayString,
    appcCpicAdminSecurity          INTEGER
}

appcCpicAdminLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the local LU to which this CPI-C side
         information definition applies. This field is from 1 to 17
         characters in length, including a period (.) which separates
         the NetId from the NAU name if the NetId is present.

        The reserved value '*ALL' indicates that the definition applies
        to all local LUs, and not just to a single local LU."

 ::= { appcCpicAdminEntry 1 }

appcCpicAdminSymbDestName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Specifies the symbolic destination name used by CPI-C
         applications to identify this definition.

 ::= { appcCpicAdminEntry 2 }

appcCpicAdminParLuAlias OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "A local alias for the partner LU. If not known or

```

```
not applicable, this object contains a zero-length
string."}

 ::= { appcCpicAdminEntry 3 }

appcCpicAdminParLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The SNA name of the partner LU. This field is from 1 to 17
        characters in length, including a period (.) which separates
        the NetId from the NAU name if the NetId is present."

 ::= { appcCpicAdminEntry 4 }

appcCpicAdminModeName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the mode name. A mode defines the characteristics
        for a group of sessions. The mode name can be blank (8 space
        characters)."

 ::= { appcCpicAdminEntry 5 }

appcCpicAdminTpNameType OBJECT-TYPE
    SYNTAX INTEGER {
        normal(1),
        snaServiceTp(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether the TP name in appcCpicAdminTpName
        identifies a normal TP or an SNA service TP. In this context,
        a normal TP is one with a name consisting only of displayable
        characters, while an SNA service TP has a name containing
        octets that do not map to displayable characters."

 ::= { appcCpicAdminEntry 6 }

appcCpicAdminTpName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..64))
```

```
MAX-ACCESS read-only
STATUS current
DESCRIPTION
  "Specifies the name of the partner TP to be used when a CPI-C
   application initiates a conversation specifying this side
   information entry."
```

Display convention

When the TP name consists entirely of displayable EBCDIC code points, it is mapped directly to the equivalent ASCII display string. However, registered TP names always have a non-displayable EBCDIC code point (value less than or equal to x'3F') as the first character, so they cannot be directly mapped to an ASCII display string. These TP names are converted to a display string that is equivalent to a hexadecimal display of the EBCDIC code points. For example, the 2-byte TP name x'06F1' (CNOS) is converted to the 6-byte ASCII display string '06F1' (including the two single quotes)."

```
::= { appcCpicAdminEntry 7 }
```

```
appcCpicAdminUserid OBJECT-TYPE
  SYNTAX DisplayString (SIZE (0..10))
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "The security userid, if any, associated with the side
     information definition."
```

```
::= { appcCpicAdminEntry 8 }
```

```
appcCpicAdminSecurity OBJECT-TYPE
  SYNTAX INTEGER {
    none(1),
    same(2),
    pgm(3),
    pgmStrong(4),
    distributed(5),
    mutual(6)
  }
  MAX-ACCESS read-only
  STATUS current
  DESCRIPTION
    "Specifies the security information to be used for allocating
     the conversation."
```

```

        none      - No security information.
        same     - Use the security environment currently
                    associated with this TP.
        pgm      - Use the program-supplied user_id and password.
        pgmStrong - Use the program-supplied user_id and password.
                    The local LU will insure that the password is
                    not exposed in clear-text form on the physical
                    network.
        distributed - Use the security environment and a distributed
                     security system to generate the authentication
                     information for this request. If distributed
                     security tokens cannot be generated, then fail
                     the conversation.
        mutual    - Authenticate both the user to the destination
                     system and the destination system to the user."
 ::= { appcCpicAdminEntry 9 }

-- *****
-- APPC CPIC Oper Table
-- Objects in this table contain current operational values, such
-- as state values or negotiated parameters, for CPI-C side
-- information.
-- *****

appcCpicOperTable OBJECT-TYPE
  SYNTAX SEQUENCE OF AppcCpicOperEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "APPC CPI-C side information operational table."
 ::= { appcCPIC 2 }

appcCpicOperEntry OBJECT-TYPE
  SYNTAX AppcCpicOperEntry
  MAX-ACCESS not-accessible
  STATUS current
  DESCRIPTION
    "Entry of APPC CPI-C side information Table."

INDEX { appcCpicOperLocLuName,
         appcCpicOperSymbDestName }

 ::= { appcCpicOperTable 1 }

```

```

AppcCpicOperEntry ::= SEQUENCE {
    appcCpicOperLocLuName          DisplayString,
    appcCpicOperSymbDestName       DisplayString,
    appcCpicOperParLuAlias         DisplayString,
    appcCpicOperParLuName          DisplayString,
    appcCpicOperModeName           DisplayString,
    appcCpicOperTpNameType         INTEGER,
    appcCpicOperTpName             DisplayString,
    appcCpicOperUserId             DisplayString,
    appcCpicOperSecurity           INTEGER
}

appcCpicOperLocLuName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..17))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "The SNA name of the local LU to which this CPI-C side
        information definition applies. This field is from 1 to 17
        characters in length, including a period (.) which separates
        the NetId from the NAU name if the NetId is present.

        The reserved value '*ALL' indicates that the definition applies
        to all local LUs, and not just to a single local LU."
    ::= { appcCpicOperEntry 1 }

appcCpicOperSymbDestName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS not-accessible
    STATUS current
    DESCRIPTION
        "Specifies the symbolic destination name used by CPI-C
        applications to identify this definition."
    ::= { appcCpicOperEntry 2 }

appcCpicOperParLuAlias OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "A local alias for the partner LU. If not known or not
        applicable, this object contains a zero-length string."
    ::= { appcCpicOperEntry 3 }

appcCpicOperParLuName OBJECT-TYPE

```

```
SYNTAX DisplayString (SIZE (1..17))
MAX-ACCESS read-only
STATUS current
DESCRIPTION
    "The SNA name of the partner LU. This field is from 1 to 17
    characters in length, including a period (.) which separates
    the NetId from the NAU name if the NetId is present."
::= { appcCpicOperEntry 4 }

appcCpicOperModeName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..8))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the mode name. A mode defines the characteristics
        for a group of sessions. The mode name can be blank (8 space
        characters)."
::= { appcCpicOperEntry 5 }

appcCpicOperTpNameType OBJECT-TYPE
    SYNTAX INTEGER {
        normal(1),
        snaServiceTp(2)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies whether the TP name in appcCpicOperTpName identifies
        a normal TP or an SNA service TP. In this context, a normal TP
        is one with a name consisting only of displayable characters,
        while an SNA service TP has a name containing octets that do
        not map to displayable characters."
::= { appcCpicOperEntry 6 }

appcCpicOperTpName OBJECT-TYPE
    SYNTAX DisplayString (SIZE (1..64))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the name of the partner TP to be used when a CPI-C
        application initiates a conversation specifying this side
        information entry."
```

Display convention

When the TP name consists entirely of displayable EBCDIC code points, it is mapped directly to the equivalent ASCII display string. However, registered TP names always have a non-displayable EBCDIC code point (value less than or equal to x'3F') as the first character, so they cannot be directly mapped to an ASCII display string. These TP names are converted to a display string that is equivalent to a hexadecimal display of the EBCDIC code points. For example, the 2-byte TP name x'06F1' (CNOS) is converted to the 6-byte ASCII display string '06F1' (including the two single quotes)."

```

 ::= { appcCpicOperEntry 7 }

appcCpicOperUserId OBJECT-TYPE
    SYNTAX DisplayString (SIZE (0..10))
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "The security userid, if any, associated with the active side
         information definition."
 ::= { appcCpicOperEntry 8 }

appcCpicOperSecurity OBJECT-TYPE
    SYNTAX INTEGER {
        none(1),
        same(2),
        pgm(3),
        pgmStrong(4),
        distributed(5),
        mutual(6)
    }
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
        "Specifies the security information to be used for allocating
         the conversation.

        none      - No security information.
        same     - Use the security environment currently
                   associated with this TP.
        pgm      - Use the program-supplied user_id and password.
        pgmStrong - Use the program-supplied user_id and password.
                   The local LU will insure that the password is
                   not exposed in clear-text form on the physical

```

```

                network.
distributed - Use the security environment and a distributed
              security system to generate the authentication
              information for this request. If distributed
              security tokens cannot be generated, then fail
              the conversation.
mutual      - Authenticate both the user to the destination
              system and the destination system to the user."
::= { appcCpicOperEntry 9 }

-- *****
-- Conformance information
-- *****

appcConformance      OBJECT IDENTIFIER ::= {appcMIB 2 }
appcCompliances       OBJECT IDENTIFIER ::= {appcConformance 1 }
appcGroups            OBJECT IDENTIFIER ::= {appcConformance 2 }

-- Compliance statements
appcCompliance MODULE-COMPLIANCE
  STATUS current
  DESCRIPTION
    "The compliance statement for the SNMPv2 entities which
     implement the APPC MIB."

  MODULE -- this module

-- Unconditionally mandatory groups
MANDATORY-GROUPS {
  appcGlobalConfGroup,
  appcLluConfGroup,
  appcParLuConfGroup,
  appcModeConfGroup,
  appcTpConfGroup,
  appcSessionConfGroup
}

-- Conditionally mandatory groups
GROUP appcControlConfGroup
  DESCRIPTION
    "The appcControlConfGroup is mandatory only for those
     entities which implement activation and deactivation of
     specific controls such as statistics collecting and
     counting."

```

```
GROUP appcCnosConfGroup
DESCRIPTION
  "The appcCnosConfGroup is mandatory only for those entities
   which implement CNOS.  "

GROUP appcCpicConfGroup
DESCRIPTION
  "The appcCpicConfGroup is mandatory only for those entities
   which implement CPI-C.  "

GROUP appcConversationConfGroup
DESCRIPTION
  "The appcConversationConfGroup is mandatory only for those
   entities which implement session endpoints for non-control
   APPC sessions.

-- MIN-ACCESS for objects
OBJECT appcActSessOperState
MIN-ACCESS read-only
DESCRIPTION
  "An implementation is not required to support session
   deactivation via this object.

 ::= {appcCompliances 1 }

-- Units of conformance
appcGlobalConfGroup OBJECT-GROUP
OBJECTS {
  appcUpTime,
  appcDefaultModeName,
  appcDefaultLuName,
  appcDefaultImplInbndPlu,
  appcDefaultMaxMcLlSndSize,
  appcDefaultFileSpec,
  appcDefaultTpOperation,
  appcDefaultTpConvSecRqd,
  appcLocalCpName,
  appcActiveSessions,
  appcActiveHprSessions
}
STATUS current
DESCRIPTION
  "A collection of objects providing the instrumentation of APPC
   global information and defaults.

 ::= { appcGroups 1 }
```

```

appcLluConfGroup OBJECT-GROUP
OBJECTS {
    appcLluAdminDepType,
    appcLluAdminLocalAddress,
    appcLluAdminSessLimit,
    appcLluAdminBindRspMayQ,
    appcLluAdminCompression,
    appcLluAdminInBoundCompLevel,
    appcLluAdminOutBoundCompLevel,
    appcLluAdminCompRleBeforeLZ,
    appcLluAdminAlias,

    appcLluOperDepType,
    appcLluOperLocalAddress,
    appcLluOperSessLimit,
    appcLluOperBindRspMayQ,
    appcLluOperCompression,
    appcLluOperInBoundCompLevel,
    appcLluOperOutBoundCompLevel,
    appcLluOperCompRleBeforeLZ,
    appcLluOperAlias,
    appcLluOperActiveSessions
}
STATUS current
DESCRIPTION
"A collection of objects providing the instrumentation of APPC
local LU6.2s."
::= { appcGroups 2 }

appcParLuConfGroup OBJECT-GROUP
OBJECTS {
    appcLuPairAdminParLuAlias,
    appcLuPairAdminSessLimit,
    appcLuPairAdminSessSec,
    appcLuPairAdminSecAccept,
    appcLuPairAdminLinkObjId,
    appcLuPairAdminParaSessSup,

    appcLuPairOperParLuAlias,
    appcLuPairOperSessLimit,
    appcLuPairOperSessSec,
    appcLuPairOperSecAccept,
    appcLuPairOperLinkObjId,
    appcLuPairOperParaSessSup,
    appcLuPairOperParaSessSupLS,
    appcLuPairOperState
}

```

```
STATUS current
DESCRIPTION
  "A collection of objects providing the instrumentation of APPC
  partner LUs."
::= { appcGroups 3 }

appcModeConfGroup OBJECT-GROUP
  OBJECTS {
    appcModeAdminCosName,
    appcModeAdminSessEndTpName,
    appcModeAdminMaxSessLimit,
    appcModeAdminMinCwinLimit,
    appcModeAdminMinClosLimit,
    appcModeAdminConWinAutoActLmt,
    appcModeAdminRecvPacWinSz,
    appcModeAdminSendPacWinSz,
    appcModeAdminPrefRecvRuSz,

    appcModeAdminPrefSendRuSz,
    appcModeAdminRecvRuSzUpBnd,
    appcModeAdminSendRuSzUpBnd,
    appcModeAdminRecvRuSzLoBnd,
    appcModeAdminSendRuSzLoBnd,
    appcModeAdminSingSessReinit,
    appcModeAdminCompression,
    appcModeAdminInBoundCompLevel,
    appcModeAdminOutBoundCompLevel,
    appcModeAdminCompRleBeforeLZ,
    appcModeAdminSyncLvl,
    appcModeAdminCrypto,

    appcModeOperCosName,
    appcModeOperSessEndTpName,
    appcModeOperSessLimit,
    appcModeOperMaxSessLimit,
    appcModeOperMinCwinLimit,
    appcModeOperMinClosLimit,
    appcModeOperConWinAutoActLmt,
    appcModeOperRecvPacWinSz,
    appcModeOperSendPacWinSz,
    appcModeOperPrefRecvRuSz,
    appcModeOperPrefSendRuSz,
    appcModeOperRecvRuSzUpBnd,
    appcModeOperSendRuSzUpBnd,
    appcModeOperRecvRuSzLoBnd,
    appcModeOperSendRuSzLoBnd,
    appcModeOperSingSessReinit,
```

```
    appcModeOperCompression,
    appcModeOperInBoundCompLevel,
    appcModeOperOutBoundCompLevel,
    appcModeOperCompRleBeforeLZ,
    appcModeOperSyncLvl,
    appcModeOperCrypto,
    appcModeOperSyncLvlLastStart,
    appcModeOperCryptoLastStart,
    appcModeOperCNOSNeg,
    appcModeOperActCwin,
    appcModeOperActClos,
    appcModeOperPndCwin,
    appcModeOperPndClos,
    appcModeOperPtmCwin,
    appcModeOperPtmClos,
    appcModeOperDrainSelf,
    appcModeOperDrainPart
}
STATUS current
DESCRIPTION
    "A collection of objects providing the instrumentation of APPC
modes."
::= { appcGroups 4 }

appcTpConfGroup OBJECT-GROUP
OBJECTS {
    appcTpAdminFileSpec,
    appcTpAdminStartParm,
    appcTpAdminTpOperation,
    appcTpAdminInAttachTimeout,
    appcTpAdminRcvAllocTimeout,
    appcTpAdminSyncLvl,
    appcTpAdminInstLmt,
    appcTpAdminStatus,
    appcTpAdminLongRun,
    appcTpAdminConvType,
    appcTpAdminConvDuplex,
    appcTpAdminConvSecReq,
    appcTpAdminVerPip,
    appcTpAdminPipSubNum
}
STATUS current
DESCRIPTION
    "A collection of objects providing the instrumentation of APPC
Transaction Programs."
::= { appcGroups 5 }
```

```
appcSessionConfGroup OBJECT-GROUP
OBJECTS {
    appcActSessPcidCpName,
    appcActSessPcid,
    appcActSessPluIndicator,
    appcActSessModeName,
    appcActSessCosName,
    appcActSessTransPriority,
    appcActSessEnhanceSecSup,
    appcActSessSendPacingType,
    appcActSessSendRpc,
    appcActSessSendNxWndwSize,
    appcActSessRecvPacingType,
    appcActSessRecvRpc,
    appcActSessRecvNxWndwSize,
    appcActSessRscv,
    appcActSessInUse,
    appcActSessMaxSndRuSize,
    appcActSessMaxRcvRuSize,
    appcActSessSndPacingSize,
    appcActSessRcvPacingSize,
    appcActSessOperState,
    appcActSessUpTime,
    appcActSessRtpNceId,
    appcActSessRtpTcid,
    appcActSessLinkIndex,

    appcSessStatsSentFmdBytes,
    appcSessStatsSentNonFmdBytes,
    appcSessStatsRcvdFmdBytes,
    appcSessStatsRcvdNonFmdBytes,
    appcSessStatsSentFmdRus,
    appcSessStatsSentNonFmdRus,
    appcSessStatsRcvdFmdRus,
    appcSessStatsRcvdNonFmdRus,
    appcSessStatsCtrUpTime,

    appcHistSessTime,
    appcHistSessType,
    appcHistSessLocLuName,
    appcHistSessParLuName,
    appcHistSessModeName,
    appcHistSessUnbindType,
    appcHistSessSenseData,
    appcHistSessComponentId,
    appcHistSessDetectModule,

    appcSessRtpSessions
```

```
        }
STATUS current
DESCRIPTION
    "A collection of objects providing the instrumentation of APPC
LU6.2 sessions."
::= { appcGroups 6 }

appcControlConfGroup OBJECT-GROUP
OBJECTS {
    appcCntrlAdminStat,
    appcCntrlAdminRscv,
    appcCntrlAdminTrace,
    appcCntrlAdminTraceParm,
    appcCntrlOperStat,
    appcCntrlOperStatTime,
    appcCntrlOperRscv,
    appcCntrlOperRscvTime,
    appcCntrlOperTrace,
    appcCntrlOperTraceTime,
    appcCntrlOperTraceParm
}

STATUS current
DESCRIPTION
    "A collection of objects providing the instrumentation of APPC
control."
::= { appcGroups 7 }

appcCnosConfGroup OBJECT-GROUP
OBJECTS {
    appcCnosCommand,
    appcCnosMaxSessLimit,
    appcCnosMinCwinLimit,
    appcCnosMinClosLimit,
    appcCnosDrainSelf,
    appcCnosDrainPart,
    appcCnosResponsible,
    appcCnosForce,
    appcCnosTargetLocLuName,
    appcCnosTargetParLuName,
    appcCnosTargetModeName
}
STATUS current
DESCRIPTION
    "A collection of objects providing the instrumentation of APPC
CNOS processing."
```

```
 ::= { appcGroups 8 }

appcCpicConfGroup OBJECT-GROUP
OBJECTS {
    appcCpicAdminParLuAlias,
    appcCpicAdminParLuName,
    appcCpicAdminModeName,
    appcCpicAdminTpNameType,
    appcCpicAdminTpName,
    appcCpicAdminUserid,
    appcCpicAdminSecurity,
    appcCpicOperParLuAlias,
    appcCpicOperParLuName,
    appcCpicOperModeName,
    appcCpicOperTpNameType,
    appcCpicOperTpName,
    appcCpicOperUserid,
    appcCpicOperSecurity
}
STATUS current
DESCRIPTION
    "A collection of objects providing the instrumentation of APPC
     CPI-C side information."

 ::= { appcGroups 9 }

appcConversationConfGroup OBJECT-GROUP
OBJECTS {
    appcActiveConvId,
    appcActiveConvState,
    appcActiveConvType,
    appcActiveConvCorrelator,
    appcActiveConvSyncLvl,
    appcActiveConvSource,
    appcActiveConvDuplex,
    appcActiveConvUpTime,
    appcActiveConvSendBytes,
    appcActiveConvRcvBytes,
    appcActiveConvUserId,
    appcActiveConvPcidNauName,
    appcActiveConvPcid,
    appcActiveConvModeName,
    appcActiveConvLuwIdName,
    appcActiveConvLuwIdInstance,
    appcActiveConvLuwIdSequence,
    appcActiveConvTpName,
    appcHistConvEndTime,
```

```
    appcHistConvLocLuName,
    appcHistConvParLuName,
    appcHistConvTpName,
    appcHistConvPcidNauName,
    appcHistConvPcid,
    appcHistConvSenseData,
    appcHistConvLogData,
    appcHistConvEndedBy
}
STATUS current
DESCRIPTION
    "A collection of objects providing the instrumentation of APPC
conversations."
::= { appcGroups 10 }

-- end of conformance statement

END
```

5. Acknowledgments

This MIB module is the product of the SNA NAU MIB Working Group. Special thanks to Wayne Clark, Cisco Systems; Rich Daugherty, IBM Corporation; and Leo Temoshenko, IBM Corporation, for their contributions and review.

6. References

- [1] IBM, Systems Network Architecture Technical Overview, GC30-3073-4, January, 1994.
- [2] SNMPv2 Working Group, Case, J., McCloghrie, K., Rose, M., and S. Waldbusser, "Structure of Management Information for version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1902, January 1996.
- [3] SNMPv2 Working Group, Case, J., McCloghrie, K., Rose, M., and S. Waldbusser, "Textual Conventions for Version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1903, January 1996.
- [4] SNMPv2 Working Group, Case, J., McCloghrie, K., Rose, M., and S. Waldbusser, "Conformance Statements for Version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1904, January 1996.
- [5] IBM, Systems Network Architecture Transaction Programmer's Reference for LU Type 6.2, GC30-3084-05, June, 1993.
- [6] IBM, Common Programming Interface Communications Specification 2.0, SC31-6180-01, June, 1994.
- [7] Kielczewski, Z., Kostick D., and K. Shih, "Definition of Managed Objects for SNA NAUs using SMIv2", RFC 1666, Eicon Technology Corporation, Bell Communications Research, Novell, August 1994.

7. Security Considerations

Security issues are not discussed in this memo.

8. Authors' Addresses

Michael Allen
Wall Data Inc.
P.O.Box 1120, WA 98019, USA

Phone: +1 206 844 3505
EMail: mallen@hq.walldata.com

Bob Clouston
Cisco Systems
7025 Kit Creek Road
PO Box 14987
Research Triangle Park, NC 27709, USA

Phone: +1 919 472 2333
EMail: clouston@cisco.com

Zbigniew Kielczewski
Cisco Systems
7025 Kit Creek Road
PO Box 14987
Research Triangle Park, NC 27709, USA

Phone: +1 919 472 2326
EMail: zbig@cisco.com

William Kwan
Jupiter Technology Inc.
200 Prospect St.
Waltham, MA 02254

Phone: 1 617 894-9300 x423
EMail: billk@jti.com

Bob Moore
IBM Corporation
800 Park Offices Drive
E87/664
P.O. Box 12195
Research Triangle Park, NC 27709, USA

Phone: 1 919 254 4436
EMail: remoore@ralvm6.vnet.ibm.com