

Package ‘conf’

October 1, 2023

Type Package

Title Visualization and Analysis of Statistical Measures of Confidence

Version 1.8.3

Maintainer Christopher Weld <cwe1d241@gmail.com>

Imports graphics, stats, statmod, fitdistrplus, pracma, rootSolve,
utils

Description Enables: (1) plotting two-dimensional confidence regions, (2) coverage analysis of confidence region simulations, (3) calculating confidence intervals and the associated actual coverage for binomial proportions, and (4) calculating the support values and the probability mass function of the Kaplan-Meier product-limit estimator. Each is given in greater detail next.

(1) Plots the two-dimensional confidence region for probability distribution parameters (supported distribution suffixes: cauchy, gamma, invgauss, logis, llogis, Inorm, norm, unif, weibull) corresponding to a user-given complete or right-censored dataset and level of significance. The crplot() algorithm plots more points in areas of greater curvature to ensure a smooth appearance throughout the confidence region boundary. An alternative heuristic plots a specified number of points at roughly uniform intervals along its boundary. Both heuristics build upon the radial profile log-likelihood ratio technique for plotting confidence regions given by Jaeger (2016) <[doi:10.1080/00031305.2016.1182946](https://doi.org/10.1080/00031305.2016.1182946)>, and are detailed in a publication by Weld et al. (2019) <[doi:10.1080/00031305.2018.1564696](https://doi.org/10.1080/00031305.2018.1564696)>.

(2) Performs confidence region coverage simulations for a random sample drawn from a user-specified parametric population distribution, or for a user-specified dataset and point of interest with coversim(). (3) Calculates confidence interval bounds for a binomial proportion with binomTest(), calculates the actual coverage with binomTestCoverage(), and plots the actual coverage with binomTestCoveragePlot(). Calculates confidence interval bounds for the binomial proportion using an ensemble of constituent confidence intervals with binomTestEnsemble(). Calculates confidence interval bounds for the binomial proportion using a complete enumeration of all possible transitions from one actual coverage acceptance curve to another which minimizes the root mean square error for n <= 15 and follows the transitions for well-known confidence intervals for n > 15 using binomTestMSE(). (4) The km.support() function calculates the support values of the Kaplan-Meier product-limit estimator for a given sample size n using an induction algorithm described in Qin et al. (2023) <[doi:10.1080/00031305.2022.2070279](https://doi.org/10.1080/00031305.2022.2070279)>. The km.outcomes() function generates a matrix containing all possible outcomes (all possible sequences of failure times and right-censoring times) of the value of the Kaplan-Meier product-limit estimator for a particular sample size

n. The km.pmf() function generates the probability mass function for the support values of the Kaplan-Meier product-limit estimator for a particular sample size n, probability of observing a failure h at the time of interest expressed as the cumulative probability percentile associated with $X = \min(T, C)$, where T is the failure time and C is the censoring time under a random-censoring scheme. The km.surv() function generates multiple probability mass functions of the Kaplan-Meier product-limit estimator for the same arguments as those given for km.pmf().

Depends R (>= 4.0.0)

License GPL (<= 2)

Encoding UTF-8

RoxygenNote 7.2.3

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Christopher Weld [aut, cre] (<<https://orcid.org/0000-0001-5902-9738>>),

Kexin Feng [aut],
 Hayeon Park [aut],
 Yuxin Qin [aut],
 Heather Sasinowska [aut],
 Lawrence Leemis [aut],
 Yuan Chang [ctb],
 Brock Crook [ctb],
 Chris Kuebler [ctb],
 Andrew Loh [ctb],
 Xin Zhang [ctb]

Repository CRAN

Date/Publication 2023-10-01 00:00:07 UTC

R topics documented:

binomTest	3
binomTestCoverage	4
binomTestCoveragePlot	5
binomTestEnsemble	7
binomTestMSE	9
conf	10
coversim	12
crplot	16
dinvgauss	22
dlllogis	25
gammaMLE	27
invgaussMLE	30
km.outcomes	38
km.pmf	40
km.support	41

<i>binomTest</i>	3
------------------	---

km.surv	43
llogisMLE	44

Index	48
--------------	-----------

binomTest

Confidence Intervals for Binomial Proportions

Description

Generates lower and upper confidence interval limits for a binomial proportion using different types of confidence intervals.

Usage

```
binomTest(n, x,
          alpha = 0.05,
          intervalType = "Clopper-Pearson")
```

Arguments

n	sample size
x	number of successes
alpha	significance level for confidence interval
intervalType	type of confidence interval used; either "Clopper-Pearson", "Wald", "Wilson-Score", "Jeffreys", "Agresti-Coull", "Arcsine", or "Blaker"

Details

Generates a lower and upper confidence interval limit for a binomial proportion using

- various types of confidence intervals,
- various sample sizes, and
- various numbers of successes.

When the `binomTest` function is called, it returns a two-element vector in which

- the first element is the lower bound of the confidence interval, and
- the second element is the upper bound of the confidence interval.

This confidence interval is constructed by calculating lower and upper bounds associated with the confidence interval procedure specified by the `intervalType` argument. Lower bounds that are negative are set to 0 and upper bounds that are greater than 1 are set to 1.

Author(s)

Hayeon Park (<hpark031@gmail.com>), Larry Leemis (<leemis@math.wm.edu>)

See Also[dbinom](#)**Examples**

```
binomTest(10, 6)
binomTest(100, 30, intervalType = "Agresti-Coull")
```

binomTestCoverage

*Actual Coverage Calculation for Binomial Proportions***Description**

Calculates the actual coverage of a confidence interval for a binomial proportion for a particular sample size n and a particular value of the probability of success p for several confidence interval procedures.

Usage

```
binomTestCoverage(n, p,
                  alpha = 0.05,
                  intervalType = "Clopper-Pearson")
```

Arguments

<code>n</code>	sample size
<code>p</code>	population probability of success
<code>alpha</code>	significance level for confidence interval
<code>intervalType</code>	type of confidence interval used; either "Clopper-Pearson", "Wald", "Wilson-Score", "Jeffreys", "Agresti-Coull", "Arcsine", or "Blaker"

Details

Calculates the actual coverage of a confidence interval procedure at a particular value of p for

- various types of confidence intervals,
- various probabilities of success p , and
- various sample sizes n .

The actual coverage for a particular value of p , the probability of success of interest, is

$$c(p) = \sum_{x=0}^n I(x, p) \binom{n}{x} p^x (1-p)^{n-x},$$

where $I(x, p)$ is an indicator function that determines whether a confidence interval covers p when $X = x$ (see Vollset, 1993).

The binomial distribution with arguments `size = n` and `prob = p` has probability mass function

$$p(x) = \binom{n}{x} p^x (1-p)^{n-x}$$

for $x = 0, 1, 2, \dots, n$.

The algorithm for computing the actual coverage for a particular probability of success begins by calculating all possible lower and upper bounds associated with the confidence interval procedure specified by the `intervalType` argument. The appropriate binomial probabilities are summed to determine the actual coverage at p .

Author(s)

Hayneon Park (<hpark031@gmail.com>), Larry Leemis (<leemis@math.wm.edu>)

References

Vollset, S.E. (1993). Confidence Intervals for a Binomial Proportion. *Statistics in Medicine*, 12, 809-824.

See Also

[dbinom](#)

Examples

```
binomTestCoverage(6, 0.4)
binomTestCoverage(n = 10, p = 0.3, alpha = 0.01, intervalType = "Wilson-Score")
```

`binomTestCoveragePlot` *Coverage Plots for Binomial Proportions*

Description

Generates plots for the actual coverage of a binomial proportion using various types of confidence intervals. Plots the actual coverage for a given sample size and stated nominal coverage $1 - \alpha$.

Usage

```
binomTestCoveragePlot(n,
                      alpha = 0.05,
                      intervalType = "Clopper-Pearson",
                      plo = 0,
                      phi = 1,
                      clo = 1 - 2 * alpha,
                      chi = 1,
                      points = 5 + floor(250 / n),
                      showTrueCoverage = TRUE,
                      gridCurves = FALSE)
```

Arguments

<code>n</code>	sample size
<code>alpha</code>	significance level for confidence interval
<code>intervalType</code>	type of confidence interval used; either "Clopper-Pearson", "Wald", "Wilson-Score", "Jeffreys", "Agresti-Coull", "Arcsine", or "Blaker"
<code>plo</code>	lower limit for percentile (horizontal axis)
<code>phi</code>	upper limit for percentile (horizontal axis)
<code>clo</code>	lower limit for coverage (vertical axis)
<code>chi</code>	upper limit for coverage (vertical axis)
<code>points</code>	number of points plotted in each segment of the plot; if default, varies with ' <code>n</code> ' (see above)
<code>showTrueCoverage</code>	logical; if TRUE (default), a solid red line will appear at $1 - \text{alpha}$
<code>gridCurves</code>	logical; if TRUE, display acceptance curves in gray

Details

Generates an actual coverage plot for binomial proportions using

- various types of confidence intervals, and
- various sample sizes.

When the function is called with default arguments,

- the horizontal axis is the percentile at which the coverage is evaluated,
- the vertical axis is the actual coverage percentage at each percentile, that is, the probability that the true value at a percentile is contained in the corresponding confidence interval, and
- the solid red line is the stated coverage of $1 - \text{alpha}$.

The actual coverage for a particular value of p , the percentile of interest, is

$$c(p) = \sum_{x=0}^n I(x, p) \binom{n}{x} p^x (1-p)^{n-x},$$

where $I(x, p)$ is an indicator function that determines whether a confidence interval covers p when $X = x$ (see Vollset, 1993).

The binomial distribution with arguments `size = n` and `prob = p` has probability mass function

$$p(x) = \binom{n}{x} p^x (1-p)^{n-x}$$

for $x = 0, 1, \dots, n$.

The algorithm for plotting the actual coverage begins by calculating all possible lower and upper bounds associated with the confidence interval procedure specified by the `intervalType` argument. These values are concatenated into a vector which is sorted. Negative values and values that exceed 1 are removed from this vector. These values are the breakpoints in the actual coverage function.

The points argument gives the number of points plotted on each segment of the graph of the actual coverage.

The plo and phi arguments can be used to expand or compress the plots horizontally.

The clo and chi arguments can be used to expand or compress the plots vertically.

By default, the showTrueCoverage argument plots a solid horizontal red line at the height of the stated coverage. The actual coverage is plotted with solid black lines for each segment of the actual coverage.

The gridCurves argument is assigned a logical value which indicates whether the acceptance curves giving all possible actual coverage values should be displayed as gray curves.

Author(s)

Hayeon Park (<hpark031@gmail.com>), Larry Leemis (<leemis@math.wm.edu>)

References

Vollset, S.E. (1993). Confidence Intervals for a Binomial Proportion. *Statistics in Medicine*, 12, 809–824.

See Also

[dbinom](#)

Examples

```
binomTestCoveragePlot(6)
binomTestCoveragePlot(10, intervalType = "Wilson-Score", clo = 0.8)
binomTestCoveragePlot(n = 100, intervalType = "Wald", clo = 0, chi = 1, points = 30)
```

Description

Generates lower and upper confidence interval limits for a binomial proportion using an ensemble of confidence intervals.

Usage

```
binomTestEnsemble(n, x,
                  alpha = 0.05,
                  CP = TRUE,
                  WS = TRUE,
                  JF = TRUE,
                  AC = TRUE,
                  AR = TRUE)
```

Arguments

n	sample size
x	number of successes
alpha	significance level for confidence interval
CP	logical; if TRUE (default), include Clopper-Pearson confidence interval procedure in the ensemble
WS	logical; if TRUE (default), include Wilson-Score confidence interval procedure in the ensemble
JF	logical; if TRUE (default), include Jeffreys confidence interval procedure in the ensemble
AC	logical; if TRUE (default), include Agresti-Coull confidence interval procedure in the ensemble
AR	logical; if TRUE (default), include Arcsine confidence interval procedure in the ensemble

Details

Generates lower and upper confidence interval limits for a binomial proportions using

- various sample sizes,
- various numbers of successes, and
- various combinations of confidence intervals.

When the *binomTestEnsemble* function is called, it returns a two-element vector in which

- the first element is the lower bound of the Ensemble confidence interval, and
- the second element is the upper bound of the Ensemble confidence interval.

To construct an Ensemble confidence interval that attains an actual coverage that is close to the stated coverage, the five constituent confidence interval procedures can be combined. Since these intervals vary in width, the lower limits and the actual coverage of the constituent confidence intervals at the maximum likelihood estimator are calculated. Likewise, the upper limits and the actual coverage of the constituent confidence intervals at the maximum likelihood estimator are calculated. The centroids of the lower and upper constituent confidence intervals for points falling below and above the stated coverage are connected with a line segment. The point of intersection of these line segments and the stated coverage gives the lower and upper bound of the Ensemble confidence interval. Special cases to this approach are given in the case of (a) the actual coverages all fall above or below the stated coverage, and (b) the slope of the line connecting the centroids is infinite.

If only one of the logical arguments is TRUE, the code returns a simple confidence interval of that one procedure.

The Wald confidence interval is omitted because it degenerates in actual coverage for $x = 0$ and $x = n$.

Author(s)

Hayeon Park (<hpark031@gmail.com>), Larry Leemis (<leemis@math.wm.edu>)

References

Park, H., Leemis, L. (2019), "Ensemble Confidence Intervals for Binomial Proportions", Statistics in Medicine, 38 (18), 3460-3475.

Examples

```
binomTestEnsemble(10, 3)
binomTestEnsemble(100, 82, CP = FALSE, AR = FALSE)
binomTestEnsemble(33, 1, CP = FALSE, JF = FALSE, AC = FALSE, AR = FALSE)
```

binomTestMSE

RMSE-Minimizing Confidence Intervals for Binomial Proportions

Description

Generates lower and upper confidence interval limits for a binomial proportion that minimizes the root mean square error (RMSE) of the actual coverage function.

Usage

```
binomTestMSE(n, x,
             alpha = 0.05,
             smooth = 1,
             showRMSE = TRUE,
             showAll = FALSE)
```

Arguments

n	sample size
x	number of successes
alpha	significance level for confidence interval
smooth	smoothness index
showRMSE	a logical variable indicating whether to show the value of RSME
showAll	a logical variable indicating whether to show confidence intervals of all possible number of successes

Details

Generates lower and upper confidence interval limits for a binomial proportion for

- various sample sizes,
- various numbers of successes.

When the `binomTestMSE` function is called, it returns a two-element vector in which

- the first element is the lower bound of the RMSE-minimizing confidence interval, and

- the second element is the upper bound of the RMSE-minimizing confidence interval.

An RMSE-minimizing two-sided $100 * (1 - \alpha)$ percent confidence interval for p is constructed from a random sample of size n from a $\text{Bernoulli}(p)$ population. The parameter x gives the number of successes in the n mutually independent Bernoulli trials. For $n \leq 15$, all possible jumps between acceptance curves associated with the actual coverage function are enumerated based on their one-to-one relationship with the symmetric Dyck paths. For each sequence of jumps between acceptance curves, the confidence interval bounds that are returned are associated with discontinuities in the actual coverage function that together result in the lowest possible RMSE. A set of smoothness constraints that build on four existing non-conservative confidence intervals (Wilson-score, Jeffreys, Arcsine, and Agresti-Coull) is used if the smoothness index smooth is set to one. These constraints ensure that the RMSE-confidence interval achieves smoothness, a preferable property of the binomial confidence interval that is related to lower bound differences for adjacent values of x . There is a trade-off between the RMSE and the smoothness. For $n > 100$, smoothness is required. The RMSE usually increases if the smoothness constraints are used. For $n > 15$, only the symmetric Dyck paths associated with the Wilson-score, Jeffreys, Arcsine, and Agresti-Coull confidence interval procedures are used instead of enumerating because the computation time increases in a factorial fashion in n . The minimal RMSE is not guaranteed for $n > 15$ because another symmetric Dyck path other than those associated with the four existing confidence interval procedures might prove to be optimal. However, this procedure does ensure a lower RMSE than any of the four existing confidence intervals for all n .

Author(s)

Kexin Feng (<kfeng@caltech.edu>), Larry Leemis (<leemis@math.wm.edu>), Heather Sasinowska (<hdsasinowska@wm.edu>)

References

Feng, K., Sasinowska, H., Leemis, L. (2022), "RMSE-Minimizing Confidence Interval for the Binomial Parameter", Computational Statistics, 37 (4), 2022, 1855-1885.

Examples

```
binomTestMSE(10, 3)
```

Description

Enables:

1. confidence region plots in two-dimensions corresponding to a user given dataset, level of significance, and parametric probability distribution (supported distribution suffixes: cauchy, gamma, invgauss, Inorm, llogis, logis, norm, unif, weibull),

2. coverage simulations (if a point of interest is within or outside of a confidence region boundary) for either random samples drawn from a user-specified parametric distribution or for a user-specified dataset and point of interest,
3. calculating confidence intervals and the associated actual coverage for binomial proportions, and
4. calculating the support values and the probability mass function of the Kaplan-Meier product-limit estimator.

Request from authors: Please properly cite any use of this package and/or its algorithms, which are detailed in the corresponding publication by Weld et al. (2018) <doi:10.1080/00031305.2018.1564696>, Park and Leemis (2019) <doi:10.1002/sim.8189>, Feng et al. (2022) <doi:10.1007/s00180-021-01183-3>, and Qin et al. (2023) <doi:10.1080/00031305.2022.2070279>. Additionally, we welcome and appreciate your feedback and insights as to how this resource is being leveraged to improve whatever it is you do. Please include your name and academic and/or business affiliation in your correspondence.

Details

This package includes the functions:

- confidence region plots: [crplot](#),
- confidence region coverage analysis: [coversim](#),
- confidence intervals for binomial proportions: [binomTest](#),
- actual coverage calculation for binomial proportions: [binomTestCoverage](#),
- actual coverage plots for binomial proportions: [binomTestCoveragePlot](#), and
- ensemble confidence intervals for binomial proportions: [binomTestEnsemble](#).
- minimum root mean square confidence intervals for binomial proportions: [binomTestMSE](#)
- Kaplan-Meier product-limit estimator support values: [km.support](#)
- enumeration of Kaplan-Meier product-limit estimator outcomes: [km.outcomes](#)
- probability mass function of the Kaplan-Meier product-limit estimator: [km.pmf](#)
- probability mass functions of the Kaplan-Meier product-limit estimator: [km.surv](#)

Vignettes

The CRAN website <https://CRAN.R-project.org/package=conf> contains links for vignettes on the [crplot](#), [coversim](#), [km.outcomes](#), [km.pmf](#), [km.support](#), and [km.surv](#) functions.

Acknowledgments

The lead author thanks The Omar Bradley Fellowship for Research in Mathematics for funding that partially supported this work.

Author(s)

Christopher Weld, Kexin Feng, Hayeon Park, Yuxin Qin, Heather Sasinowska, Larry Leemis
 Maintainer: Christopher Weld <ceweld241@gmail.com>

coversim*Confidence Region Coverage*

Description

Creates a confidence region and determines coverage results for a corresponding point of interest. It-erates through a user specified number of trials. Each trial uses a random dataset with user-specified parameters (default) or a user specified dataset matrix ('n' samples per column, 'iter' columns) and returns the corresponding actual coverage results. See the CRAN website <https://CRAN.R-project.org/package=conf> for a link to a coversim vignette.

Usage

```
coversim(alpha, distn,
         n      = NULL,
         iter   = NULL,
         dataset = NULL,
         point  = NULL,
         seed   = NULL,
         a      = NULL,
         b      = NULL,
         kappa  = NULL,
         lambda = NULL,
         mu     = NULL,
         s      = NULL,
         sigma  = NULL,
         theta  = NULL,
         heuristic = 1,
         maxdeg = 5,
         ellipse_n = 4,
         pts    = FALSE,
         mlelab = TRUE,
         sf     = c(5, 5),
         mar   = c(4, 4.5, 2, 1.5),
         xlab  = "",
         ylab  = "",
         main  = "",
         xlas  = 0,
         ylas  = 0,
         origin = FALSE,
         xlim  = NULL,
         ylim  = NULL,
         tol   = .Machine$double.eps ^ 1,
         info  = FALSE,
         returnsamp = FALSE,
         returnquant = FALSE,
         repair = TRUE,
```

```
exact      = FALSE,
showplot   = FALSE,
delay      = 0 )
```

Arguments

alpha	significance level; scalar or vector; resulting plot illustrates a $100(1 - \alpha)\%$ confidence region.
distn	distribution to fit the dataset to; accepted values: 'cauchy', 'gamma', 'invgauss', 'logis', 'llogis', 'lnorm', 'norm', 'unif', 'weibull'.
n	trial sample size (producing each confidence region); scalar or vector; needed if a dataset is not given.
iter	iterations (or replications) of individual trials per parameterization; needed if a dataset is not given.
dataset	a ' n ' x ' $iter$ ' matrix of dataset values, or a vector of length ' n ' (for a single iteration).
point	coverage is assessed relative to this point.
seed	random number generator seed.
a	distribution parameter (when applicable).
b	distribution parameter (when applicable).
kappa	distribution parameter (when applicable).
lambda	distribution parameter (when applicable).
mu	distribution parameter (when applicable).
s	distribution parameter (when applicable).
sigma	distribution parameter (when applicable).
theta	distribution parameter (when applicable).
heuristic	numeric value selecting method for plotting: 0 for elliptic-oriented point distribution, and 1 for smoothing boundary search heuristic.
maxdeg	maximum angle tolerance between consecutive plot segments in degrees.
ellipse_n	number of roughly equidistant confidence region points to plot using the elliptic-oriented point distribution (must be a multiple of four because its algorithm exploits symmetry in the quadrants of an ellipse).
pts	displays confidence region boundary points if TRUE (applies to confidence region plots in which showplot = TRUE).
mlelab	logical argument to include the maximum likelihood estimate coordinate point (default is TRUE, applies to confidence region plots when showplot = TRUE).
sf	significant figures in axes labels specified using sf = c(x, y), where x and y represent the optional digits argument in the R function <code>round</code> as it pertains the horizontal and vertical labels.
mar	specifies margin values for <code>par(mar = c())</code> (see <code>mar</code> in <code>par</code>).
xlab	string specifying the horizontal axis label (applies to confidence region plots when showplot = TRUE).

ylab	string specifying the vertical axis label (applies to confidence region plots when <code>showplot = TRUE</code>).
main	string specifying the plot title (applies to confidence region plots when <code>showplot = TRUE</code>).
xlas	numeric in 0, 1, 2, 3 specifying the style of axis labels (see <code>las</code> in <code>par</code> , applies to confidence region plots when <code>showplot = TRUE</code>).
ylas	numeric in 0, 1, 2, 3 specifying the style of axis labels (see <code>las</code> in <code>par</code> , applies to confidence region plots when <code>showplot = TRUE</code>).
origin	logical argument to include the plot origin (applies to confidence region plots when <code>showplot = TRUE</code>).
xlim	two element vector containing horizontal axis minimum and maximum values (applies to confidence region plots when <code>showplot = TRUE</code>).
ylim	two element vector containing vertical axis minimum and maximum values (applies to confidence region plots when <code>showplot = TRUE</code>).
tol	the <code>uniroot</code> parameter specifying its required accuracy.
info	logical argument to return coverage information in a list; includes alpha value(s), n value(s), coverage and error results per iteration, and <code>returnsamp</code> and/or <code>returnquant</code> when requested.
returnsamp	logical argument; if TRUE returns random samples used in a matrix with n rows, <code>iter</code> cols.
returnquant	logical argument; if TRUE returns random quantiles used in a matrix with n rows, <code>iter</code> cols.
repair	logical argument to repair regions inaccessible using a radial angle from its MLE (multiple root azimuths).
exact	logical argument specifying if alpha value is adjusted to compensate for negative coverage bias in order to achieve $(1 - \alpha)$ coverage probability using previously recorded Monte Carlo simulation results; available for limited values of alpha (roughly $\leq 0.2\text{--}0.3$), n (typically n = 4, 5, ..., 50) and distributions (distn suffixes: weibull, llogis, norm).
showplot	logical argument specifying if each coverage trial produces a plot.
delay	numeric value of delay (in seconds) between trials so its plot can be seen (applies when <code>showplot = TRUE</code>).

Details

Parameterizations for supported distributions are given following the default axes convention in use by `crplot` and `coversim`, which are:

Distribution	Horizontal Axis	Vertical Axis
Cauchy	a	s
gamma	θ	κ
inverse Gaussian	μ	λ
log logistic	λ	κ

log normal	μ	σ
logistic	μ	σ
normal	μ	σ
uniform	a	b
Weibull	κ	λ

Each respective distribution is defined below.

- The Cauchy distribution for the real-numbered location parameter a , scale parameter s , and x is a real number, has the probability density function

$$1/(s\pi(1+((x-a)/s)^2)).$$

- The gamma distribution for shape parameter $\kappa > 0$, scale parameter $\theta > 0$, and $x > 0$, has the probability density function

$$1/(Gamma(\kappa)\theta^\kappa)x^{(\kappa-1)}\exp(-x/\theta).$$

- The inverse Gaussian distribution for mean $\mu > 0$, shape parameter $\lambda > 0$, and $x > 0$, has the probability density function

$$\sqrt{(\lambda/(2\pi x^3))}\exp(-\lambda(x-\mu)^2/(2\mu^2 x)).$$

- The log logistic distribution for scale parameter $\lambda > 0$, shape parameter $\kappa > 0$, and $x > 0$, has a probability density function

$$(\kappa\lambda)(x\lambda)^{(\kappa-1)}/(1+(\lambda x)^\kappa)^2.$$

- The log normal distribution for the real-numbered mean μ of the logarithm, standard deviation $\sigma > 0$ of the logarithm, and $x > 0$, has the probability density function

$$1/(x\sigma\sqrt{2\pi})\exp(-(log x - \mu)^2/(2\sigma^2)).$$

- The logistic distribution for the real-numbered location parameter μ , scale parameter σ , and x is a real number, has the probability density function

$$(1/\sigma)\exp((x-\mu)/\sigma)(1+\exp((x-\mu)/\sigma))^{-2}$$

- The normal distribution for the real-numbered mean μ , standard deviation $\sigma > 0$, and x is a real number, has the probability density function

$$1/\sqrt{2\pi\sigma^2}\exp(-(x-\mu)^2/(2\sigma^2)).$$

- The uniform distribution for real-valued parameters a and b where $a < b$ and $a \leq x \leq b$, has the probability density function

$$1/(b-a).$$

- The Weibull distribution for scale parameter $\lambda > 0$, shape parameter $\kappa > 0$, and $x > 0$, has the probability density function

$$\kappa(\lambda^\kappa)x^{(\kappa-1)}\exp(-(\lambda x)^\kappa).$$

Value

If the optional argument `info = TRUE` is included then a list of coverage results is returned. That list includes `alpha` value(s), `n` value(s), coverage and error results per iteration. Additionally, `returnsamp = TRUE` and/or `returnquant = TRUE` will result in an `n` row, `iter` column maxtix of sample and/or sample cdf values.

Author(s)

Christopher Weld (<ceweld241@gmail.com>)

Lawrence Leemis (<leemis@math.wm.edu>)

References

C. Weld, A. Loh, L. Leemis (2020), "Plotting Two-Dimensional Confidence Regions", *The American Statistician*, Volume 72, Number 2, 156–168.

See Also

[crplot](#), [uniroot](#)

Examples

```
## assess actual coverage at various alpha = {0.5, 0.1} given n = 30 samples, completing
## 10 trials per parameterization (iter) for a normal(mean = 2, sd = 3) rv
coversim(alpha = c(0.5, 0.1), "norm", n = 30, iter = 10, mu = 2, sigma = 3)

## show plots for 5 iterations of 30 samples each from a Weibull(2, 3)
coversim(0.5, "weibull", n = 30, iter = 5, lambda = 1.5, kappa = 0.5, showplot = TRUE,
origin = TRUE)
```

Description

Plotting a two-dimensional confidence region for probability distribution parameters (supported distribution suffixes: cauchy, gamma, invgauss, Inorm, llogis, logis, norm, unif, weibull) corresponding to a user given complete or right-censored dataset and level of significance. See the CRAN website <https://CRAN.R-project.org/package=conf> for a link to two `crplot` vignettes.

Usage

```
crplot(dataset, alpha, distn,
       cen      = rep(1, length(dataset)),
       heuristic = 1,
       maxdeg   = 5,
       ellipse_n = 4,
```

```

pts      = TRUE,
mlelab   = TRUE,
sf       = NULL,
mar      = c(4, 4.5, 2, 1.5),
xyswap   = FALSE,
xlab     = "", 
ylab     = "", 
main     = "", 
xlas     = 0, 
ylas     = 0, 
origin   = FALSE,
xlim     = NULL,
ylim     = NULL,
tol      = .Machine$double.eps ^ 1,
info     = FALSE,
maxcount = 30,
repair   = TRUE,
jumpshift = 0.5,
jumpuphill = min(alpha, 0.01),
jumpinfo  = FALSE,
showjump  = FALSE,
showplot  = TRUE,
animate   = FALSE,
delay     = 0.5,
exact     = FALSE,
silent    = FALSE )

```

Arguments

dataset	a vector of n data values.
alpha	significance level; resulting plot illustrates a $100(1 - \alpha)\%$ confidence region.
distn	distribution to fit the dataset to; accepted values: 'cauchy', 'gamma', 'invgauss', 'logis', 'llogis', 'lnorm', 'norm', 'unif', 'weibull'.
cen	a vector of binary values specifying if the corresponding data values are right-censored (0), or observed (1, default); its length must match length(dataset).
heuristic	numeric value selecting method for plotting: 0 for elliptic-oriented point distribution, and 1 for smoothing boundary search heuristic.
maxdeg	maximum angle tolerance between consecutive plot segments in degrees.
ellipse_n	number of roughly equidistant confidence region points to plot using the elliptic-oriented point distribution (must be a multiple of four because its algorithm exploits symmetry in the quadrants of an ellipse).
pts	displays confidence region boundary points identified if TRUE.
mlelab	logical argument to include the maximum likelihood estimate coordinate point (default is TRUE).
sf	significant figures in axes labels specified using sf = c(x, y), where x and y represent the optional digits argument in the R function <code>round</code> as it pertains to the horizontal and vertical labels.

mar	specifies margin values for <code>par(mar = c())</code> (see <code>mar</code> in par).
xyswap	logical argument to switch the axes that the distribution parameter are shown.
xlab	string specifying the x axis label.
ylab	string specifying the y axis label.
main	string specifying the plot title.
xlas	numeric in 0, 1, 2, 3 specifying the style of axis labels (see <code>las</code> in par).
ylas	numeric in 0, 1, 2, 3 specifying the style of axis labels (see <code>las</code> in par).
origin	logical argument to include the plot origin (default is FALSE).
xlim	two-element vector containing horizontal axis minimum and maximum values.
ylim	two-element vector containing vertical axis minimum and maximum values.
tol	the <code>uniroot</code> parameter specifying its required accuracy.
info	logical argument to return plot information: MLE is returned as a list; (x, y) plot point coordinates and corresponding phi angles (with respect to MLE) are returned as a list.
maxcount	integer value specifying the number of smoothing search iterations before terminating with <code>maxdeg</code> not met.
repair	logical argument to repair regions inaccessible using a radial angle from its MLE due to multiple roots at select ϕ angles.
jumpshift	see vignette "conf Advanced Options" for details; location (as a fractional value between 0 and 1) along the vertical or horizontal "gap" (near an uncharted region) to locate a jump-center toward; can be either a scalar value (uniformly applied to all jump-centers) or vector of length four (with unique values for its respective quadrants, relative to the MLE).
jumpuphill	see vignette "conf Advanced Options" for details; significance level increase to alpha for the jump-center (corresponds to an "uphill" location on its likelihood function); can be either a scalar value (uniformly applied to all jump-centers) or vector of length four (with unique values for its respective quadrants, relative to the MLE).
jumpinfo	logical argument to return plot info (see <code>info</code> argument) and jump-center info; returned within 'repair' attribute are <code>jumpuphill</code> value, <code>jumpshift</code> value, ":" or "-" gap type, jump-center(s) coordinates, and coordinates of points left & right of the inaccessible region.
showjump	logical argument specifying if jump-center repair reference points appear on the confidence region plot.
showplot	logical argument specifying if a plot is output; altering from its default of TRUE is only logical assuming <code>crplot</code> is run for its data only (see the <code>info</code> argument).
animate	logical argument specifying if an animated plot build will display; the animation sequence is given in successive plots.
delay	numeric value of delay (in seconds) between successive plots when <code>animate = TRUE</code> .

exact	logical argument specifying if alpha value is adjusted to compensate for negative coverage bias to achieve $(1 - \alpha)$ coverage probability using previously recorded Monte Carlo simulation results; available for limited values of alpha (roughly $\leq 0.2\text{--}0.3$), n (typically $n = 4, 5, \dots, 50$) and distributions (distn suffixes: weibull, llogis, norm).
silent	logical argument specifying if console output should be suppressed.

Details

This function plots a confidence region for a variety of two-parameter distributions. It requires:

- a vector of dataset values,
- the level of significance (alpha), and
- a population distribution to fit the data to.

Plots display according to probability density function parameterization given later in this section. Two heuristics (and their associated combination) are available to plot confidence regions. Along with their descriptions, they are:

1. *Smoothing Boundary Search Heuristic (default)*. This heuristic plots more points in areas of greater curvature to ensure a smooth appearance throughout the confidence region boundary. Its `maxdeg` parameter specifies the maximum tolerable angle between three successive points. Lower values of `maxdeg` result in smoother plots, and its default value of 5 degrees provides adequate smoothing in most circumstances. Values of $\text{maxdeg} \leq 3$ are not recommended due to their complicating implications to trigonometric numerical approximations near 0 and 1; their use may result in plot errors.
2. *Elliptic-Oriented Point Distribution*. This heuristic allows the user to specify a number of points to plot along the confidence region boundary at roughly uniform intervals. Its name is derived from the technique it uses to choose these points—an extension of the Steiner generation of a non-degenerate conic section, also known as the parallelogram method—which identifies points along an ellipse that are approximately equidistant. To exploit the computational benefits of ellipse symmetry over its four quadrants, `ellipse_n` value must be divisible by four.

By default, `crplot` implements the smoothing boundary search heuristic. Alternatively, the user can plot using the elliptic-oriented point distribution algorithm, or a combination of them both. Combining the two techniques initializes the plot using the elliptic-oriented point distribution algorithm, and then subsequently populates additional points in areas of high curvature (those outside of the maximum angle tolerance parameterization) in accordance with the smoothing boundary search heuristic. This combination results when the smoothing boundary search heuristic is specified in conjunction with an `ellipse_n` value greater than four.

Both of the aforementioned heuristics use a radial profile log likelihood function to identify points along the confidence region boundary. It cuts the log likelihood function in a directional azimuth from its MLE, and locates the associated confidence region boundary point using the asymptotic results associated with the ratio test statistic $-2[\log L(\theta) - \log L(\hat{\theta})]$ which converges in distribution to the chi-square distribution with two degrees of freedom (for a two parameter distribution).

The default axes convention in use by `crplot` are

Horizontal Vertical

Distribution	Axis	Axis
Cauchy	a	s
gamma	θ	κ
inverse Gaussian	μ	λ
log logistic	λ	κ
log normal	μ	σ
logistic	μ	σ
normal	μ	σ
uniform	a	b
Weibull	κ	λ

where each respective distribution is defined below.

- The Cauchy distribution for the real-numbered location parameter a , scale parameter s , and x is a real number, has the probability density function

$$1/(s\pi(1+((x-a)/s)^2)).$$

- The gamma distribution for shape parameter $\kappa > 0$, scale parameter $\theta > 0$, and $x > 0$, has the probability density function

$$1/(Gamma(\kappa)\theta^\kappa)x^{(\kappa-1)}exp(-x/\theta).$$

- The inverse Gaussian distribution for mean $\mu > 0$, shape parameter $\lambda > 0$, and $x > 0$, has the probability density function

$$\sqrt{(\lambda/(2\pi x^3))}exp(-\lambda(x-\mu)^2/(2\mu^2x)).$$

- The log logistic distribution for scale parameter $\lambda > 0$, shape parameter $\kappa > 0$, and $x \geq 0$, has a probability density function

$$(\kappa\lambda)(x\lambda)^{(\kappa-1)}/(1+(\lambda x)^\kappa)^2.$$

- The log normal distribution for the real-numbered mean μ of the logarithm, standard deviation $\sigma > 0$ of the logarithm, and $x > 0$, has the probability density function

$$1/(x\sigma\sqrt{(2\pi)})exp(-(\log x - \mu)^2/(2\sigma^2)).$$

- The logistic distribution for the real-numbered location parameter μ , scale parameter σ , and x is a real number, has the probability density function

$$(1/\sigma)exp((x-\mu)/\sigma)(1+exp((x-\mu)/\sigma))^{-2}$$

- The normal distribution for the real-numbered mean μ , standard deviation $\sigma > 0$, and x is a real number, has the probability density function

$$1/\sqrt{(2\pi\sigma^2)}exp(-(x-\mu)^2/(2\sigma^2)).$$

- The uniform distribution for real-valued parameters a and b where $a < b$ and $a \leq x \leq b$, has the probability density function

$$1/(b-a).$$

- The Weibull distribution for scale parameter $\lambda > 0$, shape parameter $\kappa > 0$, and $x > 0$, has the probability density function

$$\kappa(\lambda^\kappa)x^{(\kappa-1)}exp(-(\lambda x)^\kappa).$$

Value

If the optional argument `info = TRUE` is included then a list is returned with:

- `parm1*`: a vector containing the associated confidence region boundary values for parameter 1
- `parm2*`: a vector containing the associated confidence region boundary values for parameter 2
- `phi`: a vector containing the angles used
- `parm1hat*`: the MLE for parameter 1
- `parm2hat*`: the MLE for parameter 2

*Note: "param1" and "param2" are placeholders that will be replaced with the appropriate parameter names based on the probability distribution.

Author(s)

Christopher Weld (<ceweld241@gmail.com>)

Lawrence Leemis (<leemis@math.wm.edu>)

References

- A. Jaeger (2016), "Computation of Two- and Three-Dimensional Confidence Regions with the Likelihood Ratio", *The American Statistician*, 49, 48–53.
- C. Weld, A. Loh, L. Leemis (2020), "Plotting Two-Dimensional Confidence Regions", *The American Statistician*, Volume 72, Number 2, 156–168.

See Also

[coversim](#), [uniroot](#)

Examples

```
## plot the 95% confidence region for Weibull shape and scale parameters
## corresponding to the given ballbearing dataset
ballbearing <- c(17.88, 28.92, 33.00, 41.52, 42.12, 45.60, 48.48, 51.84,
               51.96, 54.12, 55.56, 67.80, 68.64, 68.64, 68.88, 84.12,
               93.12, 98.64, 105.12, 105.84, 127.92, 128.04, 173.40)
crplot(dataset = ballbearing, distn = "weibull", alpha = 0.05)

## repeat this plot using the elliptic-oriented point distribution heuristic
crplot(dataset = ballbearing, distn = "weibull", alpha = 0.05,
       heuristic = 0, ellipse_n = 80)

## combine the two heuristics, compensating any elliptic-oriented point verticies whose apparent
## angles > 6 degrees with additional points, and expand the plot area to include the origin
crplot(dataset = ballbearing, distn = "weibull", alpha = 0.05,
       maxdeg = 6, ellipse_n = 80, origin = TRUE)

## next use the inverse Gaussian distribution and show no plot points
```

```
crplot(dataset = ballbearing, distn = "invgauss", alpha = 0.05,
       pts = FALSE)
```

dinvgauss*The Inverse Gaussian Distribution***Description**

Density, distribution function, quantile function, and random generation for the inverse Gaussian distribution. The corresponding code for these functions as well as the manual information included here is attributed to Christophe Pouzat's STAR Package (archived 2022-05-23).

Usage

```
dinvgauss(x, mu = 1, sigma2 = 1, boundary = NULL, log = FALSE)
pinvgauss(q, mu = 1, sigma2 = 1, boundary = NULL, lower.tail = TRUE, log.p = FALSE)
qinvgauss(p, mu = 1, sigma2 = 1, boundary = NULL)
rinvgauss(n = 1, mu = 1, sigma2 = 1, boundary = NULL)
```

Arguments

<code>x, q</code>	vector of quantiles.
<code>p</code>	vector of probabilities.
<code>n</code>	number of observations. If <code>length(n) > 1</code> , the length is taken to be the number required.
<code>mu</code>	mean value of the distribution in the default parameterization, mean value / boundary otherwise. Can also be viewed as the inverse of the drift of the latent Brownian motion.
<code>sigma2</code>	variance of the latent Brownian motion. When this parameterization is used (the default) the distance between the "starting" point and the boundary ("absorbing barrier") is set to 1.
<code>boundary</code>	distance between the starting point and the "absorbing barrier" of the latent Brownian motion. When this parameterization is used, the Brownian motion variance is set to 1.
<code>lower.tail</code>	logical; if TRUE (default), probabilities are $P[X \leq x]$, otherwise, $P[X > x]$.
<code>log, log.p</code>	logical; if TRUE, probabilities p are given as log(p).

Details

With the default, "sigma2", parameterization (`mu = m, sigma2 = s^2`) the inverse Gaussian distribution has density:

$$f(x) = \frac{1}{\sqrt{2\pi\sigma^2x^3}} \exp\left(-\frac{1}{2}\frac{(x-\mu)^2}{x\sigma^2\mu^2}\right)$$

with $\sigma^2 > 0$. The theoretical mean is: μ and the theoretical variance is: $\mu^3\sigma^2$. With the default, "boundary", parameterization (`mu = m`, `boundary = b`), the inverse Gaussian distribution has density:

$$f(x) = \frac{b}{\sqrt{2\pi x^3}} \exp\left(-\frac{1}{2} \frac{(x - b\mu)^2}{x\mu^2}\right)$$

with $\sigma^2 > 0$. The theoretical mean is: μb and the theoretical variance is: $\mu^3\sigma^2$. The latent Brownian motion is described in Lindsey (2004) pp 209-213, Whitmore and Seshadri (1987), Aalen and Gjessing (2001) and Gerstein and Mandelbrot (1964).

The expression for the distribution function is given in Eq. 4 of Whitmore and Seshadri (1987).

Initial guesses for the inversion of the distribution function used in `qinvgauss` are obtained with the transformation of Whitmore and Yalovsky (1978).

Random variates are obtained with the method of Michael et al (1976) which is also described by Devroye (1986, p 148) and Gentle (2003, p 193).

Value

`dinvgauss` gives the density, `pinvgauss` gives the distribution function, `qinvgauss` gives the quantile function and `rinvgauss` generates random deviates.

Author(s)

Christophe Pouzat <christophe.pouzat@gmail.com>

References

- Gerstein, George L. and Mandelbrot, Benoit (1964) Random Walk Models for the Spike Activity of a Single Neuron. *Biophys J.* **4**: 41–68.
- Whitmore, G. A. and Yalovsky, M. (1978) A normalizing logarithmic transformation for inverse Gaussian random variables. *Technometrics* **20**: 207–208.
- Whitmore, G. A. and Seshadri, V. (1987) A Heuristic Derivation of the Inverse Gaussian Distribution. *The American Statistician* **41**: 280–281.
- Aalen, Odd O. and Gjessing, Hakon K. (2001) Understanding the Shape of the Hazard Rate: A Process Point of View. *Statistical Science* **16**: 1–14.
- Lindsey, J.K. (2004) *Introduction to Applied Statistics: A Modelling Approach*. OUP.
- Michael, J. R., Schucany, W. R. and Haas, R. W. (1976) Generating random variates using transformations with multiple roots. *The American Statistician* **30**: 88–90.
- Devroye, L. (1986) *Non-Uniform Random Variate Generation*. Springer-Verlag.
- Gentle, J. E. (2003) *Random Number Generation and Monte Carlo Methods*. Springer.

See Also

[invgaussMLE](#)

Examples

```

## Not run:
## Start with the inverse Gauss
## Define standard mu and sigma
mu.true <- 0.075 ## a mean ISI of 75 ms
sigma2.true <- 3
## Define a sequence of points on the time axis
X <- seq(0.001, 0.3, 0.001)
## look at the density
plot(X, dinvgauss(X, mu.true, sigma2.true), type="l", xlab = "ISI (s)", ylab = "Density")

## Generate a sample of 100 ISI from this distribution
sampleSize <- 100
sampIG <- rinvgauss(sampleSize, mu = mu.true, sigma2 = sigma2.true)
## check out the empirical survival function (obtained with the Kaplan-Meier
## estimator) against the true one
library(survival)
sampIG.KMfit <- survfit(Surv(sampIG, 1 + numeric(length(sampIG)))) ~1
plot(sampIG.KMfit, log = TRUE)
lines(X, pinvgauss(X, mu.true, sigma2.true, lower.tail = FALSE), col = 2)

## Get a ML fit
sampIGmleIG <- invgaussMLE(sampIG)
## compare true and estimated parameters
rbind(est = sampIGmleIG$estimate, se = sampIGmleIG$se, true = c(mu.true, sigma2.true))
## plot contours of the log relative likelihood function
Mu <- seq(sampIGmleIG$estimate[1] - 3 * sampIGmleIG$se[1],
            sampIGmleIG$estimate[1] + 3 * sampIGmleIG$se[1],
            sampIGmleIG$se[1] / 10)
Sigma2 <- seq(sampIGmleIG$estimate[2] - 7 * sampIGmleIG$se[2],
               sampIGmleIG$estimate[2] + 7 * sampIGmleIG$se[2],
               sampIGmleIG$se[2] / 10)
sampIGmleIGcontour <- sapply(Mu, function(mu) sapply(Sigma2,
                                                       function(s2) sampIGmleIG$r(mu, s2)))
contour(Mu, Sigma2, t(sampIGmleIGcontour),
        levels=c(log(c(0.5, 0.1)), -0.5 * qchisq(c(0.95, 0.99), df = 2)),
        labels=c("log(0.5)",
                "log(0.1)",
                "-1/2 * P(Chi2 = 0.95)",
                "-1/2 * P(Chi2 = 0.99)"),
        xlab = expression(mu), ylab = expression(sigma^2))
points(mu.true, sigma2.true, pch = 16, col = 2)
## We can see that the contours are more parabola like on a log scale
contour(log(Mu), log(Sigma2), t(sampIGmleIGcontour),
        levels = c(log(c(0.5, 0.1)), -0.5 * qchisq(c(0.95, 0.99), df = 2)),
        labels = c("log(0.5)",
                  "log(0.1)",
                  "-1/2 * P(Chi2 = 0.95)",
                  "-1/2 * P(Chi2 = 0.99)"),
        xlab = expression(log(mu)), ylab = expression(log(sigma^2)))
points(log(mu.true), log(sigma2.true), pch = 16, col = 2)
## make a deviance test for the true parameters

```

```

pchisq(-2 * sampIGmleIG$r(mu.true, sigma2.true), df = 2)
## check fit with a QQ plot
qqDuration(sampIGmleIG, log = "xy")

## Generate a censored sample using an exponential distribution
sampEXP <- rexp(sampleSize, 1/(2 * mu.true))
sampIGtime <- pmin(sampIG, sampEXP)
sampIGstatus <- as.numeric(sampIG <= sampEXP)
## fit the censored sample
sampIG2mleIG <- invgaussMLE(sampIGtime, sampIGstatus)
## look at the results
rbind(est = sampIG2mleIG$estimate,
      se = sampIG2mleIG$se,
      true = c(mu.true,sigma2.true))
pchisq(-2 * sampIG2mleIG$r(mu.true, sigma2.true), df = 2)
## repeat the survival function estimation
sampIG2.KMfit <- survfit(Surv(sampIGtime, sampIGstatus) ~1)
plot(sampIG2.KMfit, log = TRUE)
lines(X, pinvgauss(X, sampIG2mleIG$estimate[1], sampIG2mleIG$estimate[2],
                     lower.tail = FALSE), col = 2)

## End(Not run)

```

dllogis*The Log Logistic Distribution***Description**

Density, distribution function, quantile function, and random generation for the log logistic distribution. The corresponding code for these functions as well as the manual information included here is attributed to Christophe Pouzat's STAR Package (archived 2022-05-23).

Usage

```

dllogis(x, location = 0, scale = 1, log = FALSE)
pllogis(q, location = 0, scale = 1, lower.tail = TRUE, log.p = FALSE)
qllogis(p, location = 0, scale = 1, lower.tail = TRUE, log.p = FALSE)
rllogis(n, location = 0, scale = 1)

```

Arguments

<code>x, q</code>	vector of quantiles.
<code>p</code>	vector of probabilities.
<code>n</code>	number of observations. If <code>length(n) > 1</code> , the length is taken to be the number required.
<code>location, scale</code>	location and scale parameters (non-negative numeric).
<code>lower.tail</code>	logical; if TRUE (default), probabilities are $P[X \leq x]$, otherwise, $P[X > x]$.
<code>log, log.p</code>	logical; if TRUE, probabilities <code>p</code> are given as $\log(p)$.

Details

If `location` or `scale` are omitted, they assume the default values of 0 and 1 respectively.

The log-logistic distribution with `location = m` and `scale = s` has distribution function

$$F(x) = \frac{1}{1 + \exp\left(-\frac{\log(x)-m}{s}\right)}$$

and density

$$f(x) = \frac{1}{s x} \frac{\exp\left(-\frac{\log(x)-m}{s}\right)}{\left(1 + \exp\left(-\frac{\log(x)-m}{s}\right)\right)^2}$$

Value

`dllogis` gives the density, `pllogis` gives the distribution function, `qllogis` gives the quantile function and `rllogis` generates random deviates.

Author(s)

Christophe Pouzat <christophe.pouzat@gmail.com>

References

- Lindsey, J.K. (2004) *Introduction to Applied Statistics: A Modelling Approach*. OUP.
 Lindsey, J.K. (2004) *The Statistical Analysis of Stochastic Processes in Time*. CUP.

See Also

[llogisMLE](#).

Examples

```
## Not run:
tSeq <- seq(0.001,0.6,0.001)
location.true <- -2.7
scale.true <- 0.025
Yd <- dllogis(tSeq, location.true, scale.true)
Yh <- hllogis(tSeq, location.true, scale.true)
max.Yd <- max(Yd)
max.Yh <- max(Yh)
Yd <- Yd / max.Yd
Yh <- Yh / max.Yh
oldpar <- par(mar=c(5,4,4,4))
plot(tSeq, Yd, type="n", axes=FALSE, ann=FALSE,
     xlim=c(0,0.6), ylim=c(0,1))
axis(2,at=seq(0,1,0.2),labels=round(seq(0,1,0.2)*max.Yd,digits=2))
mtext("Density (1/s)", side=2, line=3)
axis(1,at=pretty(c(0,0.6)))
```

```

mtext("Time (s)", side=1, line=3)
axis(4, at=seq(0,1,0.2), labels=round(seq(0,1,0.2)*max.Yh,digits=2))
mtext("Hazard (1/s)", side=4, line=3, col=2)
mtext("Log Logistic Density and Hazard Functions", side=3, line=2,cex=1.5)
lines(tSeq,Yd)
lines(tSeq,Yh,col=2)
par(oldpar)

## End(Not run)

```

gammaMLE

Maximum Likelihood Parameter Estimation of a Gamma Model with Possibly Censored Data

Description

Estimate gamma model parameters by the maximum likelihood method using possibly censored data. Two different parameterizations of the gamma distribution can be used. The corresponding code for this function as well as the manual information included here is attributed to Christophe Pouzat's STAR Package (archived 2022-05-23).

Usage

```
gammaMLE(yi, ni = numeric(length(yi)) + 1,
          si = numeric(length(yi)) + 1, scale = TRUE)
```

Arguments

<i>yi</i>	vector of (possibly binned) observations or a spikeTrain object.
<i>ni</i>	vector of counts for each value of <i>yi</i> ; default: <code>numeric(length(yi))+1</code> .
<i>si</i>	vector of counts of <i>uncensored</i> observations for each value of <i>yi</i> ; default: <code>numeric(length(yi))+1</code> .
<i>scale</i>	logical should the scale (TRUE) or the rate parameterization (FALSE) be used?

Details

There is no closed form expression for the MLE of a gamma distribution. The numerical method implemented here uses the profile likelihood described by Monahan (2001) pp 210-216.

In order to ensure good behavior of the numerical optimization routines, optimization is performed on the log of the parameters (shape and scale or rate).

Standard errors are obtained from the inverse of the observed information matrix at the MLE. They are transformed to go from the log scale used by the optimization routine to the parameterization requested.

Value

A list of class `durationFit` with the following components:

<code>estimate</code>	the estimated parameters, a named vector.
<code>se</code>	the standard errors, a named vector.
<code>logLik</code>	the log likelihood at maximum.
<code>r</code>	a function returning the log of the relative likelihood function.
<code>mll</code>	a function returning the opposite of the log likelihood function using the log of the parameters.
<code>call</code>	the matched call.

Note

The returned standard errors (component `se`) are valid in the asymptotic limit. You should plot contours using function `r` in the returned list and check that the contours are reasonably close to ellipses.

Author(s)

Christophe Pouzat <christophe.pouzat@gmail.com>

References

- Monahan, J. F. (2001) *Numerical Methods of Statistics*. CUP.
 Lindsey, J.K. (2004) *Introduction to Applied Statistics: A Modelling Approach*. OUP.

See Also

[invgaussMLE](#)

Examples

```
## Not run:
## Simulate sample of size 100 from a gamma distribution
set.seed(1102006, "Mersenne-Twister")
sampleSize <- 100
shape.true <- 6
scale.true <- 0.012
sampGA <- rgamma(sampleSize, shape=shape.true, scale=scale.true)
sampGAmleGA <- gammaMLE(sampGA)
rbind(est = sampGAmleGA$estimate, se = sampGAmleGA$se, true = c(shape.true, scale.true))

## Estimate the log relative likelihood on a grid to plot contours
Shape <- seq(sampGAmleGA$estimate[1]-4*sampGAmleGA$se[1],
              sampGAmleGA$estimate[1]+4*sampGAmleGA$se[1],
              sampGAmleGA$se[1]/10)
Scale <- seq(sampGAmleGA$estimate[2]-4*sampGAmleGA$se[2],
              sampGAmleGA$estimate[2]+4*sampGAmleGA$se[2],
              sampGAmleGA$se[2]/10)
```

```

sampGAmleGAcontour <- sapply(Shape, function(sh) sapply(Scale, function(sc) sampGAmleGA$r(sh,sc)))
## plot contours using a linear scale for the parameters
## draw four contours corresponding to the following likelihood ratios:
## 0.5, 0.1, Chi2 with 2 df and p values of 0.95 and 0.99
X11(width=12,height=6)
layout(matrix(1:2,ncol=2))
contour(Shape,Scale,t(sampGAmleGAcontour),
        levels=c(log(c(0.5,0.1)), -0.5*qchisq(c(0.95,0.99),df=2)),
        labels=c("log(0.5)",
                "log(0.1)",
                "-1/2*P(Chi2=0.95)",
                "-1/2*P(Chi2=0.99)"),
        xlab="shape",ylab="scale",
        main="Log Relative Likelihood Contours"
        )
points(sampGAmleGA$estimate[1],sampGAmleGA$estimate[2],pch=3)
points(shape.true,scale.true,pch=16,col=2)
## The contours are not really symmetrical about the MLE we can try to
## replot them using a log scale for the parameters to see if that improves
## the situation
contour(log(Shape),log(Scale),t(sampGAmleGAcontour),
        levels=c(log(c(0.5,0.1)), -0.5*qchisq(c(0.95,0.99),df=2)),
        labels="",
        xlab="log(shape)",ylab="log(scale)",
        main="Log Relative Likelihood Contours",
        sub="log scale for the parameters")
points(log(sampGAmleGA$estimate[1]),log(sampGAmleGA$estimate[2]),pch=3)
points(log(shape.true),log(scale.true),pch=16,col=2)

## make a parametric bootstrap to check the distribution of the deviance
nbReplicate <- 10000
sampleSize <- 100
system.time(
  devianceGA100 <- replicate(nbReplicate,{
    sampGA <- rgamma(sampleSize,shape=shape.true,scale=scale.true)
    sampGAmleGA <- gammaMLE(sampGA)
    -2*sampGAmleGA$r(shape.true,scale.true)
  })
)
) [3]

## Get 95 and 99% confidence intervals for the QQ plot
ci <- sapply(1:nbReplicate,
             function(idx) qchisq(qbeta(c(0.005,0.025,0.975,0.995),
                                         idx,
                                         nbReplicate-idx+1),
                                         df=2)
             )
## make QQ plot
X <- qchisq(ppoints(nbReplicate),df=2)
Y <- sort(devianceGA100)
X11()
plot(X,Y,type="n",

```

```

xlab=expression(paste(chi[2]^2, " quantiles")),
ylab="MC quantiles",
main="Deviance with true parameters after ML fit of gamma data",
sub=paste("sample size:", sampleSize,"MC replicates:", nbReplicate)
)
abline(a=0,b=1)
lines(X,ci[1,],lty=2)
lines(X,ci[2,],lty=2)
lines(X,ci[3,],lty=2)
lines(X,ci[4,],lty=2)
lines(X,Y,col=2)

## End(Not run)

```

invgaussMLE

Maximum Likelihood Parameter Estimation of an Inverse Gaussian Model with Possibly Censored Data

Description

Estimate inverse Gaussian model parameters by the maximum likelihood method using possibly censored data. Two different parameterizations of the inverse Gaussian distribution can be used. The corresponding code for this function as well as the manual information included here is attributed to Christophe Pouzat's STAR Package (archived 2022-05-23).

Usage

```
invgaussMLE(yi, ni = numeric(length(yi)) + 1,
            si = numeric(length(yi)) + 1,
            parameterization = "sigma2")
```

Arguments

yi	vector of (possibly binned) observations or a <code>spikeTrain</code> object.
ni	vector of counts for each value of yi; default: <code>numeric(length(yi))+1</code> .
si	vector of counts of <i>uncensored</i> observations for each value of yi; default: <code>numeric(length(yi))+1</code> .
parameterization	parameterization used, "sigma2" (default) or "boundary".

Details

The two different parameterizations of the inverse Gaussian distribution are discussed in the manual of `dinvgauss`.

In the absence of censored data the ML estimates are available in closed form (Lindsey, 2004, p 212) together with the Hessian matrix at the MLE. In presence of censored data an initial guess for the parameters is obtained using the uncensored data before maximizing the likelihood function to the full data set using `optim` with the BFGS method. ML estimation is always performed with the

"sigma2" parameterization. Parameters and variance-covariance matrix are transformed at the end if the "boundary" parameterization is requested.

In order to ensure good behavior of the numerical optimization routines, optimization is performed on the log of the parameters (`mu` and `sigma2`).

Standard errors are obtained from the inverse of the observed information matrix at the MLE. They are transformed to go from the log scale used by the optimization routine, when the latter is used (ie, for censored data) to the parameterization requested.

Value

A list of class `durationFit` with the following components:

<code>estimate</code>	the estimated parameters, a named vector.
<code>se</code>	the standard errors, a named vector.
<code>logLik</code>	the log likelihood at maximum.
<code>r</code>	a function returning the log of the relative likelihood function.
<code>mll</code>	a function returning the opposite of the log likelihood function using the log of the parameters.
<code>call</code>	the matched call.

Note

The returned standard errors (component `se`) are valid in the asymptotic limit. You should plot contours using function `r` in the returned list and check that the contours are reasonably close to ellipses.

Author(s)

Christophe Pouzat <christophe.pouzat@gmail.com>

References

Lindsey, J.K. (2004) *Introduction to Applied Statistics: A Modelling Approach*. OUP.

See Also

[dinvgauss](#), [gammaMLE](#), [llogisMLE](#)

Examples

```
## Simulate sample of size 100 from an inverse Gaussian
## distribution
set.seed(1102006, "Mersenne-Twister")
sampleSize <- 100
mu.true <- 0.075
sigma2.true <- 3
sampleSize <- 100
sampIG <- rinvgauss(sampleSize, mu=mu.true, sigma2=sigma2.true)
## Make a maximum likelihood fit
```

```

sampIGmleIG <- invgaussMLE(sampIG)
## Compare estimates with actual values
rbind(est = coef(sampIGmleIG), se = sampIGmleIG$se, true = c(mu.true, sigma2.true))
## In the absence of censoring the MLE of the inverse Gaussian is available in a
## closed form together with its variance (ie, the observed information matrix)
## we can check that we did not screw up at that stage by comparing the observed
## information matrix obtained numerically with the analytical one. To do that we
## use the MINUS log likelihood function returned by invgaussMLE to get a numerical
## estimate
detailedFit <- optim(par=as.vector(log(sampIGmleIG$estimate)),
                      fn=sampIGmleIG$mll,
                      method="BFGS",
                      hessian=TRUE)
## We should not forget that the "mll" function uses the log of the parameters while
## the "se" component of sampIGmleIG list is expressed on the linear scale we must therefore
## transform one into the other as follows (Kalbfleisch, 1985, p71):
## if  $x = \exp(u)$  and  $y = \exp(v)$  and if we have the information matrix in term of
##  $u$  and  $v$  (that's the hessian component of list detailedFit above), we create matrix:
##  $\frac{du}{dx} \frac{du}{dy}$ 
##  $\frac{dv}{dx} \frac{dv}{dy}$ 
## and we get  $I$  in term of  $x$  and  $y$  by the following matrix product:
##  $I(x,y) <- t(Q) \%*% I(u,v) \%*% Q$ 
## In the present case:
##  $\frac{du}{dx} = 1/\exp(u)$ ,  $\frac{du}{dy} = 0$ ,  $\frac{dv}{dx} = 0$ ,  $\frac{dv}{dy} = 1/\exp(v)$ 
## Therefore:
Q <- diag(1/exp(detailedFit$par))
numericalI <- t(Q) \%*% detailedFit$hessian \%*% Q
seComp <- rbind(sampIGmleIG$se, sqrt(diag(solve(numericalI))))
colnames(seComp) <- c("mu", "sigma2")
rownames(seComp) <- c("analytical", "numerical")
seComp
## We can check the relative differences between the 2
apply(seComp, 2, function(x) abs(diff(x))/x[1])

## Not run:
## Estimate the log relative likelihood on a grid to plot contours
Mu <- seq(coef(sampIGmleIG)[1]-4*sampIGmleIG$se[1],
           coef(sampIGmleIG)[1]+4*sampIGmleIG$se[1],
           sampIGmleIG$se[1]/10)
Sigma2 <- seq(coef(sampIGmleIG)[2]-4*sampIGmleIG$se[2],
               coef(sampIGmleIG)[2]+4*sampIGmleIG$se[2],
               sampIGmleIG$se[2]/10)
sampIGmleIGcontour <- sapply(Mu, function(mu) sapply(Sigma2, function(s2) sampIGmleIG$r(mu, s2)))
## plot contours using a linear scale for the parameters
## draw four contours corresponding to the following likelihood ratios:
## 0.5, 0.1, Chi2 with 2 df and p values of 0.95 and 0.99
X11(width=12, height=6)
layout(matrix(1:2, ncol=2))
contour(Mu, Sigma2, t(sampIGmleIGcontour),
        levels=c(log(c(0.5, 0.1)), -0.5*qchisq(c(0.95, 0.99), df=2)),
        labels=c("log(0.5)",
                "log(0.1"),

```

```

    "-1/2*P(Chi2=0.95)",
    "-1/2*P(Chi2=0.99")),
  xlab=expression(mu),ylab=expression(sigma^2),
  main="Log Relative Likelihood Contours"
)
points(coef(sampIGmleIG)[1],coef(sampIGmleIG)[2],pch=3)
points(mu.true,sigma2.true,pch=16,col=2)
## The contours are not really symmetrical about the MLE we can try to
## replot them using a log scale for the parameters to see if that improves
## the situation
contour(log(Mu),log(Sigma2),t(sampIGmleIGcontour),
       levels=c(log(c(0.5,0.1)), -0.5*qchisq(c(0.95,0.99),df=2)),
       labels="",
       xlab=expression(log(mu)),ylab=expression(log(sigma^2)),
       main="Log Relative Likelihood Contours",
       sub="log scale for the parameters")
points(log(coef(sampIGmleIG)[1]),log(coef(sampIGmleIG)[2]),pch=3)
points(log(mu.true),log(sigma2.true),pch=16,col=2)

## Even with the log scale the contours are not ellipsoidal, so let us compute profiles
## For that we are going to use the returned MINUS log likelihood function
logMuProfFct <- function(logMu,...) {
  myOpt <- optimise(function(x) sampIGmleIG$mll(c(logMu,x))+logLik(sampIGmleIG),...)
  as.vector(unlist(myOpt[c("objective","minimum"))))
}
logMuProfCI <- function(logMu,
                         CI,
                         a=logS2Seq[1],
                         b=logS2Seq[length(logS2Seq)]) logMuProfFct(logMu,c(a,b))[1] - qchisq(CI,1)/2

logS2ProfFct <- function(logS2,...) {
  myOpt <- optimise(function(x) sampIGmleIG$mll(c(x,logS2))+logLik(sampIGmleIG),...)
  as.vector(unlist(myOpt[c("objective","minimum"))))
}
logS2ProfCI <- function(logS2, CI,
                         a=logMuSeq[1],
                         b=logMuSeq[length(logMuSeq)]) logS2ProfFct(logS2,c(a,b))[1] - qchisq(CI,1)/2

## We compute profiles (on the log scale) exploding +/- 3 times
## the se about the MLE
logMuSE <- sqrt(diag(solve(detailedFit$hessian)))[1]
logMuSeq <- seq(log(coef(sampIGmleIG)[1])-3*logMuSE,
                 log(coef(sampIGmleIG)[1])+3*logMuSE,
                 logMuSE/10)
logS2SE <- sqrt(diag(solve(detailedFit$hessian)))[2]
logS2Seq <- seq(log(coef(sampIGmleIG)[2])-3*logS2SE,
                 log(coef(sampIGmleIG)[2])+3*logS2SE,
                 logS2SE/10)
logMuProf <- sapply(logMuSeq,logMuProfFct,
                     lower=logS2Seq[1],
                     upper=logS2Seq[length(logS2Seq)])
## Get 95

```

```

logMuCI95 <- c(uniroot(logMuProfCI,
                         interval=c(logMuSeq[1], log(coef(sampIGmleIG)[1])),
                         CI=0.95)$root,
                         uniroot(logMuProfCI,
                         interval=c(log(coef(sampIGmleIG)[1]), logMuSeq[length(logMuSeq)]),
                         CI=0.95)$root
)
logMuCI99 <- c(uniroot(logMuProfCI,
                         interval=c(logMuSeq[1], log(coef(sampIGmleIG)[1])),
                         CI=0.99)$root,
                         uniroot(logMuProfCI,
                         interval=c(log(coef(sampIGmleIG)[1]), logMuSeq[length(logMuSeq)]),
                         CI=0.99)$root
)
logS2Prof <- sapply(logS2Seq, logS2ProfFct,
                     lower=logMuSeq[1],
                     upper=logMuSeq[length(logMuSeq)])
## Get 95
logS2CI95 <- c(uniroot(logS2ProfCI,
                         interval=c(logS2Seq[1], log(coef(sampIGmleIG)[2])),
                         CI=0.95)$root,
                         uniroot(logS2ProfCI,
                         interval=c(log(coef(sampIGmleIG)[2]), logS2Seq[length(logS2Seq)]),
                         CI=0.95)$root
)
logS2CI99 <- c(uniroot(logS2ProfCI,
                         interval=c(logS2Seq[1], log(coef(sampIGmleIG)[2])),
                         CI=0.99)$root,
                         uniroot(logS2ProfCI,
                         interval=c(log(coef(sampIGmleIG)[2]), logS2Seq[length(logS2Seq)]),
                         CI=0.99)$root
)
## Add profiles to the previous plot
lines(logMuSeq, logMuProf[2,], col=2, lty=2)
lines(logS2Prof[2,], logS2Seq, col=2, lty=2)

## We can now check the deviations of the (profiled) deviances
## from the asymptotic parabolic curves
X11()
layout(matrix(1:4, nrow=2))
oldpar <- par(mar=c(4,4,2,1))
logMuSeqOffset <- logMuSeq-log(coef(sampIGmleIG)[1])
logMuVar <- diag(solve(detailedFit$hessian))[1]
plot(logMuSeq, 2*logMuProf[1,], type="l", xlab=expression(log(mu)), ylab="Deviance")
lines(logMuSeq, logMuSeqOffset^2/logMuVar, col=2)
points(log(coef(sampIGmleIG)[1]), 0, pch=3)
abline(h=0)
abline(h=qchisq(0.95,1), lty=2)
abline(h=qchisq(0.99,1), lty=2)
lines(rep(logMuCI95[1], 2), c(0, qchisq(0.95,1)), lty=2)

```



```

intervals2 <- function(n) c(-n,n)*logParaSE[2]+logPara[2]
logMuProfFct <- function(logMu,...) {
  optimise(function(x)
    sampIGmleIG$mll(c(logMu,x))+logLik(sampIGmleIG),...)$objective
}
logMuProfCI <- function(logMu,
  CI,
  a=intervals2(4)[1],
  b=intervals2(4)[2])
logMuProfFct(logMu,c(a,b)) - qchisq(CI,1)/2

logS2ProfFct <- function(logS2,...) {
  optimise(function(x)
    sampIGmleIG$mll(c(x,logS2))+logLik(sampIGmleIG),...)$objective
}
logS2ProfCI <- function(logS2, CI,
  a=intervalMu(4)[1],
  b=intervalMu(4)[2])
logS2ProfFct(logS2,c(a,b)) - qchisq(CI,1)/2

factor <- 4
while((logMuProfCI(intervalMu(factor)[2],0.99) *
  logMuProfCI(logPara[1],0.99) >= 0) ||
  (logMuProfCI(intervalMu(factor)[1],0.99) *
  logMuProfCI(logPara[1],0.99) >= 0)
  ) factor <- factor+1
##browser()
logMuCI95 <- c(uniroot(logMuProfCI,
  interval=c(intervalMu(factor)[1],logPara[1]),
  CI=0.95)$root,
  uniroot(logMuProfCI,
  interval=c(logPara[1],intervalMu(factor)[2]),
  CI=0.95)$root
)
logMuCI99 <- c(uniroot(logMuProfCI,
  interval=c(intervalMu(factor)[1],logPara[1]),
  CI=0.99)$root,
  uniroot(logMuProfCI,
  interval=c(logPara[1],intervalMu(factor)[2]),
  CI=0.99)$root
)
factor <- 4
while((logS2ProfCI(intervals2(factor)[2],0.99) *
  logS2ProfCI(logPara[2],0.99) >= 0) ||
  (logS2ProfCI(intervals2(factor)[1],0.99) *
  logS2ProfCI(logPara[2],0.99) >= 0)
  ) factor <- factor+1
logS2CI95 <- c(uniroot(logS2ProfCI,
  interval=c(intervals2(factor)[1],logPara[2]),
  CI=0.95)$root,
  uniroot(logS2ProfCI,
  interval=c(logPara[2],intervals2(factor)[2]),
  CI=0.95)$root
)

```

```

)
logS2CI99 <- c(uniroot(logS2ProfCI,
                         interval=c(intervalS2(factor)[1],logPara[2]),
                         CI=0.99)$root,
                         uniroot(logS2ProfCI,
                         interval=c(logPara[2],intervalS2(factor)[2]),
                         CI=0.99)$root
)
list(deviance=Deviance,
     logMuCI95=logMuCI95,
     logMuNorm95=qnorm(c(0.025,0.975),logPara[1],logParaSE[1]),
     logMuCI99=logMuCI99,
     logMuNorm99=qnorm(c(0.005,0.995),logPara[1],logParaSE[1]),
     logS2CI95=logS2CI95,
     logS2Norm95=qnorm(c(0.025,0.975),logPara[2],logParaSE[2]),
     logS2CI99=logS2CI99,
     logS2Norm99=qnorm(c(0.005,0.995),logPara[2],logParaSE[2]))
}
)
)
)#[3]
## Find out how many times the true parameters was within the computed CIs
nLogMuCI95 <- sum(sapply(devianceIG100,
                           function(l) l$logMuCI95[1] <= log(mu.true) &&
                           log(mu.true)<= l$logMuCI95[2]
                           )
)
nLogMuNorm95 <- sum(sapply(devianceIG100,
                           function(l) l$logMuNorm95[1] <= log(mu.true) &&
                           log(mu.true)<= l$logMuNorm95[2]
                           )
)
nLogMuCI99 <- sum(sapply(devianceIG100,
                           function(l) l$logMuCI99[1] <= log(mu.true) &&
                           log(mu.true)<= l$logMuCI99[2]
                           )
)
nLogMuNorm99 <- sum(sapply(devianceIG100,
                           function(l) l$logMuNorm99[1] <= log(mu.true) &&
                           log(mu.true)<= l$logMuNorm99[2]
                           )
)
## Check if these counts are compatible with the nominal CIs
c(prof95Mu=nLogMuCI95,norm95Mu=nLogMuNorm95)
qbinom(c(0.005,0.995),nbReplicate,0.95)
c(prof95Mu=nLogMuCI99,norm95Mu=nLogMuNorm99)
qbinom(c(0.005,0.995),nbReplicate,0.99)

nLogS2CI95 <- sum(sapply(devianceIG100,
                           function(l) l$logS2CI95[1] <= log(sigma2.true) &&
                           log(sigma2.true)<= l$logS2CI95[2]
                           )
)
nLogS2Norm95 <- sum(sapply(devianceIG100,

```

```

        function(l) l$logS2Norm95[1] <= log(sigma2.true)  &&
        log(sigma2.true)<= l$logS2Norm95[2]
    )
)
nLogS2CI99 <- sum(sapply(devianceIG100,
    function(l) l$logS2CI99[1] <= log(sigma2.true)  &&
    log(sigma2.true)<= l$logS2CI99[2]
)
)
nLogS2Norm99 <- sum(sapply(devianceIG100,
    function(l) l$logS2Norm99[1] <= log(sigma2.true)  &&
    log(sigma2.true)<= l$logS2Norm99[2]
)
)
## Check if these counts are compatible with the nominal CIs
c(prof95S2=nLogS2CI95,norm95S2=nLogS2Norm95)
qbinom(c(0.005,0.995),nbReplicate,0.95)
c(prof95S2=nLogS2CI99,norm95S2=nLogS2Norm99)
qbinom(c(0.005,0.995),nbReplicate,0.99)

## Get 95 and 99% confidence intervals for the QQ plot
ci <- sapply(1:nbReplicate,
    function(idx) qchisq(qbeta(c(0.005,0.025,0.975,0.995),
        idx,
        nbReplicate-idx+1),
    df=2)
)
## make QQ plot
X <- qchisq(ppoints(nbReplicate),df=2)
Y <- sort(sapply(devianceIG100,function(l) l$deviance))
X11()
plot(X,Y,type="n",
    xlab=expression(paste(chi[2]^2," quantiles")),
    ylab="MC quantiles",
    main="Deviance with true parameters after ML fit of IG data",
    sub=paste("sample size:", sampleSize,"MC replicates:", nbReplicate)
)
abline(a=0,b=1)
lines(X,ci[1],lty=2)
lines(X,ci[2],lty=2)
lines(X,ci[3],lty=2)
lines(X,ci[4],lty=2)
lines(X,Y,col=2)

## End(Not run)

```

Description

Generates a matrix containing all possible outcomes (all possible sequences of failure times and right-censoring times) of the value of the Kaplan-Meier product-limit estimator for a particular sample size n.

Usage

```
km.outcomes(n)
```

Arguments

n	sample size
---	-------------

Details

The Kaplan-Meier product-limit estimator is used to estimate the survivor function for a data set of positive values in the presence of right censoring. The km.outcomes function generates a matrix with all possible combinations of observed failures and right censored values and the resulting support values for the Kaplan-Meier product-limit estimator for a sample of size n.

The n argument must be a positive integer denoting the sample size. Allowable limits are from 1 to 24. Larger values of n are not allowed because of CPU and memory limitations.

In order to keep the support values as exact fractions, the numerators and denominators are stored separately in the a matrix in the columns named num and den. The support values are stored as numeric values in the column named S(t).

Value

The km.outcomes function returns a matrix with $2^{n+1} - 1$ rows and $n + 4$ columns. The location 1 indicates the position where the time of interest falls within the observed events. The meaning of the columns is as follows.

- 1: number of observed events (failures times or censoring times) between times 0 and the observation time;
- d1, d2, ..., dn: equals 0 if the event corresponds to a censored observation, equals 1 if the event corresponds to a failure;
- S(t): numeric value of the associated support value;
- num: numerator of the support value as a fraction;
- den: denominator of the support value as a fraction.

Author(s)

Yuxin Qin (<yqin08@wm.edu>), Heather Sasinowska (<hdsasinowska@wm.edu>), Larry Leemis (<leemis@math.wm.edu>)

References

Qin, Y., Sasinowska, H., Leemis, L. (2023), "The Probability Mass Function of the Kaplan-Meier Product-Limit Estimator", *The American Statistician*, Volume 77, Number 1, 102-110.

See Also

[survfit](#)

Examples

```
km.outcomes(3)
```

km.pmf

Probability Mass Function for the support of the Kaplan-Meier product-limit estimator

Description

Generates the probability mass function for the support values of the Kaplan-Meier product-limit estimator for a particular sample size n , probability of observing a failure h at the time of interest expressed as the cumulative probability $perc$ associated with $X = \min(T, C)$, where T is the failure time and C is the censoring time under a random-censoring scheme.

Usage

```
km.pmf(n, h, perc, plot, sep, xfrac, cex.lollipop)
```

Arguments

n	sample size
h	probability of observing a failure, in other words, $P(X = T)$
perc	cumulative probability associated with $X = \min(T, C)$
plot	option to plot the probability mass function (default is TRUE)
sep	option to show the breakdown of the probability for each support value (see function <code>km.outcomes</code> for details on the breakdown) (default is TRUE)
xfrac	option to label support values on the x-axis as exact fractions (default is TRUE)
cex.lollipop	size of the dots atop the spikes

Details

The Kaplan-Meier product-limit estimator is used to estimate the survivor function for a data set of positive values in the presence of right censoring. The `km.pmf` function generates the probability mass function for the support values of the Kaplan-Meier product-limit estimator for a particular sample size n , probability of observing a failure h at the time of interest expressed as the cumulative probability $perc$ associated with $X = \min(T, C)$, where T is the failure time and C is the censoring time under a random-censoring scheme.

The n argument must be a positive integer denoting the sample size. Allowable limits are from 1 to 23. Larger values of n are not allowed because of CPU and memory limitations.

For larger sample size n , it is recommended to set $sep = FALSE$, $xfrac = FALSE$, and $cex.lollipop = 0.01$ for a better visual effect.

Value

The `km.pmf` function returns a dataframe with 2 columns. The column named `S` stores all the support values for the Kaplan-Meier product-limit estimator with sample size `n`, including NA. The column named `P` stores the associated probabilities.

Author(s)

Yuxin Qin (<yqin08@wm.edu>), Heather Sasinowska (<hdsasinowska@wm.edu>), Larry Leemis (<leemis@math.wm.edu>)

References

Qin, Y., Sasinowska, H., Leemis, L. (2023), "The Probability Mass Function of the Kaplan-Meier Product-Limit Estimator", *The American Statistician*, Volume 77, Number 1, 102-110.

See Also

[survfit](#)

Examples

```
km.pmf(4, 1/3, 0.75)
```

```
km.pmf(8, 1/2, 0.75, sep = FALSE, xfrac = FALSE, cex.lollipop = 0.01)
```

km.support

Support values for the Kaplan-Meier product-limit estimator

Description

Calculate the support values for the Kaplan-Meier product-limit estimator for a particular sample size `n` using an induction algorithm.

Usage

```
km.support(n)
```

Arguments

<code>n</code>	sample size
----------------	-------------

Details

The Kaplan-Meier product-limit estimator is used to estimate the survivor function for a data set of positive values in the presence of right censoring. The *km.support* function calculates the support values for the Kaplan-Meier product-limit estimator for a sample of size *n* using an induction algorithm described in Qin et al. (2023).

The *n* argument must be a positive integer denoting the sample size. Allowable limits are from 1 to 35. Larger values of *n* are not allowed because of CPU and memory limitations.

The numerators and denominators are temporarily converted to complex numbers within the *km.support* function in order to eliminate duplicate support values using the *unique* function.

Value

The *km.support* function returns a list with two components.

- *num*: a vector of integers containing the numerators of the support values
- *den*: a vector of integers containing the associated denominators of the support values

The support values are not returned in sorted order. Zero and one, which are always a part of the support, are given as 0 / 1 and 1 / 1.

Author(s)

Yuxin Qin (<yqin08@wm.edu>), Heather Sasinowska (<hdsasinowska@wm.edu>), Larry Leemis (<leemis@math.wm.edu>)

References

Qin, Y., Sasinowska, H., Leemis, L. (2023), "The Probability Mass Function of the Kaplan-Meier Product-Limit Estimator", *The American Statistician*, Volume 77, Number 1, 102-110.

See Also

[survfit](#)

Examples

```
# display unsorted numerators and denominators of support values for n = 4
km.support(4)
# display sorted support values for n = 4 as exact fractions
n <- 4
s <- km.support(n)
i <- order(s$num / s$den)
m <- length(s$num)
f <- ""
for (j in i[2:(m - 1)]) f <- paste(f, s$num[j], "/", s$den[j], ", ", sep = "")
cat(paste("The ", m, " support values for n = ", n, " are: 0, ", f, "1.\n", sep = ""))
# print sorted support values for n = 4 as numerics
print(s$num[i] / s$den[i])
```

km.surv	<i>Probability Mass Functions for the support of the Kaplan-Meier product-limit estimator for various cumulative probabilities associated with X</i>
---------	--

Description

Plot the probability mass functions for the support values of the Kaplan-Meier product-limit estimator for a given sample size n with a probability of observing a failure h at various times of interest expressed as the cumulative probability $perc$ associated with $X = \min(T, C)$, where T is the failure time and C is the censoring time, under a random-censoring scheme.

Usage

```
km.surv(n, h, lambda, ev, line, graydots, gray.cex,
        gray.outline, xfrac)
```

Arguments

<code>n</code>	sample size
<code>h</code>	probability of observing a failure
<code>lambda</code>	plotting frequency of the probability mass functions (default is 10)
<code>ev</code>	option to plot the expected values of the support values (default is FALSE)
<code>line</code>	option to connect the expected values with lines (default is FALSE)
<code>graydots</code>	option to express the weight of the support values using grayscale (default is FALSE)
<code>gray.cex</code>	option to change the size of the gray dots (default is 1)
<code>gray.outline</code>	option to display outlines of the gray dots (default is TRUE)
<code>xfrac</code>	option to label support values on the y-axis as exact fractions (default is TRUE)

Details

The Kaplan-Meier product-limit estimator is used to estimate the survivor function for a data set of positive values in the presence of right censoring. The `km.surv` function plot the probability mass functions for the support values of the Kaplan-Meier product-limit estimator for a given sample size n with a probability of observing a failure h at various times of interest expressed as the cumulative probability $perc$ associated with $X = \min(T, C)$, where T is the failure time and C is the censoring time, under a random-censoring scheme.

The `n` argument must be a positive integer denoting the sample size. Allowable limits are from 1 to 23. Larger values of `n` are not allowed because of CPU and memory limitations.

The default method to plot the probability mass functions uses the area of a dot to indicate the relative probability of a support value. An alternative is to plot the probability mass functions using grayscales (by setting `graydots` = TRUE). One of the two approaches might work better in different scenarios.

The expected values are calculated by removing the probability of NA and normalizing the rest of the probabilities.

Value

The `km.surv` function doesn't return any value.

Author(s)

Yuxin Qin (<yqin08@wm.edu>), Heather Sasinowska (<hdsasinowska@wm.edu>), Larry Leemis (<leemis@math.wm.edu>)

References

Qin, Y., Sasinowska, H., Leemis, L. (2023), "The Probability Mass Function of the Kaplan-Meier Product-Limit Estimator", *The American Statistician*, Volume 77, Number 1, 102-110.

See Also

[survfit](#)

Examples

```
km.surv(n = 4, h = 2/3, lambda = 100, ev = TRUE, line = TRUE)
km.surv(n = 5, h = 3/4, lambda = 50, graydots = TRUE, gray.cex = 0.6, gray.outline = FALSE)
km.surv(n = 7, h = 1/5, lambda = 30, graydots = TRUE, gray.cex = 0.6, xfrac = FALSE)
```

llogisMLE

*Maximum Likelihood Parameter Estimation of a Log Logistic Model
with Possibly Censored Data*

Description

Estimate log logistic model parameters by the maximum likelihood method using possibly censored data. The corresponding code for this function as well as the manual information included here is attributed to Christophe Pouzat's STAR Package (archived 2022-05-23).

Usage

```
llogisMLE(yi, ni = numeric(length(yi)) + 1,
           si = numeric(length(yi)) + 1)
```

Arguments

<code>yi</code>	vector of (possibly binned) observations or a <code>spikeTrain</code> object.
<code>ni</code>	vector of counts for each value of <code>yi</code> ; default: <code>numeric(length(yi))+1</code> .
<code>si</code>	vector of counts of <i>uncensored</i> observations for each value of <code>yi</code> ; default: <code>numeric(length(yi))+1</code> .

Details

The MLE for the log logistic is not available in closed form and is therefore obtained numerically obtained by calling `optim` with the BFGS method.

In order to ensure good behavior of the numerical optimization routines, optimization is performed on the log of parameter scale.

Standard errors are obtained from the inverse of the observed information matrix at the MLE. They are transformed to go from the log scale used by the optimization routine to the requested parameterization.

Value

A list of class `durationFit` with the following components:

<code>estimate</code>	the estimated parameters, a named vector.
<code>se</code>	the standard errors, a named vector.
<code>logLik</code>	the log likelihood at maximum.
<code>r</code>	a function returning the log of the relative likelihood function.
<code>mll</code>	a function returning the opposite of the log likelihood function using the log of parameter <code>sdlog</code> .
<code>call</code>	the matched call.

Note

The returned standard errors (component `se`) are valid in the asymptotic limit. You should plot contours using function `r` in the returned list and check that the contours are reasonably close to ellipses.

Author(s)

Christophe Pouzat <christophe.pouzat@gmail.com>

References

- Lindsey, J.K. (2004) *Introduction to Applied Statistics: A Modelling Approach*. OUP.
- Lindsey, J.K. (2004) *The Statistical Analysis of Stochastic Processes in Time*. CUP.

See Also

[dlllogis](#), [invgaussMLE](#), [gammaMLE](#).

Examples

```
## Not run:
## Simulate sample of size 100 from a log logistic
## distribution
set.seed(1102006, "Mersenne-Twister")
sampleSize <- 100
location.true <- -2.7
```

```

scale.true <- 0.025
sampLL <- rlllogis(sampleSize,location=location.true,scale=scale.true)
sampLLmleLL <- llogisMLE(sampLL)
rbind(est = sampLLmleLL$estimate,se = sampLLmleLL$se,true = c(location.true,scale.true))

## Estimate the log relative likelihood on a grid to plot contours
Loc <- seq(sampLLmleLL$estimate[1]-4*sampLLmleLL$se[1],
            sampLLmleLL$estimate[1]+4*sampLLmleLL$se[1],
            sampLLmleLL$se[1]/10)
Scale <- seq(sampLLmleLL$estimate[2]-4*sampLLmleLL$se[2],
               sampLLmleLL$estimate[2]+4*sampLLmleLL$se[2],
               sampLLmleLL$se[2]/10)
sampLLmleLLcontour <- sapply(Loc, function(m) sapply(Scale, function(s) sampLLmleLL$r(m,s)))
## plot contours using a linear scale for the parameters
## draw four contours corresponding to the following likelihood ratios:
## 0.5, 0.1, Chi2 with 2 df and p values of 0.95 and 0.99
X11(width=12,height=6)
layout(matrix(1:2,ncol=2))
contour(Loc,Scale,t(sampLLmleLLcontour),
        levels=c(log(c(0.5,0.1)), -0.5*qchisq(c(0.95,0.99),df=2)),
        labels=c("log(0.5)",
                "log(0.1)",
                "-1/2*P(Chi2=0.95)",
                "-1/2*P(Chi2=0.99)"),
        xlab="Location",ylab="Scale",
        main="Log Relative Likelihood Contours"
        )
points(sampLLmleLL$estimate[1],sampLLmleLL$estimate[2],pch=3)
points(location.true,scale.true,pch=16,col=2)
## The contours are not really symmetrical about the MLE we can try to
## replot them using a log scale for the parameters to see if that improves
## the situation
contour(Loc,log(Scale),t(sampLLmleLLcontour),
        levels=c(log(c(0.5,0.1)), -0.5*qchisq(c(0.95,0.99),df=2)),
        labels="",
        xlab="log(Location)",ylab="log(Scale)",
        main="Log Relative Likelihood Contours",
        sub="log scale for parameter: scale")
points(sampLLmleLL$estimate[1],log(sampLLmleLL$estimate[2]),pch=3)
points(location.true,log(scale.true),pch=16,col=2)

## make a parametric bootstrap to check the distribution of the deviance
nbReplicate <- 10000
sampleSize <- 100
system.time(
  devianceLL100 <- replicate(nbReplicate,{
    sampLL <- rlllogis(sampleSize,location=location.true,scale=scale.true)
    sampLLmleLL <- llogisMLE(sampLL)
    -2*sampLLmleLL$r(location.true,scale.true)
  })
)
)[3]

```

```
## Get 95 and 99
ci <- sapply(1:nbReplicate,
             function(idx) qchisq(qbeta(c(0.005,0.025,0.975,0.995),
                                         idx,
                                         nbReplicate-idx+1),
                                         df=2)
             )
## make QQ plot
X <- qchisq(ppoints(nbReplicate),df=2)
Y <- sort(devianceLL100)
X11()
plot(X,Y,type="n",
      xlab=expression(paste(chi[2]^2," quantiles")),
      ylab="MC quantiles",
      main="Deviance with true parameters after ML fit of log logistic data",
      sub=paste("sample size:", sampleSize,"MC replicates:", nbReplicate)
      )
abline(a=0,b=1)
lines(X,ci[1,],lty=2)
lines(X,ci[2,],lty=2)
lines(X,ci[3,],lty=2)
lines(X,ci[4,],lty=2)
lines(X,Y,col=2)

## End(Not run)
```

Index

- * **Agresti-Coull**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
- * **Arcsine**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
- * **Blaker**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
- * **Clopper-Pearson**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
- * **Dyck words**
 - binomTestMSE, 9
- * **Ensemble**
 - binomTestEnsemble, 7
- * **Jeffreys**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
- * **Kaplan-Meier estimator**
 - km.outcomes, 38
 - km.pmf, 40
 - km.support, 41
 - km.surv, 43
- * **Kaplan-Meier product-limit estimator**
 - support values**
 - km.outcomes, 38
 - km.pmf, 40
 - km.support, 41
 - km.surv, 43
- * **RMSE**
 - binomTestMSE, 9
- * **Wald**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
- * **Wilson-Score**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
- * **actual coverage function**
 - binomTestMSE, 9
- * **actual coverage**
 - binomTestCoverage, 4
- * **binomial distribution**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
- * **binomial proportion**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
 - binomTestMSE, 9
- * **confidence intervals for binomial proportions**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7
 - binomTestMSE, 9
- * **confidence interval**
 - binomTest, 3
 - binomTestCoverage, 4
 - binomTestCoveragePlot, 5
 - binomTestEnsemble, 7

- `binomTestMSE`, 9
- * **confidence region plot graphics**
 - visualization coverage parameter estimation**
 - `coversim`, 12
 - `crplot`, 16
- * **distribution**
 - `coversim`, 12
 - `crplot`, 16
 - `dinvgauss`, 22
 - `dlllogis`, 25
 - `gammaMLE`, 27
 - `invgaussMLE`, 30
 - `llogisMLE`, 44
- * **models**
 - `coversim`, 12
 - `crplot`, 16
- * **nonparametric methods**
 - `km.outcomes`, 38
 - `km.pmf`, 40
 - `km.support`, 41
 - `km.surv`, 43
- * **product-limit estimator**
 - `km.outcomes`, 38
 - `km.pmf`, 40
 - `km.support`, 41
 - `km.surv`, 43
- * **right censoring**
 - `km.outcomes`, 38
 - `km.pmf`, 40
 - `km.support`, 41
 - `km.surv`, 43
- * **right-censored data**
 - `km.outcomes`, 38
 - `km.pmf`, 40
 - `km.support`, 41
 - `km.surv`, 43
- * **ts**
 - `dinvgauss`, 22
 - `dlllogis`, 25
 - `gammaMLE`, 27
 - `invgaussMLE`, 30
 - `llogisMLE`, 44
- * **univar**
 - `coversim`, 12
 - `crplot`, 16

- `binomTest`, 3, 11
- `binomTestCoverage`, 4, 11
- `binomTestCoveragePlot`, 5, 11
- `binomTestEnsemble`, 7, 11
- `binomTestMSE`, 9, 11

- `conf`, 10
- `conf-package (conf)`, 10
- `coversim`, 11, 12, 21
- `crplot`, 11, 16, 16

- `dbinom`, 4, 5, 7
- `dinvgauss`, 22, 30, 31
- `dlllogis`, 25, 45

- `gammaMLE`, 27, 31, 45

- `invgaussMLE`, 23, 28, 30, 45

- `km.outcomes`, 11, 38
- `km.pmf`, 11, 40
- `km.support`, 11, 41
- `km.surv`, 11, 43

- `llogisMLE`, 26, 31, 44

- `optim`, 30, 45

- `par`, 13, 14, 18
- `pinvgauss (dinvgauss)`, 22
- `pllogis (dlllogis)`, 25

- `qinvgauss (dinvgauss)`, 22
- `qllogis (dllogis)`, 25

- `rinvgauss (dinvgauss)`, 22
- `rllogis (dllogis)`, 25
- `round`, 13, 17

- `survfit`, 40–42, 44

- `uniroot`, 14, 16, 18, 21