

Package ‘csalert’

July 22, 2025

Title Alerts from Public Health Surveillance Data

Version 2024.6.24

Description Helps create alerts and determine trends by using various methods to analyze public health surveillance data. The primary analysis method is based upon a published analytics strategy by Benedetti (2019) <[doi:10.5588/pha.19.0002](https://doi.org/10.5588/pha.19.0002)>.

Depends R (>= 3.3.0)

License MIT + file LICENSE

URL <https://www.csids.no/csalert/>, <https://github.com/csids/csalert>

BugReports <https://github.com/csids/csalert/issues>

Encoding UTF-8

Imports data.table, magrittr, ggplot2, glm2, cstydy, cstime, lubridate, stringr, surveillance

Suggests testthat, knitr, rmarkdown, rstudioapi, glue, covidnor, csdata, csmaps, ggrepel, plnr

RoxygenNote 7.2.3

VignetteBuilder knitr

NeedsCompilation no

Author Beatriz Valcarcel Salamanca [aut],
Chi Zhang [aut] (ORCID: <<https://orcid.org/0000-0003-0501-5909>>),
Richard Aubrey White [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-6747-1726>>),
CSIDS [cph]

Maintainer Richard Aubrey White <hello@rwhite.no>

Repository CRAN

Date/Publication 2024-06-24 12:20:12 UTC

Contents

add_holiday_effect	2
prediction_interval	2

prediction_interval.glm	3
short_term_trend	4
short_term_trend_sts_v1	5
signal_detection_hlm	6
simulate_baseline_data	8
simulate_seasonal_outbreak_data	9
simulate_spike_outbreak_data	10

Index	11
--------------	-----------

add_holiday_effect *Holiday effect* —

Description

The effect of public holiday on a time series of daily counts

Usage

```
add_holiday_effect(data, holiday_data, holiday_effect = 2)
```

Arguments

data A csfmt_rds data object
 holiday_data dates
 holiday_effect Ending date of the simulation period.

Value

A csfmt_rts_data_v1, data.table containing

prediction_interval *Prediction thresholds*

Description

Prediction thresholds

Usage

```
prediction_interval(object, newdata, alpha = 0.05, z = NULL, ...)
```

Arguments

object	Object
newdata	New data
alpha	Two-sided alpha (e.g 0.05)
z	Similar to alpha (e.g. z=1.96 is the same as alpha=0.05)
...	dots

`prediction_interval.glm`
Prediction thresholds

Description

Prediction thresholds

Usage

```
## S3 method for class 'glm'  
prediction_interval(  
  object,  
  newdata,  
  alpha = 0.05,  
  z = NULL,  
  skewness_transform = "none",  
  ...  
)
```

Arguments

object	Object
newdata	New data
alpha	Two-sided alpha (e.g 0.05)
z	Similar to alpha (e.g. z=1.96 is the same as alpha=0.05)
skewness_transform	"none", "1/2", "2/3"
...	dots

short_term_trend *Determine the short term trend of a timeseries*

Description

The method is based upon a published analytics strategy by Benedetti (2019) <doi:10.5588/pha.19.0002>.

Usage

```
short_term_trend(x, ...)

## S3 method for class 'csfmt_rts_data_v1'
short_term_trend(
  x,
  numerator,
  denominator = NULL,
  prX = 100,
  trend_isoyearweeks = 6,
  remove_last_isoyearweeks = 0,
  forecast_isoyearweeks = trend_isoyearweeks,
  numerator_naming_prefix = "from_numerator",
  denominator_naming_prefix = "from_denominator",
  statistics_naming_prefix = "universal",
  remove_training_data = FALSE,
  include_decreasing = FALSE,
  alpha = 0.05,
  ...
)
```

Arguments

x	Data object
...	Not in use.
numerator	Character of name of numerator
denominator	Character of name of denominator (optional)
prX	If using denominator, what scaling factor should be used for numerator/denominator?
trend_isoyearweeks	Same as trend_dates, but used if granularity_geo=='isoyearweek'
remove_last_isoyearweeks	Same as remove_last_dates, but used if granularity_geo=='isoyearweek'
forecast_isoyearweeks	Same as forecast_dates, but used if granularity_geo=='isoyearweek'
numerator_naming_prefix	"from_numerator", "generic", or a custom prefix

denominator_naming_prefix	"from_denominator", "generic", or a custom prefix
statistics_naming_prefix	"universal" (one variable for trend status, one variable for doubling dates), "from_numerator_and_prX" (If denominator is NULL, then one variable corresponding to numerator. If denominator exists, then one variable for each of the prXs)
remove_training_data	Boolean. If TRUE, removes the training data (i.e. 1:(trend_dates-1) or 1:(trend_isoyearweeks-1)) from the returned dataset.
include_decreasing	If true, then *_trend*_status contains the levels c("training", "forecast", "decreasing", "null", "increasing"), otherwise the levels c("training", "forecast", "notincreasing", "increasing").
alpha	Significance level for change in trend.

Value

The original csfmt_rts_data_v1 dataset with extra columns. *_trend*_status contains a factor with levels c("training", "forecast", "decreasing", "null", "increasing"), while *_doublingdays* contains the expected number of days before the numerator doubles.

Examples

```
d <- cstudy::nor_covid19_icu_and_hospitalization_csfmt_rts_v1
d <- d[granularity_time=="isoyearweek"]
res <- csalert::short_term_trend(
  d,
  numerator = "hospitalization_with_covid19_as_primary_cause_n",
  trend_isoyearweeks = 6
)
print(res[, .(
  isoyearweek,
  hospitalization_with_covid19_as_primary_cause_n,
  hospitalization_with_covid19_as_primary_cause_trend0_41_status
)])
```

short_term_trend_sts_v1

Determine the short term trend of a timeseries

Description

The method is based upon a published analytics strategy by Benedetti (2019) <doi:10.5588/pha.19.0002>. This function has been frozen on 2024-06-24. It is designed to use sts

Usage

```
short_term_trend_sts_v1(sts, control = list(w = 5, alpha = 0.05))
```

Arguments

sts Data object of type sts.
control Control object, a named list with several elements.
w Length of the window that is being analyzed.
alpha Significance level for change in trend.

Value

sts object with the alarms slot set to 0/1 if not-increasing/increasing.

Examples

```
d <- cstudy::nor_covid19_icu_and_hospitalization_csfmt_rts_v1
d <- d[granularity_time=="isoyearweek"]
sts <- surveillance::sts(
  observed = d$hospitalization_with_covid19_as_primary_cause_n, # weekly number of cases
  start = c(d$isoyear[1], d$isoweek[1]), # first week of the time series
  frequency = 52
)
x <- csalert::short_term_trend_sts_v1(
  sts,
  control = list(
    w = 5,
    alpha = 0.05
  )
)
plot(x)
```

signal_detection_hlm *Determine the short term trend of a timeseries*

Description

The method is based upon a published analytics strategy by Benedetti (2019) <doi:10.5588/pha.19.0002>.

Usage

```
signal_detection_hlm(x, ...)

## S3 method for class 'csfmt_rts_data_v1'
signal_detection_hlm(
  x,
  value,
  baseline_isoyears = 5,
  remove_last_isoyearweeks = 0,
  forecast_isoyearweeks = 2,
  value_naming_prefix = "from_numerator",
```

```

    remove_training_data = FALSE,
    ...
  )

```

Arguments

x	Data object
...	Not in use.
value	Character of name of value
baseline_isoyears	Number of years in the past you want to include as baseline
remove_last_isoyearweeks	Number of isoyearweeks you want to remove at the end (due to unreliable data)
forecast_isoyearweeks	Number of isoyearweeks you want to forecast into the future
value_naming_prefix	"from_numerator", "generic", or a custom prefix
remove_training_data	Boolean. If TRUE, removes the training data (i.e. 1:(trend_isoyearweeks-1)) from the returned dataset.

Value

The original `csfmt_rts_data_v1` dataset with extra columns. `*_trend*_status` contains a factor with levels `c("training", "forecast", "decreasing", "null", "increasing")`, while `*_doublingdays*` contains the expected number of days before the numerator doubles.

Examples

```

d <- cstidy::nor_covid19_icu_and_hospitalization_csfmt_rts_v1
d <- d[granularity_time=="isoyearweek"]
res <- csalert::signal_detection_hlm(
  d,
  value = "hospitalization_with_covid19_as_primary_cause_n",
  baseline_isoyears = 1
)
print(res[, .(
  isoyearweek,
  hospitalization_with_covid19_as_primary_cause_n,
  hospitalization_with_covid19_as_primary_cause_forecasted_n,
  hospitalization_with_covid19_as_primary_cause_forecasted_n_forecast,
  hospitalization_with_covid19_as_primary_cause_baseline_predinterval_q50x0_n,
  hospitalization_with_covid19_as_primary_cause_baseline_predinterval_q99x5_n,
  hospitalization_with_covid19_as_primary_cause_n_status
)])

```

 simulate_baseline_data

Simulate baseline data — Simulation of baseline data.

Description

This function simulates a time series of daily counts in the absence of outbreaks. Data is simulated using a poisson/negative binomial model as described in Noufaily et al. (2019). Properties of time series such as frequency of baseline observations, trend, seasonal and weekly pattern can be specified in the simulation.

Usage

```
simulate_baseline_data(
  start_date,
  end_date,
  seasonal_pattern_n,
  weekly_pattern_n,
  alpha,
  beta,
  gamma_1,
  gamma_2,
  gamma_3,
  gamma_4,
  phi,
  shift_1
)
```

Arguments

start_date	Starting date of the simulation period. Date is in the format of 'yyyy-mm-dd'.
end_date	Ending date of the simulation period. Date is in the format of 'yyyy-mm-dd'.
seasonal_pattern_n	Number of seasonal patterns. For no seasonal pattern seasonal_pattern_n = 0. Seasonal_pattern_n = 1 represents annual pattern. Seasonal_pattern_n = 2 indicates biannual pattern.
weekly_pattern_n	Number of weekly patterns. For no specific weekly pattern, weekly_pattern_n = 0. Weekly_pattern_n = 1 represents one weekly peak.
alpha	The parameter is used to specify the baseline frequencies of reports
beta	The parameter is used to specify to specify linear trend
gamma_1	The parameter is used to specify the seasonal pattern
gamma_2	The parameter is used to specify the seasonal pattern
gamma_3	The parameter is used to specify day-of-the week pattern

gamma_4	The parameter is used to specify day-of-the week pattern
phi	Dispersion parameter. If $\phi = 0$, a Poisson model is used to simulate baseline data.
shift_1	Horizontal shift parameter to help control over week/month peaks.

Value

A `csfmt_rts_data_v1`, `data.table` containing a time series of counts

wday day-of-the week

n cases

Examples

```
baseline <- simulate_baseline_data(
  start_date = as.Date("2012-01-01"),
  end_date = as.Date("2019-12-31"),
  seasonal_pattern_n = 1,
  weekly_pattern_n = 1,
  alpha = 3,
  beta = 0,
  gamma_1 = 0.8,
  gamma_2 = 0.6,
  gamma_3 = 0.8,
  gamma_4 = 0.4,
  phi = 4,
  shift_1 = 29 )
```

simulate_seasonal_outbreak_data

Simulate seasonal outbreaks —

Description

Simulation of seasonal outbreaks for syndromes/diseases that follows seasonal trends. Seasonal outbreaks are more variable both in size and timing than seasonal patterns. The number of seasonal outbreaks occur in a year are defined by `n_season_outbreak`. The parameters `week_season_start` and `week_season_end` define the season window. The start of the seasonal outbreak is drawn from the season window weeks, with higher probability of outbreak occurs around the peak of the season (`week_season_peak`). The seasonal outbreak size (excess number of cases that occurs during the outbreak) is simulated using a poisson distribution as described in Noufaily et al. (2019).

Usage

```
simulate_seasonal_outbreak_data(
  data,
  week_season_start = 40,
  week_season_peak = 4,
```

```

week_season_end = 20,
n_season_outbreak = 1,
m = 50
)

```

Arguments

data	A csfmt_rds data object
week_season_start	Starting season week number
week_season_peak	Peak of the season week number
week_season_end	Ending season week number
n_season_outbreak	Number of seasonal outbreaks to be simulated
m	Parameter to determine the size of the outbreak (m times the standard deviation of the baseline count at the starting day of the seasonal outbreak)

Value

A csfmt_rts_data_v1, data.table

simulate_spike_outbreak_data
Simulate spiked outbreaks —

Description

Simulation of spiked outbreak as described in Noufaily et al. (2019). The method for simulating spiked outbreak is similar to seasonal outbreaks simulation but they are shorter in duration and are added only the last year of data (prediction data). Spiked outbreaks can start at any week during the prediction data

Usage

```
simulate_spike_outbreak_data(data, n_sp_outbreak = 1, m)
```

Arguments

data	A csfmt_rds data object
n_sp_outbreak	Number of spiked outbreaks to be simulated
m	Parameter to determine the size of the outbreak (m times the standard deviation of the baseline count at the starting day of the seasonal outbreak)

Value

A csfmt_rts_data_v1, data.table

Index

`add_holiday_effect`, [2](#)

`prediction_interval`, [2](#)

`prediction_interval.glm`, [3](#)

`short_term_trend`, [4](#)

`short_term_trend_sts_v1`, [5](#)

`signal_detection_hlm`, [6](#)

`simulate_baseline_data`, [8](#)

`simulate_seasonal_outbreak_data`, [9](#)

`simulate_spike_outbreak_data`, [10](#)