

The `latex-lab-testphase-new-or-2` code

Frank Mittelbach, L^AT_EX Project

v0.86d 2025-05-10

Abstract

This code implements changes to the output routine intended to be moved in the L^AT_EX kernel at some point in the future.

1 Introduction

2 The Implementation

1 `(*package)`

2.1 File declaration

```
2 \ProvidesPackage{latex-lab-testphase-new-or-2}
3   [\ltlabneworIIdate\space v\ltlabneworIIVersion\space
4   Changes to the output routine]
```

2.2 `\@makecol` reimplementaⁿtion

`footnote-floats (plug)` If `\DocumentMetadata` is used we use `footnotes-floats` as the default. In 2e compatibility mode this should be changed to `footnotes-floats-legacy`.

5 `\AssignSocketPlug {build/column/outputbox}{footnotes-floats}`

`\@makecol@handlesplitfootnotes` This is only an early draft and doesn't do much. Contains incomplete preparation for tagging commented out.
`\@makecol@splitfootnotemessagehook`

TODO: Interfaces and code will change in the future

```
6 \def\@makecol@handlesplitfootnotes {%
7 %  \ifx\splitfootnote@continuation\empty \else
8 %    \setbox\footins\vbox{\splitfootnote@continuation\unvbox\footins}%
9 %    \global\let\splitfootnote@continuation\empty
10 %  \fi
11 %  \ifnum\insertpenalties>\z@
12 %    \@makecol@splitfootnotemessagehook
13 %    \setbox\footins\vbox{\unvbox\footins --- END at split}%
14 %    \gdef\splitfootnote@continuation{--- START after split}%
15 %  \fi
16 }
17 \%def\splitfootnote@continuation{}
```

This could issue warning if split footnotes are encountered.

```
18 \let \@makecol@splitfootnotemessagehook \empty  
(End of definition for \@makecol@handlesplitfootnotes and \@makecol@splitfootnotemessagehook.)
```

2.3 \@outputpage reimplementation

We still have to deal with various plug setting for tagging: This needs documentation and moving.

```
default (plug)
```

```
19 \ExplSyntaxOn
```

TODO: where should these plug declarations go? tagpdf?

```
20 \NewTaggingSocketPlug{build/page/header}{default}  
21 {  
22     \__tag_hook_kernel_before_head:  
23     #2  
24     \__tag_hook_kernel_after_head:  
25 }
```

```
26 \AssignTaggingSocketPlug{build/page/header}{default}
```

```
default (plug)
```

```
27 \NewTaggingSocketPlug{build/page/footer}{default}  
28 {  
29     \__tag_hook_kernel_before_foot:  
30     #2  
31     \__tag_hook_kernel_after_foot:  
32 }
```

```
33 \AssignTaggingSocketPlug{build/page/footer}{default}
```

```
default (plug)
```

```
34 \NewTaggingSocketPlug{build/column/outputbox}{default}  
35 {  
36     \__tag_check_typeout_v:n { =====>~\token_to_str:N \@makecol  
37                               \c_space_tl\the\c@page }  
38     \tag_mc_add_missing_to_stream:Nn \outputbox {main}  
39 }
```

```
default (plug)
```

```
40 \NewTaggingSocketPlug{build/column/footins}{default}  
41 { \tag_mc_add_missing_to_stream:Nn \footins {footnote} }
```

The two sockets do nothing (default `noop`) if we are in lua mode. If not they get the `default` assigned

```
42 \sys_if_engine_luatex:F
43   {
44     \AssignTaggingSocketPlug{build/column/outputbox}{default}
45     \AssignTaggingSocketPlug{build/column/footins}{default}
46   }
47 \ExplSyntaxOff
```

3 Replacement for the `footmisc` package

The replacement for `footmisc`. If the new code is used, we must replace the package if it is loaded by the user:

```
48 \declare@file@substitution{footmisc.sty}{latex-lab-footmisc.ltx}
```

This can be removed the moment the remaining hooks and sockets have been integrated into `footmisc`, which will probably not happen before the 2025/11 release.

4 Temp stuff that is related but should go to the kernel

This is the code from `latex-lab-footnotes.dtx`.

```
49 \input{latex-lab-footnotes.ltx}
50 </package>
```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A	\footins 8, 13, 41
\AssignSocketPlug	5
\AssignTaggingSocketPlug ..	<u>26</u> , <u>33</u> , <u>44</u> , 45
	footnote-floats (plug) 5
	footnotes-floats (plug) 1
	footnotes-floats-legacy (plug) 1
D	
\def	6, 17
default (plug)	<u>3</u> , <u>19</u> , <u>27</u> , <u>34</u> , <u>40</u>
\DocumentMetadata	<u>1</u>
E	
\else	<u>7</u>
\ExplSyntaxOff	<u>47</u>
\ExplSyntaxOn	<u>19</u>
F	
\fi	10, 15
G	
\gdef	14
\global	9
I	
\ifnum	11
\ifx	7
\input	49
\insertpenalties	11
L	
\let	9, 18

\ltlabneworIIdate	3	__tag_hook_kernel_after_foot:	31
\ltlabneworIIversion	3	__tag_hook_kernel_after_head:	24
N		__tag_hook_kernel_before_foot:	29
\NewTaggingSocketPlug	20, 27, 34, 40	__tag_hook_kernel_before_head:	22
noop (plug)	3	TeX and L ^A T _E X 2 _{<} commands:	
P		\@empty	7, 9, 18
Plugs:		\@makecol	1, 36
default	3, 19, 27, 34, 40	\@makecol@handlesplitfootnotes	6
footnote-floats	5	\@makecol@splitfootnotemessagehook	
footnotes-floats	1		6
footnotes-floats-legacy	1	\@outputbox	38
noop	3	\@outputpage	2
\ProvidesPackage	2	\c@page	37
S		\declare@file@substitution	48
\setbox	8, 13	\splitfootnote@continuation	
\space	3		7, 8, 9, 14, 17
sys commands:		\z@	11
\sys_if_engine_luatex:TF	42	\the	37
T		tl commands:	
tag commands:		\c_space_tl	37
\tag_mc_add_missing_to_stream:Nn		token commands:	
.....	38, 41	\token_to_str:N	36
tag internal commands:		U	
__tag_check_typeout_v:n	36	\unvbox	8, 13
V		\vbox	8, 13